This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

**Usage guidelines**

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

**About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

WEALE'S
RUDIMENTARY
SERIES
241

# FARM ROADS
# FENCES AND GATES

1/6

CROSBY LOCKWOOD & Co
LONDON

# WEALE'S RUDIMENTARY SCIENTIFIC AND EDUCATIONAL SERIES.

---

*The following are the Works already published in*

## PHYSICAL SCIENCE, &c.

*(The Volumes are bound in limp cloth, except where otherwise stated.)*

---

*CHEMISTRY*, for the Use of Beginners. By Professor GEORGE FOWNES, F.R.S. With an Appendix, on the Application of Chemistry to Agriculture. 1s.

*NATURAL PHILOSOPHY*, for the Use of Beginners. By C. TOMLINSON, F.R.S. Woodcuts. 1s. 6d.

*MINERALOGY*, Rudiments of. By A. RAMSAY, Jun. Woodcuts and Steel Plates. 3s.; cloth boards, 3s. 6d.

*MECHANICS*, Rudimentary Treatise on; being a concise Exposition of the General Principles of Mechanical Science, and their Applications. By C. TOMLINSON, F.R.S. 1s. 6d.

*ELECTRICITY:* showing the General Principles of Electrical Science, and the purposes to which it has been applied. By Sir W. SNOW HARRIS, F.R.S., &c. With considerable Additions by R. SABINE, C.E., F.S.A. Woodcuts. 1s. 6d.

*GALVANISM*, Rudimentary Treatise on, and the General Principles of Animal and Voltaic Electricity. By Sir W. SNOW HARRIS. New Edition, revised, with considerable Additions, by ROBERT SABINE, C.E., F.S.A. Woodcuts. 1s. 6d.

*MAGNETISM:* being a concise Exposition of the General Principles of Magnetical Science, and the Purposes to which it has been applied. By Sir W. SNOW HARRIS. New Edition, revised by H. M. NOAD, Ph.D. 3s. 6d.

*THE ELECTRIC TELEGRAPH:* its History and Progress. By R. SABINE, C.E., F.S.A., &c. Woodcuts. 3s.

*MANUAL OF THE MOLLUSCA:* a Treatise on Recent and Fossil Shells. By Dr. S. P. WOODWARD, A.L.S. With Appendix by RALPH TATE, A.L.S., F.G.S. With numerous Plates and 300 Woodcuts. 6s. 6d.; cloth boards, 7s. 6d.

*ASTRONOMY*. By the late Rev. R. MAIN, M.A., F.R.S., &c. Third Edition, Revised and Corrected to the Present Time. By W. THYNNE LYNN, B.A., F.R.A.S. 2s.

*TELEGRAPH*, Handbook of the; a Manual of Telegraphy, Telegraph Clerks' Remembrancer, and Guide to Candidates for Employment in the Telegraph Service. By R. BOND. Fourth Edition, revised and enlarged. 3s.

---

CROSBY ERS' HALL COURT, E.C.

**A SELECTION FROM WEALE'S SERIES.**

*COAL AND COAL MINING:* a Rudimentary Treatise on. By Warington W. Smyth, M.A., F.R.S., &c., Chief Inspector of the Mines of the Crown and of the Duchy of Cornwall. Fifth Edition, revised and enlarged. Woodcuts. 3s.6d.; cl. bds. 4s.

*PHYSICAL GEOLOGY,* partly based on Major-General Portlock's "Rudiments of Geology." By Ralph Tate, A.L.S. 2s.

*HISTORICAL GEOLOGY,* partly based on Major-General Portlock's "Rudiments." By Ralph Tate, A.L.S. 2s. 6d.

⁂ *The above two works bound together, limp, 4s. 6d., cloth boards, 5s.*

*ANIMAL PHYSICS,* Handbook of. By Dr. Lardner, D.C.L. With 520 Illustrations. In One Vol. 7s. 6d., cl. bds.

⁂ *Sold also in Two Parts, as follows:—*

Chapters I.—VII. 4s. Chapters VIII.—XVIII. 3s.

*ELECTRO-METALLURGY,* Practically Treated. By Alexander Watt, F.R.S.S.A. Eighth Edition, revised, with Additional Matter and Illustrations, including the most Recent Processes. Woodcuts. 3s.; cloth boards, 3s. 6d.

*METALLURGY OF IRON,* a Treatise on the. Containing History of Iron Manufacture, Methods of Assay, and Analyses of Iron Ores, Processes of Manufacture of Iron and Steel, &c. By H. Bauerman, F.G.S. Fifth Edition, enlarged, with numerous Illustrations. 5s.; cloth boards, 5s. 6d.

*A TREATISE ON SLATE AND SLATE QUARRYING,* Scientific, Practical, and Commercial. By D. C. Davies, F.G.S., &c. With Illustrations and Plates. 3s.; cloth bds. 3s.6d.

**MISCELLANEOUS VOLUMES.**

*A DICTIONARY OF TERMS used in ARCHITECTURE, BUILDING, ENGINEERING, MINING, METALLURGY, ARCHÆOLOGY, the FINE ARTS, &c.* By J. Weale. Fifth Edition. By Robert Hunt, F.R.S. 5s. limp; 6s. boards.

*THE LAW OF CONTRACTS FOR WORKS AND SERVICES.* By David Gibbons. Third Edition, revised. 3s.

*MANUAL OF DOMESTIC MEDICINE.* By R. Gooding, B.A., M.D. Intended as a Family Guide in all Cases of Accident and Emergency. 2s.; cloth boards, 2s. 6d.

*MANAGEMENT OF HEALTH.* A Manual of Home and Personal Hygiene. By the Rev. James Baird, B.A. 1s.

*THE HOUSE MANAGER:* being a Guide to Housekeeping: Practical Cookery, Household Work, Dairy Management, the Table and Dessert, Cellarage of Wines, the Boudoir and Dressing-room, Stable Economy, Gardening Operations, &c. By An Old Housekeeper. 3s. 6d.; cloth boards, 4s.

*THE HOUSE BOOK.* Comprising:—I. The House Manager. By An Old Housekeeper. II. Domestic Medicine. By Ralph Gooding, M.D. III. Management of Health. By James Baird. In One Vol., strongly half-bound. 6s.

**CROSBY LOCKWOOD & CO., 7, STATIONERS' HALL COURT, E.C.**

# FARM ROADS, FENCES, AND GATES

*The present Volume forms the Third of a Series of*

# FARM ENGINEERING TEXT-BOOKS

By PROFESSOR JOHN SCOTT.

*The following are now ready:—*

Draining and Embanking. With 68 Illustrations. Price 1s. 6d.

Irrigation and Water-Supply. With 34 Illustrations. Price 1s. 6d.

Farm Roads, Fences, and Gates. With 75 Illustrations. Price 1s. 6d.

*To be followed by the undermentioned, which are in active preparation:—*

Farm Buildings.

Motive Powers and Machinery of the Steading.

Field Implements and Machines.

Agricultural Surveying, Levelling, etc.

*SCOTT'S FARM ENGINEERING TEXT-BOOKS*

---

# FARM ROADS, FENCES, AND GATES

A

## PRACTICAL TREATISE

ON

THE ROADS, TRAMWAYS, AND WATERWAYS OF THE
FARM; THE PRINCIPLES OF ENCLOSURES; AND
THE DIFFERENT KINDS OF FENCES, GATES,
AND STILES

By JOHN SCOTT
LATE PROFESSOR OF AGRICULTURE AND RURAL ECONOMY AT THE ROYAL
AGRICULTURAL COLLEGE, CIRENCESTER;
AUTHOR OF "THE FARM VALUER," "RENTS AND PURCHASES," ETC.; AND ONE OF
THE AUTHORS OF MORTON'S "HANDBOOK OF THE FARM" SERIES

LONDON
CROSBY LOCKWOOD AND CO.
7, STATIONERS' HALL COURT, LUDGATE HILL
1883

[*All Rights reserved*]

191. k. 269

BODLEIAN LIBRARY
1 NOV 83
OXFORD.

LONDON:
PRINTED BY J. S. VIRTUE AND CO., LIMITED,
CITY ROAD.

# PREFACE.

Although roads and fences do not contribute directly to the revenue of the farm, and add very materially to the expenses, they are works of indispensable utility.

A judiciously planned system of farm roads enhances the value of the fields adjoining them, and without a sufficiency of fences the livestock of the farm could not be controlled nor the growing crops protected.

One of the most important items in large agricultural undertakings is the cost and facility of transport. It is every day becoming more essential to accomplish the removal of heavy crops and the application of heavy manures in the most expeditious way and at the cheapest possible rate. This can only be done where there is a well-devised system of well-kept roads, tramways, or waterways on the farm.

The subject of enclosures is an interesting one from many points of view, including as it does not merely the modern use of fences, but the ancient mode of marking the divisions of family estates (still practised by many of the modern nations of Europe) by boundary-stones or other landmarks, and the influence of enclosures and fences on shelter and climate.

Few non-agricultural readers would surmise that for every acre of enclosed land in this country there is over £1 invested in fences, and that the annual maintenance of these fences costs something like 3s. per acre.

Taking these figures in the aggregate, as applied to the 45,000,000 acres of enclosed land in the United Kingdom, their magnitude becomes at once apparent, for it shows the total capital sunk in fences to be nearly £50,000,000, and the annual maintenance and repair of these fences to cost at least £6,750,000.

There is no denying, however, that many existing fences might be dispensed with to the great advantage of agriculture, apart altogether from the expense of maintaining them.

The extended introduction of a cheap and durable system of wire fencing renders possible still further economy in the matter of fences. This is more especially true of barb wire fences, in which fewer lines of wire make an equally efficient fence, and that with only one-half to one-fourth the number of posts which it is considered necessary to use in plain wire fencing or in post-and-rail fences.

All the different kinds of fences now in use are noticed at such length and in such detail as their importance demands and the limits of the book admit.

# CONTENTS.

CHAP. PAGE
I. Farm Roads . . . . . . . . . . . 1
II. Principles of Road-making . . . . . . . 7
III. Construction of Roads . . . . . . . 18
IV. Pavements . . . . . . . . . . 33
V. Footpaths . . . . . . . . . . 37
VI. Farm Tramways and Portable Railways . . . 40
VII. Navigable Canals . . . . . . . . 46
VIII. Enclosures . . . . . . . . . . 52
IX. Hedges . . . . . . . . . . . 59
X. Dykes or Wall Fences . . . . . . . 69
XI. Wooden Fences . . . . . . . . . 75
XII. Wire Fences . . . . . . . . . 83
XIII. Movable Fences . . . . . . . . . 95
XIV. Field Gates . . . . . . . . . . 106
XV. Wickets and Stiles . . . . . . . . 115
Index . . . . . . . . . . . 121

# LIST OF ILLUSTRATIONS.

FIG. PAGE
1, 2 Badly Constructed Roads . . . . 15, 16
3 Projecting Stone struck by Wheel . 16
4 Telford's System of Road Formation . 20
5 Section of Road-bed and Drains . . . 25
6 Section of Cross-drain 26
7 Section of Hill-side Road . . . . . 26
8 Pavements . . . . 34
9 Section of Gravel Foot-path . . . . . 38
10 Section of Asphalte Walk . . . . . 9
11 Tramway Waggon . 40
12 Portable Railway . . 44
13 Ploughing-engines on Portable Rails . . 45
14 Navigable Canals . . 47
15 Ploughing with Engines in Punts . . 50
16—19 Methods of Planting Hedges . . . . 61
20 Fencing Young Hedges 62
21, 22 Methods of Pruning Hedges . . . . 63
23 Dead-hedge . . . . 65
24, 25 Wiring an Old Hedge 66
26 Building a Stone Dyke 71
27 Wooden Paling . . 76
28 Post-hole Borer . . 78
29, 30 Post-hole Digger . 79, 80
31 Fence-post . . . . 81
32 Upright Spar Fence . 81
33 Plain Single Wire Fence . . . . . 83
FIG. PAGE
34 Portable Strainer . . 83
35 Cable Wire Fence and Wooden Posts . . 84
36 Winding-bracket . . 85
37 Cable Wire Fence and Iron Posts . . . 85
38 Corrimony Fence . . 86
39 Angle-iron Standard . 87
40, 41 Droppers . . . . . 87
42 Two-barb Wire . . 88
43, 44 Barb Wire Fences . . 90
45 Iron Bar Fence . . 91
46 Deer-park Fence . . 92
47 Wire Netting . . . 93
48 Scotch Flake . . . 95
49 English or Welsh Hurdle . . . . 96
50 Rack-hurdles . . . 98
51, 52 Revolving Hurdles 99—101
53 Iron Hurdle on Wheels . . . . 101
54 Iron Stand Hurdle . 102
55 Iron Hurdle . . 103
56, 57 Sheep Net and Shepherd's-knot . . . 104
58 Wire Sheep Netting . 105
59 Wooden Gate . . . 107
60 Wrought-iron Gate and Posts . . . . 108
61 Unclimbable Gate . . 109
62—64 Wire Gates . . 109, 110
65 A Sliding Gate . . . 111
66, 67 Bridle Gates . 111, 112
68, 69 Gate for Hurdle Fences . . . 113, 114
70, 71 Bow Wickets . . . 116
72, 73 Fence-steps . . . . 117
74, 75 Opening Stiles . 118, 119

# FARM ROADS, FENCES, AND GATES.

## CHAPTER I.

### FARM ROADS.

GOOD roads are rarely met with on the farm. True, there are exceptional instances where the facilities afforded by a carefully designed and well-constructed system of roads have been attained, but such cases mostly occur under the immediate occupancy of an energetic and wealthy resident proprietor, or on the home farms retained by the proprietors of the larger estates. They do not, therefore, present any appreciable limit to our first statement, and are only to be regarded as examples of, and inciting to, a better than the prevailing state of things. On the majority of farms in this country, indeed, there is not a single furlong of *made road—i.e.* of road solidly constructed and kept in repair—except the comparatively short lengths leading from the public highways to the homesteads.

In an age of universal progress and advancement, the roads of the farm have received no general attention, and, indeed, are in little better condition than they were a century ago. It is not sufficiently recognised that the purpose of those internal communications is *to reduce the* cost of horse labour, and that a farm with a properly devised system of good roads is worth more to the occupier than it would be without such facilities.

Especially in clay-land districts, where good roads are most wanted, the majority of farms suffer from the narrowness and bad construction of the roads. There are many by-roads and lanes, over which there is much farm traffic at certain seasons of the year, that seem to be cared for by nobody. The result is that the harvest load may be seen fighting its way up the narrow lanes, while every hedge or tree takes a due tithe of the crop; or a good team is found pulling each other to pieces, with the wheels of the market-waggon or dung-cart nearly buried in the ruts of the road from the homestead.

Some lands there are, undoubtedly, so situated and of such a character that it would be superfluous to cut them up by internal roads; such, for example, where dry and flat grounds lie adjacent to or are bounded by public or occupation roads. It may then occur that the easy access to a good road and the contour of the field, together with the character and drainage condition of the soil, render the construction of roads inside the fences quite unnecessary. But that is not a very common occurrence, for even where a farm is well intersected by public or occupation roads, and the contour of the land flat, there will still be many fields which lie interior to those which abut upon the roads in question; and, wherever in order to reach one field another has to be crossed, it will always be advantageous to have a road. If there is much cart or waggon passage across a field, it will actually become an economy to devote a portion of the land to the purposes of a permanent road. Of course, where the ground is steep or otherwise naturally unsuited to farm traffic, it often becomes a first necessity to open it up road, even though a good road runs

means sparse, but there is no work of recent date which deals with them in a complete or connected form; while the old text-books on such matters, however good they may have been in their day, are now rendered more or less obsolete and untrustworthy, by reason of the great advances which have been made in agricultural science and mechanics within the last few years.

To bring forward all recent information and improvements in connection with the subjects treated of, and to preserve all that is good and practicable, while avoiding what is obsolete or misleading, in the older text-books, will give ample scope and fitting material for the work here begun.

The Volumes, which will form part of *Weale's Rudimentary Series*, will be freely illustrated, where requisite, and published at from 1s. 6d. to 2s. each.

*For list, see next page.*

LONDON: CROSBY LOCKWOOD & CO., 7, STATIONERS' HALL COURT, E.C.

It is reasonable to suppose *of heavy* machinery—such as agricultural locomoti

&c.—more general attention must be paid to farm roads, for a firm path is essential to the ready transport of these engines. But apart altogether from the requirements due to the introduction of heavy modern implements and machinery, it cannot be said that the permanent improvements on any estate or farm are complete without a definite system of good roads.

These roads, as being of the nature of permanent improvements, should be constructed at the expense of the proprietors, and maintained by the tenants or occupiers of the land.

The cost of such a system will materially depend upon the skill with which it is designed and laid out. It is surprising to any one who has never seen or attempted such a work with what economy it is possible to lay even a hilly farm under road control. And who can estimate the value of such a boon; the pleasure, the facility, and the profit derived; or the annoyance, the delay, the ruts, and the waste avoided thereby?

The important question, "What is the value of a farm with good and sufficient internal communication, and what the value of the same farm without any?" is answered as follows by Mr. J. Bailey Denton, in a paper on the subject of "Farm Roads," read by him before the London Farmers' Club some years ago. "Let us suppose," says Mr. Denton, "a farm of 500 acres, of a heavy clay soil, with the homestead in the centre, and good public roads on two sides of it. Five hundred acres will cover a square of seven furlongs on each side; and it would probably require two miles of road to give moderate accommodation to such a farm. This, at an average price of £5 a chain, will cost £800, and if we take the interest at £5 2s. 10d.

per cent. (the rate of instalment for repayment of principal and interest charged by the General Land Drainage and Improvement Company), the annual charge will be £41 2*s.* 6*d.* Is such a farm permanently improved by the acquisition of a road to the annual amount of £41 2*s.* 6*d.*, or 1*s.* 8*d.* per acre? When we consider that this annual sum of £41 2*s.* 6d. will barely cover the keep of one horse and a half, without regard to the wear and tear of the horse itself, and of carts, harness, and implements, I think we shall all answer in the affirmative. In such a farm of 500 acres, 400 acres being arable and 100 acres pasture and meadow, the produce of manure will be, under ordinary good management, from 1,400 to 1,500 tons of manure in the whole. This will suffice to give a dressing of 12½ tons to 116 acres, and the number of miles travelled in doing that will be 966, out and back, if we take the average road-lead to be one-third of a mile, or 27 chains. Now, if we remember that in heavy land we may not only pull our horses to pieces, but injuriously affect the land itself, if we do not take advantage of every hour of dry weather, but prolong the operation during wet weather, it is hardly possible to overrate the advantage of a hard road which will allow of a horse to travel at least 20 miles daily with the same ease that he will travel 12 or 13 miles doing the same work through clay mud. The difference of 28 days, which these figures show, in the time it will require to get manure on to the land, is one consideration which will go far to meet interest on the outlay of working the road, leaving out of consideration the injury done to tillage as well as damage to horses by carting over clay soils on wet days. If, therefore, we add all these advantages together—the gain in time, in power, in the wear and tear of carts and implements, and in the personal comfort of the occupier—there can be no doubt that 1*s*. 8*d*. per acre represents at least the value of the improvement in this assumed case; and we shall not be overstepping truth and practice in the resolution we may adopt if we assert, in general but decided terms, that the existence or non-existence of internal roads on a farm is an essential element in determining the rent that should be paid for it; and that the provision of farm roads, being a permanent improvement, and in the case of clay soils a very costly one, the outlay is properly a landlord's and not a tenant's duty."

# CHAPTER II.

## PRINCIPLES OF ROAD-MAKING.

"A ROAD, to be theoretically perfect," says Dr. Lardner, in his evidence before the Committee of the House of Commons, 1836, "should be, first, perfectly straight; second, perfectly level; third, perfectly smooth; and fourth, perfectly hard. If it possessed all these qualities in absolute perfection, the consequence would be that it would require no tractive power at all—an impulse given to a load at one end would carry it to the other by its inertia alone. This is the ideal limit to which it is the business of the road-maker to approximate as nearly as he can, all practical circumstances being considered. But, as it is obviously impossible to make roads in the country which would be perfect, there arises in most cases the extremely difficult inquiry as to the best possible compromise which can be made between all the inevitable imperfections the existence of which we are forced to admit."

*Resistance on Roads.*—The resistance or draught on roads is an important matter, a proper knowledge of which is of advantage in considerations regarding the gradients proper to be admitted in a line of road. It has been found by experiment that the resistance by wheel-carriages on roads is proportional to the load, and *inversely* proportional to the radius of the wheels.

The average proportion of the resistance to the load on a level part of a good broken stone road has been variously stated at from 44 lbs. to 75 lbs. per ton. Telford estimated it at $\frac{1}{30}$th of the gross load, or 74⅔ lbs. per ton. That is to say:—

As the resistance : the load :: 1 : 30;

or,

$$\frac{\text{Resistance}}{\text{Load}} = \frac{1}{30} = \frac{74\frac{2}{3}}{2240} \text{ lbs.}$$

Sir John Macneil estimated the force required to move a ton weight on roads of different construction as follows:—

| | |
|---|---|
| On a well-laid pavement . . . . . | 33 lbs. |
| On a broken stone surface, having a bottom of rough pavement or concrete . . . . | 46 ,, |
| On a broken stone surface laid on earth . . | 65 ,, |
| On a gravel road . . . . . . . | 147 ,, |

On an incline the resistance varies according to the sine of the angle of inclination, and we have this general rule for finding the amount of resistance to be overcome: To the known ratio of resistance of load on a level, add (if ascending), or subtract (if descending), the ratio of the rise to the horizontal length of the slope, and multiply by the gross load.

The result gives the resistance very nearly. Thus, for example, if we assume the resistance on a level to be $\frac{1}{30}$th of the load, the force required to draw a waggon of 3 tons weight along a level part of a macadamized road is ($\frac{1}{30}$th × load) = ($\frac{1}{30}$ × 6,720 lbs.) = 224 lbs.; but the force required to draw the same load on an incline of 1 in 60 is $(\frac{1}{30} \pm \frac{1}{60}) \times 6{,}720$, which gives 336 lbs. as the force to be exerted in ascending, and *112 lbs. in descending,* the slope; while in a gradient of *1 in 30 the force* required is $(\frac{1}{30} + \frac{1}{30}) \times 6{,}720 =$

448 lbs. in ascending, and $\left(\frac{1}{30} + \frac{1}{30}\right) \times 6{,}720 = 0$ in descending.

From these and such-like calculations we thus find that the comparative values of resistance to the same load on different slopes stand thus in ratio :—

| Inclination. | Resistance. | |
|---|---|---|
| | Ascending. | Descending. |
| Level | 1 | 1 |
| 1 in 60 | 1½ | ½ |
| 1 in 30 | 2 | 0 |
| 1 in 15 | 3 | — 1 |
| 1 in 10 | 4 | — 2 |

Consequently, if we estimate the tractive force which a horse is capable of exerting continuously at a steady walk at 112 lbs., each horse will be able to draw along a level a gross load of (112 × 30) = 3,360 lbs. = 1½ tons ; while on an ascent of 1 in 60 a load of (112 × 30 ÷ 1½) = 2,240 lbs., or 1 ton would be sufficient; and on an ascent of 1 in 30 the load, to be drawn with advantage, must not exceed (112 × 30 ÷ 2 =) 1,680 lbs. = 15 cwt.

From these results we observe that since the resistance is doubled by an ascent of 1 in 30, it will be exactly neutralised in descending a slope of the same inclination. Hence, if the gradient at any part is steeper than 1 in 30, there is a waste of mechanical energy in descending, because a retarding force must then be exerted, by means of brakes or otherwise, in order to prevent undue acceleration of speed. This is shown by a minus sign prefixed to the two last figures in the third column of the foregoing table.

These results establish the advantages arising from *easy gradients*, but, of course, the question of expense in excavating and embanking limits, in most cases, the flatness of the gradients, and farm roads especially are as much as possible constructed on the natural surface of the ground.

To put the case more tangibly, "We find," says Mr. Denton, "many farms abound in steep hilly slopes with inclinations of 1 in 30, or even steeper; and it has been practically demonstrated that the expense of power in £ *s.* *d.* required to draw a load of 1 ton along a common road of various gradients is 6*d.* where horizontal, to 8*d.* where there is a rising gradient of 1 in 30. If we adopt this comparison, we see that (all other points being equal with respect to formation and condition) the comparative saving of a level road over a rising gradient of 1 in 30 is 2*d.* per ton in the ordinary cost and application of horse labour on a farm."

At Bedford, in 1874, Messrs. Easton and Anderson tested the resistance to traction of agricultural carts and waggons by means of their new horse dynamometer.

The trials were conducted (1) along a hard road having a rise of 1 in 430; and (2) along an arable field of oat stubble, rather drier and harder than common, with a rise of 1 in 1000.

The fore wheels of the waggons averaged 3 ft. 3 in., and the hind wheels 4 ft. 9 in. in diameter, the width of the tires being 2½ and 4 inches. Empty waggons averaged about a ton in weight, and the loads were from 2 to 4 tons in a waggon.

The cart wheels were 4½ feet high, with tires 3½ and 4 inches wide. The weight of the empty carts averaged 10 cwt.; and the loads were 1 ton in a cart.

On the foregoing data, and with the speeds averaging *2½ miles per hour, the* following results were deduced *from the experiments*:—

| Description of Vehicle. | Draft on Road. | | Draft on Field. | |
|---|---|---|---|---|
| | Total. | Reduced to a Level Per Ton gross. | Total. | Reduced to a Level. Per Ton gross. |
| | lbs. | lbs. | lbs. | lbs. |
| Pair-horse waggon without springs | 159 | 43·5 | 700 | 210 |
| Four-horse ditto | 251 | 44·5 | 997 | 194 |
| Pair-horse waggon with springs . | 133 | 34·7 | 710 | 210 |
| One-horse cart without springs . | 49·4 | 28 | 212 | 140 |

*Line of Road.*—The principal points to be attended to in selecting the line of a road are, that in crossing valleys or hollows a narrow part of the valley should be chosen, and the deepest part should be crossed at right-angles. The summits of ridges also should be crossed at right-angles; and when roads pass through fields they should, as far as practicable, be formed alongside of the fences, to avoid the subdivision of the fields and consequent loss and inconvenience in working the land.

The most level line between certain points, although it may not be the shortest, is generally preferred. Straight lines are always best, but sometimes debarred by the surface of the ground and other obstacles. To follow the mathematical axiom, that a straight line is the shortest that can be drawn between two points, will not always succeed in making the most commodious roads. A straight and level line is possible only in a country which is perfectly flat, and where no obstacles lie in the way—joint circumstances that rarely happen.

"Cutting through low hills to obtain a level is recommended by some who," Paterson observes, "will argue that where the hill of descent is not very long, it is better, in that case, to cut through it in a straight line and embank over the hollow ground on each side than to wind along the foot of it. This, however, should only be done where the cutting is very little indeed, and an embankment absolutely necessary. Few people, except those who are well acquainted with the subject, are aware of the great expense of cutting and embanking, and the more any one becomes acquainted with road-making, the more, it may be presumed, will he endeavour to avoid those levels on the straight line that are obtained only by cutting and embanking, and will either follow the level on the curved line round the hill, or, where this is impracticable, will ascend the hill, and go over it by various windings, avoiding always abrupt or sudden turnings."

Edgworth was of opinion that a strict adherence to a straight line is of much less consequence than is usually supposed, and that it will be frequently advantageous to deviate from the direct line to avoid inequalities of ground. It is obvious, as he pointed out, that, where the arc described by a road going over a hill is greater than that described by going round it, the circuit is preferable; but it is not so generally known that within certain limits it will be less laborious to go round the hill, though the circuit should be much greater than than that which would be made in crossing the hill.

There are many roads crossing hills which might be made nearly level by deviating a little to the right or to the left. A road is required, say, to connect two points three miles apart, but separated by a hill 100 feet high, and in order to avoid this ascent it is necessary to deviate the line half a mile on either side; yet the road thus curved is only 148 yards, or $\frac{1}{12}$th of a mile, longer than if it had been made to pass over the hill. Whether it is expedient to make the road so much longer to avoid that ascent may soon be ascertained. Telford, as we have seen, estimated the resistance to the load on a level part of a good broken stone road at $\frac{1}{30}$th of the load. A rise of 1 foot in 30 will therefore increase the draught equal to the resistance. In other words, the road may be increased 30 feet in length in order to avoid a rise of 1 foot; or it may be increased 1,000 yards in length in order to avoid an ascent of 100 feet. Where there is much cartage to be done, the greater ease of travelling and the heavier loads drawn on the level would soon do more than compensate for any additional outlay in constructing the longer road.

*Bottoming.*—In regard to the formation of the road-bed, there are two systems—that of Telford and that of Macadam. The system of Telford is principally a revival of that employed by the old Romans, and consists of laying heavy stones at the bottom of the bed and covering them with a coating of broken stones. Several excellent roads were constructed by him on this principle, the permanence of which are evidence of his engineering wisdom, *e.g.* the Glasgow and Carlisle road, and the road between Holyhead and Shrewsbury. Macadam preferred a yielding to a rigid foundation, and substituted small angular broken stones, laying them directly upon the earth, even upon boggy ground. The angular shape of the stones caused them to bind together somewhat; but the superiority of roads having large stones or concrete (which is preferable, and much employed in the construction of town roads since the manufacture of hydraulic cement became so general) for a foundation is now generally conceded.

"Most failures in road-making have arisen from not having a foundation of depth and dryness sufficient to prevent the road being sunk into the under-stratum of original deposit, and to uphold the upper pressure from sinking the broken materials into the foundation and getting mixed together. In this way both the foundation and the road are lost from being too scanty; the one sinks into the other, and no part is sustained to form the desired object. The foundation must be calculated to sink so far as to find a resting-place on grounds that are not very bearing of pressure, and which remain soft after being drained; the thickness must be sufficient to prevent any extensive mixture with the underlying soil. With the upper bed of broken stones no sinking must take place; the strength and dryness of the foundation must prevent any mixture, except the sinking that will happen from the pressure of the rolling weight. This will not be large when the directions are observed of a dry bottom and thick foundation, and the proper broken materials all duly provided and economically applied."

Covering the base of an unsound road with faggots, branches, furze, or heath is recommended by Edgworth but condemned by Macadam, whose plan was to drain effectually and put no intervening material between the broken stone and the earth.

"Roads," says Macadam, "can never be rendered perfectly secure until the following principles be fully understood, admitted, and acted upon, namely, that it is the native soil which really supports the weight of traffic; that while it is preserved in a dry state it will carry any weight without sinking, and that it does, in fact, carry the road and carriages also; that this native soil must previously be made quite dry, and a covering impervious to rain must be placed over it to preserve it in that dry state; that the thickness of a road should only be regulated by the quantity of material necessary to form such impervious covering, and never by any *reference to its own* power of carrying weight. . . . .

Every road is to be made of broken stone, without mixture of earth, clay, chalk, or any other matter that will imbibe water or be affected by frost; nothing is to be laid on the clean stone on pretence of binding. Broken stone will combine by its acute angles into a smooth solid surface that cannot be affected by vicissitudes of weather or displaced by the action of wheels, which will pass over it without a jolt, and consequently without injury."

Macadam was anticipated in his system by Edgworth, who "advocated the breaking of the stones to a small size and their equal distribution over the surface. The latter also recommended that the interstices should be filled up with small gravel or sharp sand—a practice which, though it was condemned by Macadam, is now adopted by the best surveyors." *

*Road Surface.*—"The smoothness of a road depends on the size of the stones used in forming it, and on their compression either by original rolling or the continued pressure of wheels. The continued smoothness of a road during its wear depends on small stones being used in every part of the stratum; for if the lower part of it, as is often the case in the old style of forming roads, consists of larger stones," the jarring of heavy loads and the action of the weather cause the small surface stones or gravel to sink down between the larger stones, until many of the latter work out on the surface, and the road becomes almost impassable after a few years. Fig. 1 illustrates



Fig. 1.

---

* "Roads and Streets." Crosby Lockwood & Co.

the condition of such a road when newly constructed, and Fig. 2 the bad repair into which it has sunk when cut through by heavy traffic.



Fig. 2.

Nothing is so destructive to vehicles, horses, and harness as a road full of ruts and covered with loose stones, or with fixed stones projecting two or three inches above the surface. "If the road is smooth and even, the waggon with its load moves along without jar or detriment; but as soon as a projecting stone is struck the whole load is suddenly arrested, or else it must be lifted to mount the obstruction. This is distinctly represented by Fig. 3, where the curved dotted line shows the upward course which the axle, with its incumbent load, must take in order to pass the stone in the track. A single loose stone, which might be thrown out of the way in two or three seconds, is struck by passing waggons fifty or a hundred times in a day, and many thousand times in a year. The damage which it may do to all the vehicles driven over it may amount, in the aggregate, to many pounds, while it may be removed for less than a farthing."—*Albany Cultivator.*



Fig. 3.

*Transverse Form.*—Opinions differ a good deal as to the best tranverse form of a road. Some think it should be flat, others that it should be higher at the middle than at the sides. There can be no doubt that it should have a certain amount of convexity, but evidently the road will be most suitable for traffic if the convexity is not more than sufficient to make the water that falls on it run off from the middle towards the sides. The convexity may always be reduced to a minimum by giving a slight longitudinal inclination to the road, and a dead level should always be avoided on considerations of drainage. It has also been debated whether the convexity should be given to the foundation or to the surface material only. Telford's system gives the convexity to the "bottoming," by which method a uniform depth of "metalling" is obtained over the whole breadth of the road. If the convexity is given only to the surface material, it must be laid on thicker at the middle than at the sides of the road, and as the traffic usually preponderates in the centre, the more so if the cross-section has a considerable convexity, the action of horses and machines must tend to throw the metal from the centre to the sides, and thus to reduce the road to a level, or to form grooves and ruts. On the best roads the decline from the crown or middle of the road to the side edges is never more than 1 in 50 to 1 in 72, but in narrow country roads it is considerably greater.

*Rules of the Road.*—In Great Britain there are two well-settled rules, namely, (1) when two vehicles meet, each must bear to the left; (2) when one vehicle overtakes another, the former draws to the left of the way and the other passes by on the off side. In the United States of America, two vehicles meeting bear to the right instead of to the left, but with this modification the rules of the road are the same there as in England. These rules do not apply to equestrians or pedestrians.

# CHAPTER III.

## CONSTRUCTION OF ROADS.

*Foundation.*—It is a common practice, in forming a new road, to dig a trench below the surface of the ground adjoining, and in this trench to lay the road-bed or material. "Were the materials of which the road is composed properly selected, prepared, and laid," Macadam remarks, "some of the inconveniences of this system might be avoided; but in the careless way in which the work is generally performed the road is as open as a sieve to receive water, which, penetrating through the whole mass, is received and retained in the trench, whence the road is liable to give way in all changes of weather. A road formed on such principles has never effectually answered the purpose which the road-maker should constantly have in view, namely, to make a secure level flooring, over which vehicles may pass with safety and equal expedition at all seasons of the year. . . . . As no artificial foundation can be made so good and so useful as the natural soil in a dry state, it is only necessary to procure and preserve this dry state of so much ground as is intended to be occupied by a road.

"The first operation in making a road should be the reverse of digging a trench. The road should not be *sunk below,* but rather raised above, the ordinary level *of the adjacent ground.* Care should at any rate be taken that there should be a sufficient fall to take off the water, either by making drains to lower ground, or, if that be not practicable, from the nature of the country, then the soil upon which the road is proposed to be laid must be raised by addition, so as to be above the level of the water."

*Width.*—It is recommended that roads be made wide. The first cost of a wide road is, of course, greater than that of a narrow road; but it is an error to suppose that the cost of repairing a road depends entirely upon the extent of its surface, and increases with its width. On a narrow road the traffic is confined very much to one track, and the road is consequently worn more severely than when the traffic is spread over a larger surface. Narrow roads are almost always in bad condition, from the circumstance of every cart or waggon being obliged to go in the same ruts.

The proper width of roads must, however, depend largely on local circumstances. Rules cannot be given to suit every situation nor every farm. The breadth ought to be regulated by the nature and amount of traffic upon the road. Every road should, however, be sufficiently broad to admit of two vehicles passing each other. A width of 13 to 18 feet, prepared for vehicles, will usually suffice for the main road or roads of the farm. For field or cross-way roads the width may be much less, the metalled portion not exceeding 10 feet, while the wings may be left as earth roads. It is a great improvement on all main roads about the farm to have a side-path for travellers on foot, and new roads leading from the farmery to the public highway are now generally so constructed.

*Formation.*—When a road has to be formed on the *natural* surface of the ground, the operation consists simply, when the ground is level across, in digging a drain or ditch at each side of the intended road, the earth from which is thrown upon the track so as to raise it a little above the adjoining ground, and slight inequalities which occur in its course are then levelled. If the ground has a sidelong slope, a drain at the upper side of the road only requires to be cut. Macadam, as we have seen, considered this to be all the preparation needed, even on swampy ground, before laying the broken stone covering on a road. Telford believed it necessary to have a foundation of rough pavement (Fig. 4.) below the upper covering, and this he formed of durable stones measuring from 4 to 7 inches, which were set by hand with the largest sides down, and packed with smaller pieces, so as to form a compact layer of about 7 inches deep at the centre and 4 inches deep at the sides of the road. Above the foundation thus prepared Telford spread a uniform coating of broken stones about 6 inches in depth. Macadam thought 10 inches of metal the greatest thickness required for any road made upon his system, and he often used from 5 to 9 inches as sufficient. In order to carry off the rainfall, the surface slopes from the centre toward the side drains or gutters. This inclination may be 1 in 30 for rough roads, and 1 in 60 for main roads on the farm. A rise of 3 inches at the centre is common for roads *18 feet wide, being* 1 in 72.



Fig. 4.

*Road Material.*—The road metal should consist of tough and hard stone, such as granite, or some of the varieties of greenstone. Next in order are some sorts of limestone and hard sandstone. Limestone is the principal material in Wiltshire, Somersetshire, Gloucestershire, and Ireland; granite and trap in the north of England and Scotland; slate-stone in North Wales; sandstone pebbles in Shropshire and Staffordshire; flint in Essex, Sussex, and part of Kent; and gravel in Middlesex and Surrey.

The hardest metals, however, are not always the most durable. Toughness is even a more desirable quality in the stone than hardness. Some stones, although very hard, are so free and brittle that they will grind down by the wheels rather easily, and in times of rain will be formed into mud; while, on the other hand, there are stones not so hard that are yet so tough that they waste very slowly, and will last longer than the former on any road whatever.

It has been remarked that in various parts of England where limestone is used the roads are best; and this superiority is ascribed not merely to the hardness of the material, but also to its adhesive or cementing property.

"Flints, reduced to a small size, and mixed with chalk, make an excellent road in dry weather; but, chalk being very absorbent of water, they become slippery and soft in moist weather, and are much affected by frost."

Gravel is the worst material for making roads. Being composed chiefly of hard sand, and smooth, little round stones, it does not so easily bind together, and seldom makes a very firm road, though pit gravel, which is mixed with a larger portion of clay than *river gravel*, be used. On the other hand, stones that are broken have so many sides that they readily lock into one another; whereas the small round gravel keeps rolling and shifting about by every motion of the wheels. All road metals, therefore, should be of stones so large as to require breaking before they are used.

To insure a firm and compact surface, the stones should be broken into angular pieces about 1½ inches cube, and spread evenly over the road with a shovel and rake in two or three successive layers of 3 or 4 inches deep, each layer being well rolled down or allowed to get partially consolidated by traffic before another is put on.

Macadam's criterion for size was weight; and 6 ounces was the maximum for every part of the stratum. Many of his would-be followers have, however, fallen into the error of supposing that all the stones should approximate to that weight, and recently there has been some danger that this view of the subject would get generalized. This is from not understanding principles.

On being asked by the Road Commissioners to mention the proper dimensions, Macadam stated that none of the stones ought to be larger than would pass through a 2-inch ring, nor exceed 6 ounces in weight. "I hold," he said, "6 ounces to be the maximum size. If you made the road of all 6-ounce stones it would be a rough road; but it is impossible but that the greater part of the stones must be under that size."

"By reference to weight," remarks Stephenson, "the road-maker's operations become more precise; but regard should also be had to the specific gravity of the material, which differs considerably, For example, granite may be taken at 12 cubic feet to the ton, and whinstone (greenstone, basalt, &c.) is often met with of similar weight. Compact limestone and flint are about 14, and quartz sandstone about 15, feet to the ton."

Paterson and other road-engineers have expressed their disapproval of Macadam's 6-ounce test, and think the 2-inch gauge-ring preferable, as there are many stones under 6 ounces that are yet of a very improper shape and size.

Since the introduction of stone-breaking machinery, with cubing and crushing jaws, the road metal can be prepared of any size or fineness; but, on many roads where the machine is used, and more generally where hand-breaking continues to be practised, the stones used are badly broken and unwarrantably large. This is a defect that can and should be promptly remedied on all the public highways. These stone-breakers are made of all sizes, from 7 by 4 to 25 by 16 mouth, and are capable of breaking from 15 to 130 tons of road metal per day, according to the power of the machine.

Gravel for roads ought to be properly cleansed of every particle of clay or earthy substance, and its different sizes separated and arranged by screening. In this gravel the stones are of different sizes and different shapes; and all those that are round, as well as the larger ones, should be broken into angular pieces before being laid on.

*Modern Road-making.*—The use of binding material on broken stone roads, which was condemned by Macadam and others, is now considered an absolute necessity by the majority of road-makers. The heavy rollers now employed for compressing and settling new materials render the application of sharp sand or gravel necessary to prevent the crushing of the metal. Telford always *applied some* such binding material to the new metal;

and his practice in this respect is now followed on all roads where road-rolling is understood and practised. The binding of rolled roads is thus so strong that the upper crust may be raised in cakes several feet square, which could never be done without the sand. The sand is only to be applied when about two-thirds of the road metal has been rolled down. "It is essential that this small stuff should not be applied earlier, or it will get to the lower strata, and not only be wasted but injurious. The object is that it should penetrate for two or three inches only, to bind the surface. Provided the upper interstices are filled, the less sand or small gravel used the better; therefore it is applied little by little after each of the three or four last successive passages of the roller, and then only over the places where there are open joints." * Some of the steam-rollers now employed in consolidating new-made roads weigh 30 tons. Rolling is best done in wet weather; otherwise the roads should be watered during this operation.

On farm roads, as a rule, no binding material is used and no rolling is done. The bottom layer, 12 to 18 inches thick, is made of broken bricks, stones, flints, lumps of chalk, or other hard rubbish; and the finishing layer consists of about 6 inches of small broken stones, flints, or gravel.

When a first-class road is to be made the modern practice is as follows: First the ground is levelled and rolled. Then a bottoming of broken stone or other hard material is laid in 12 inches thick, and rolled down to 9 inches. Over this is spread a layer of well-burnt clay or ballast 5 inches thick, and rolled solid to 3 inches. In some districts this is cheaper than broken stone, and the ballast serves to fill up interstices in the bottoming.

---

* General Sir J. F. Burgoyne, "On Rolling New-made Roads."

Upon the prepared surface of the ballast are laid the small broken stones which form the surface of the road. These are put on in two successive layers, each 3 inches thick, and rolled to 2 inches. With the last layer of small stones, about half an inch of sharp sand is mixed, and the two rolled in together with plenty of water.

*Drainage.*—If the drainage of the road is to be effected by means of open side-drains or ditches, these should not be made deeper than is necessary, and, if practicable, the fence, if any, should be placed between the side-ditches and the road. It will then be essential that small openings be formed at least every 15 yards to convey the water from the side-tables or gutters through the fence into the ditches. The side-tables, or water-tables, should be made an inch or two lower than the sides of the road.

Open drains, however, occasion an unnecessary waste of ground, besides not being free from danger to passengers and carriages when the road is narrow and there is no fence between it and the ditches. It will, therefore, in the majority of cases, be advisable to form covered drains along the sides of the road, with gratings at proper intervals to let in the surface water. A large-sized pipe should then be laid at the bottom of the drain surrounded with small stones, and upon these smaller stones or gravel to a level with the surface. If the side-drains are constructed in this way, and run immediately underneath the side-table *a*, Fig. 5, no gratings



Fig. 5.

will be necessary, as the surface water will then readily find its way into the drains. A cross-drain is also shown by dotted lines in the section of the road, Fig.5, but this will only be needed where depressions occur in the line of road and the water has to be discharged from the road-drains into some natural water-course. A section of such a cross-drain is shown in Fig. 6. Where the ground has a side-long slope, or a road has to be formed on a hill-side, a single drain at the upper side of the road, as in Fig. 7, is all that is necessary, with cross-drains at intervals to discharge the water to the lower side of the road.



Fig. 6.

A single covered drain down the centre of a roadway is objectionable, because the surface water cannot reach it without penetrating the road-bed, which is incompatible with the maintenance of a hard and smooth surface.



Fig. 7.

*Fences.*—Many of the roads about a farm can be left open or unfenced with perfect safety and convenience. At any rate, it is seldom that a road requires to be fenced on both sides, if we except the main road leading from the public highway. Where road-side fences are necessary they should be of an open kind, such as a wire-fence or a post-and-rail fence. If close fences, such as dykes or hedges, are in existence, they should not be higher than 5 or 6 feet, as they shade the roadway and interfere with its ventilation, and by keeping it always moist make the draught excessive. Trees are worse than hedges when they overhang a road, because they not only deprive the road of the benefit of air and sun, but they further injure it by the dripping of rain from their leaves, as a consequence of which the road is kept in a wet state long after it would otherwise have been dry.

*Cost.*—The expense of road-making will be found to vary, even in the same district, as, in addition to the cost of labour and the nature of the ground, very much depends on the facility for obtaining the necessary materials. In one case we have converted an old lane, which was previously a perfect quagmire, into a good hard road at a total cost of 3*s.* 8*d.* per lineal yard. The stone in this instance had to be dug out of the ground, and was laid on 12 inches thick and 13 feet wide. The above price includes draining the road, throwing up the surface, digging, carting, and breaking the stone, and laying it on. Mr. Dawson states that he has made many gravel roads, 12 to 18 inches thick, at a cost of from 2*s.* 6*d.* to 3*s.* 6*d.* per square yard. Country roads formed of broken stone commonly cost from 1*s.* 2*d.* to 1*s.* 6*d.* per square yard.

Mr. Denton states the cost of farm roads made in various parts of England at from £3 to £6 10*s.* per chain, and gives the following examples: (1.) A road made in the New Red Sandstone district, of which the bottom stratum, 6 inches thick, was formed of a rough paving of local stone, covered with 4 inches of broken limestone, cost from £4 12*s.* 6*d.* to £6 17*s.* 6*d.* per chain. (2.) A road in a fen district, in which perforated bricks, laid flat on a convex base, and covered with burnt ballast, formed the bottom stratum, with a surface-covering of screened gravel, was estimated to cost £5 17*s*. 6*d*. per chain. (3.) A road in the Lias and Oxford Clay district, with the bottom stratum of burnt ballast, and the top of screened gravel, cost from £4 10*s*. to £5 10*s*. per chain. (4.) A road in the London Clay district, the bottom stratum of chalk, and the surface-covering of screened gravel, cost from £3 10*s*. 6*d*. to £4 15*s*. per chain. Reducing the chain to yards, we find that Mr. Denton's roads cost from 2*s*. 7½*d*. to 5*s*. 11¼*d*. per lineal yard. Their width is not stated, but it may be assumed that they are about the average width of farm roads.

*Repairs.*—The repair of a road consists in keeping it smooth and clean, and should commence immediately after it is made. Hollows must be filled up, to prevent water standing on the road and the formation of ruts; and loose stones and mud must be assiduously taken off. After a time, a thorough repair or surface renewal by a coating of broken stone over the whole of the road may be required. The stones gathered off the fields will afford a greater or less supply of materials, and must be laid in convenient places and prepared by breaking ready to be put on when needed.

In repairing a broken stone road, the surface should be slightly loosened with a pick, and a layer of new metal spread evenly over it, and well consolidated by heavy rolling.

For the repair of an old road, Macadam directs that no addition of material is to be made, unless in any part it be found that there is not a quantity of clean stone equal to 10 inches in thickness. The stone already on the road is to be loosened up and broken, so that no piece shall exceed 6 ounces in weight. The stones, when loosened in the road, are to be gathered off by means of a strong heavy rake, with teeth 2½ inches in length, to the side of the road, and there broken, and on no account are stones to be broken on the road. When the great stones have been removed, and none left in the road exceeding 6 ounces, the road is to be put in shape, and a rake employed to smooth the surface, which will at the same time bring to the surface the remaining stones, and will allow the dirt to go down. When the road is so prepared, the stone that has been broken at the side of the road is then to be carefully spread on it; not in shovelfuls, but scattered over the surface, one shovelful following another and spreading over a considerable space. The tools to be used are strong picks, but short from the handle to the point, for lifting the road; small hammers of about one pound weight in the head, the face the size of a shilling, well steeled, with a short handle; rakes with iron teeth about two inches and a half in length, very strong, for raking out the large stones where the road is broken up, and for keeping the road smooth after being relaid and while it is consolidating; very light broad-mouthed shovels, to spread the broken stone and to form the road.

Telford's directions for repairing roads differ little from his instructions for forming roads. Where a road has no solid and dry foundation, he breaks it up, lays bare the soil, drains it, and bottoms with stones set by hand with the broadest end down, in the form of a neat pavement; over this foundation he lays on 6 inches of broken stones. Where a road has some foundation, but an imperfect one, or is hollow in the middle, all the large stones appearing on the surface of it must be raised and broken; and the road so treated is then to be covered with a coating of broken stones, sufficient to give it a proper shape and to make it solid and hard. Where a road already has a good foundation and also a good shape, no materials should be laid upon it but for the purpose of filling ruts and hollow places in thin layers as soon as they appear; stones broken small, being angular, will fasten together. In this way a road, when once well made, may be preserved in constant repair at a small expense.

The best seasons for repairing roads are generally considered to be autumn and spring, when the weather is moist rather than otherwise. Although it is proper, Paterson remarks, at all times of the year to put on a little metal whenever any hole makes its appearance, yet in the drought of summer this will seldom be necessary. In summer the roads are less liable to cut; but if, at some places, a little fresh metal may be necessary, no more should be put on than is barely sufficient to bring these holes to the level of the rest of the road. Metal put on in the drought of summer does not soon bind together. Until such time as there is rain sufficient to cause them to bind, the stones will keep shifting and rolling about, and make a very unpleasant road to travel on. The most proper times of the year to put on any quantity of road metal are about the months of October and April, as the stones always bind best when the road is neither too wet nor too dry. When they are put on about the month of October they become firm before winter, and, with a little constant attention, the road will be easily kept in good order till the spring; and if it has been the case that the road has not been sufficiently attended to during the winter, and that it has got into a bad state towards the spring, by putting on fresh metal about the month of April, sufficient to bring it into smooth surface order, it will be very easily kept in this good state throughout the summer.

*Unmetalled Roads.*—The central roads of the farm require to be hard roads. In many positions, however, where field roads are necessary to afford facility for transporting produce and manure, and for keeping the ploughing-engines off the cultivated land, broken stone roads would be too expensive to construct, as they would be seldom used, and in such places burnt clay roads or even grass roads will be found to answer every purpose, especially where traffic upon them can be avoided in wet weather. On Mr. Prout's farm, in addition to hard gravel roads across the middle of the farm, communicating with the homesteads, there are two miles of grass roads, which were formed by simply ploughing and rolling, and then partially coating the top with small stones picked off the fields. These green headland roads are 10 feet wide, and from them the engines can cultivate every portion of every field without travelling on the land. Such roads cost very little to construct, and add immensely to the facility of working the land. These grass roads are very common in plantations, where they are found a great convenience on many occasions, such as in thinning and clearing out produce, in covert-beating, &c. In plantations, however, they generally require to have side-drains or open ditches, which are never necessary with field roads, and are the more expensive. Still, with side-drains 3 feet wide at the top and 14 inches at the bottom, and 2 feet deep, grass roads 18 feet wide can be formed at an average cost of 18*s.* per 100 yards. Burnt clay roads are much cheaper than broken stone roads, but will cost from 50*s.* to 70*s.* per 100 yards when laid a foot deep and 12 to

15 feet wide. They soon cut through with heavy traffic in wet weather; but where the traffic is light, and even with heavy traffic in dry weather, they are wonderfully durable. For carriage-drives the burnt clay or ballast makes a splendid road, as it is always smooth, is comparatively noiseless, and can be kept in repair without much trouble or expense. In the fen and clay land districts, where stones for road-making are often unobtainable, well-made ballast roads answer effectually for the heaviest traffic on the farm.

# CHAPTER IV.

## PAVEMENTS.

PAVED roads, though common enough in towns, would be out of place on the farm; but on most farms there is some extent of pavement in or around the courtyards or stable-yards, where much trampling goes on, and common roads cannot easily be kept dry and clean. For such purposes pavements are very suitable in all country places.

Pavements as now laid down are of three kinds—stone, wood, and asphalte.

*Stone Pavements.*—The best stone pavement is one of rectangular blocks set in contact on their longest edges across the road, and resting on a foundation of concrete, or rubble-stone filled in with concrete. The blocks should not be more than 3½ or 4 inches broad, measured along the road; 9 to 12 inches long, measured across the road; and 8 to 10 inches in vertical depth. The Belgian pavement, in which the blocks more nearly resemble a cube, varying from 5 to 7 inches on each side, is but little inferior to the above if the foundation be equally good. For paving farm-yards, however, smaller stones are often preferred, and they are usually set in sand and well rammed. When the blocks, whether rectangular or cubical, rest on a sand foundation, they should all be equal in bed-area to prevent unequal settlement. In some instances the paving-stones have been set on concrete, with the joints grouted with lime and sand, to insure a great degree of stability. Telford recommended a bottoming or foundation of broken stones, 12 inches deep; and he used paving-stones 4 to 6 inches in width, 7 to 13 inches in length, and 7 to 10 inches deep. The 6-inch wide paving-stones have been generally abandoned in favour of narrow ones, 3 or 4 inches in width.

Stones in a common pavement are usually somewhat oval, and they are laid either in parallel rows in the road (Fig. 8, *c d*), or alternately (*a b*) as bricks are laid in a wall. " On the first sort of pavement," Edgworth observes, " wheels slip from the round tops of the stones into the joints between, and some wear away the edges of the stones and their own iron tire. By degrees channels are thus formed between some of the stones, and in time the pavement is ruined." On the second sort of pavement (*a b*), where the stones are placed alternately, the wheels are prevented from forming grooves, and all the more so when the stones are small and are compactly laid.



Fig. 8.

*Wood Pavements.*—Wood is now extensively employed for paving purposes, and for courtyards is much superior to stone, being less in first cost and more noiseless. The wooden pavements are formed of blocks of fir-wood, 3 to 4 inches broad, 8 to 14 inches long, and 6 to 8 inches deep. The blocks are set on their longest edges close together across the road, with an open joint about $\frac{3}{4}$ inch wide between the course. The blocks should rest on a well-constructed bed of sand or a layer of boards. Wood blocks would soon be destroyed by crushing if set upon a rigid, inelastic foundation. The wood should be creosoted to prevent early decay; and the resistance of the wood is most effective when the fibres are in a vertical position, and least effective when they are horizontal. The open joints are filled with a mixture of prepared coal-tar and sand or gravel, and a small quantity of sharp sand is strewed over the tar. In some recently-formed pavements the blocks of wood are set upon a carpet of tarred felt, the latter laid upon a prepared bed of sand, and a strip of tarred felt is placed, edgewise, between the courses.

*Asphalte Pavements.*—Asphalte is largely employed for paving streets in London, its advantages being that it produces no dust and therefore no mud, is comparatively noiseless, is impermeable to water, is smooth, and consequently reduces the wear and tear upon animals and vehicles to a minimum. A good asphalte pavement requires a solid foundation, preferably either of concrete or rubble-stone filled in with concrete. The asphalte covering may be natural asphalte rock derived from the Jurassic region on the confines of Switzerland, or it may be composed of asphaltic cement suitably prepared by refining natural bitumen, to which is added a calcareous powder to take the place of the amorphous carbonate of lime contained in the natural asphalte rock. It is usually applied upon the foundation in a continuous sheet of 2 or 3 inches thick, although it may be used in the form of a rectangular block prepared under heavy pressure. A distinction must be made between pavements of genuine asphalte, properly prepared, and all those patented imitations of or substitutes for it composed of wood-tar, coal-tar, pitch, resin, &c., mixed with either sand, gravel, ashes, lime, &c., or with two or more or all of them. These latter are unfit to support heavy traffic.

*Comparative Merits.*—The comparative merits of stone, wood, and asphalte pavements are as follows:—(1.) In point of durability, stone is first, asphalte second, and wood third. (2.) As regards first cost, wood stands first, asphalte second, and stone third. (3.) In respect to maintenance and repairs, the order of merit is first stone, second asphalte, and third wood.

# CHAPTER V.

## FOOTPATHS.

GOOD substantial footwalks, leading from the farmhouse to the steading, to the garden, and to the high-road, are comforts that ought to be enjoyed by every farmer and his family in their daily outgoings and incomings. Capital walks are made of large flat stones or flagstones, but these are not everywhere obtainable, though they answer the purpose better than any other kind of material in clay districts. The most common material used for walks is small gravel, and next to that, perhaps, burnt clay; but for garden walks asphalte is now commonly employed.

*Gravel Walks.*—Whether the gravel is dug from a pit or is obtained from the beach or river bed, it should be well screened before hauling, and thoroughly freed from earth and dirt. The larger-sized gravel should at the same time be rejected. The rotary screen is a useful machine for preparing gravel for walks and road-making, as well as for screening ashes and artificial manures. It can be made to separate three different sizes—the very fine earthy matter, the large stones, and the fine gravel, the latter only being used for the walks.

The footpath should be 3 feet in width and 18 inches in depth, and before being excavated it should be lined *out on both* sides, and edged by means of a garden spade.

A section of a walk is shown in Fig. 9. The bottom is filled with broken stone or any hard rubbish, and 8 or 10 inches of the top are covered with fine gravel. To prevent earth mixing with the gravel, which will soon cause grass and weeds to grow up through the walk, the edges should be cut with a sharp spade as often as is necessary to remove any soil or turf that has encroached upon the gravel. When grass or weeds do appear on the path, the surface should not be loosened in the endeavour to eradicate them. They may be readily extirpated without injury to the walk by an application of common salt. On springy ground a pipe-drain should be placed in the bottom of the walk, with proper outlets at the required points. The walks require frequent heavy rolling to maintain them in good condition.



Fig. 9.

*Asphalte Walks.*—The best walks of this kind are constructed of natural asphalte, applied in the liquid form, with a large proportion of sand. Artificial asphalte, which is obtained by mixing heated limestone and gas-tar, though possessing some of the properties of liquid asphalte, is a very inferior material, as it is brittle, and passes from the dry to the liquid state, and conversely, according to the weather. There are different mixtures of artificial asphalte in common use for walks, and these are often variously applied. One uses 3 parts coal-ashes and 2 parts of gas-lime from the gas-works, thoroughly mixed together, and then made into a mortar with gas-tar. Another uses 3 parts of gas-tar and one of common pitch, melted together, and then mixed with sand as for common mortar. The mixture is laid on the surface of the walk 2 or 3 inches thick, a suitable foundation and bottoming of broken stones having first been prepared. If a drain is needed, a pipe-tile is placed in the bottom of the broken stones; and by making the broken stones communicate with the surface at the edges of the walk, as shown in Fig. 10, the rain-water is readily admitted to the drain.



Fig. 10.

# CHAPTER VI.

## FARM TRAMWAYS AND PORTABLE RAILWAYS.

TRAMWAYS are now used to a considerable extent in and about farm steadings for such purposes as carrying turnips and fodder to the cattle, and for carrying out manure from the feeding-boxes and stalls. Fig. 11 represents a tramway waggon employed in this kind of work.



Fig. 11.

The use of tramways and portable railways for farm purposes admits, however, of a more extended application. In an experiment exhibited by Mr. Wilkes before the Society of Arts, a moderate-sized horse drew, upon a railway declining 1 foot in 100, 32 tons easily, and 43 tons without much difficulty, dragging it down hill, and 7 tons going up hill, independent of the weight of the carriages. It was concluded from this experiment that upon a level tramway a horse could draw with ease 20 tons. The possibilities which tramways offer for economizing horse labour on the farm will readily suggest their application to different purposes in many situations.

Where permanent tramways are not a necessity, and

transit of produce or goods of

**DAIRY, PIGS, AND POULTRY, Management of the.** By R. Scott Burn. With Notes on the Diseases of Stock. Fourth Edition, illustrated, price 2s.

*Summary of Contents.*—Management of the Dairy: Of the Breeds of Dairy Cows—Feeding and Management of Cows. The Arrangement of the Dairy: Dairy Utensils—Milk—Cream—Butter and Butter-making—Cheese-making. The Swine: Various Breeds of Swine—The Breeding, Feeding, and Management of Pigs. Poultry: Varieties of Breeds, and Feeding. Diseases of Stock, Cows, Sheep, the Horse, Pigs, and Poultry.

**UTILISATION OF TOWN SEWAGE, IRRIGATION, AND RECLAMATION OF WASTE LAND.** By R. Scott Burn. Fourth Edition, illustrated, price 2s. 6d.

⁂ *The above Five Works, in One Volume, handsomely half-bound, entitled* "Outlines of Modern Farming," *price* 12s.

**OUTLINES OF FARM MANAGEMENT AND THE ORGANIZATION OF FARM LABOUR.** By R. Scott Burn. With illustrations, price 2s. 6d.

*Summary of Contents.*—The General Work of the Farm—Field and Live Stock—Details of Contract Work—Specialities of Labour—Economical Management of the Farmhouse and Cottage—The Domestic Animals of the Farmhouse and the Cottage—The Pig—Goat—Poultry—Rabbits—Dogs—Pigeons—Bees.

**OUTLINES OF LANDED ESTATES MANAGEMENT.** By R. Scott Burn. Second Edition, with illustrations, price 2s. 6d.

*Summary of Contents.*—The Varieties of Lands on the Estate—Peculiarities of its Farms—Methods of Farming—The Setting-out of Farms and their Fields—The Construction of Roads, Fences, Gates, and the various Farm Buildings—The several Classes of Waste or Unproductive Lands—Irrigation—Drainage—Plantation, &c.

⁂ *The above Two Works, in One Volume, handsomely half-bound, entitled* "Outlines of Landed Estates and Farm Management," *price* 6s.

CROSBY LOCKWOOD & CO., 7, Stationers' Hall Court, London, E.C.

steel sleepers. The plant is so light that a section can be easily lifted and moved by one man, and any labourer can relay it.

The principle upon which Greig's system is based is that of distributing loads upon a large number of wheels, and avoiding the use of heavy and cumbersome plant. The material to be removed is in most cases divided into loads weighing from 10 to 15 cwt., which are carried on small waggons, each having two axles.

If the material to be carried is of such a nature that it cannot be divided, or is too bulky for the ordinary waggons, small wheel bogies are employed, forming bogie waggons with bodies constructed in various forms convenient for the purposes for which they are intended.

By these arrangements and the many modifications which have been introduced, almost any description of load may be easily transported, and the waggons will pass freely around curves of small radii, even when loaded with material of great length.

The great superiority of this system of railway arises from the fact that the roads are rigidly secured to metallic sleepers, the jointing of the rail being also effected by means of steel chairs (which are rivetted to the sleepers) and clutch bolts of peculiar form, thus avoiding the drilling or puncturing of the rails and the use of loose fish-plates and bolts.

This arrangement ensures the line being accurate in gauge in all points without any adjustment, and this accuracy is maintained as long as the line remains in use.

The line may also be laid down and taken up very expeditiously without the exerciso of skilled workmen.

It is impossible to enumerate the many purposes and trades to which this system of portable railway may be advantageously applied; but it is working successfully in cotton and sugar plantations and in other agricultural undertakings, farming and land reclamations, gathering beetroots, turnips, and other heavy crops.

Wherever there is material of any kind to be removed, this railway system will prove a valuable assistant in the work, and wherever it is adopted will effect a large saving in manual labour and horseflesh.

The railway is perfectly portable, since it can be laid down and taken up again without the help of any tool whatever. To give an idea of the facility of these operations where frequent removals are necessary, that is to say in clearing land of beetroot or sugar, &c., six men take up 250 yards of railway and relay them 50 yards farther on in twenty minutes, the line being moved in lengths of about 25 yards.

In order to enable our readers to form some idea of the economy of this plant, we give an extract from the letter of a sugar-planter in Cuba who is using it: "They began to put the line into the cane-patch on the 26th inst. about 2 P.M., and by 4 P.M. they had about 350 yards laid. By 7 P.M. they had drawn 64 waggons and one platform-waggon of cane to the mill with 6 oxen and 3 men. The waggon-loads weighed nett 8 cwt. 2 qrs. 2 lbs. each, and the platform-waggon carried a nett weight of 26 cwt. 2 qrs. 24 lbs. It would have taken 22 carts and 88 oxen and 22 men to have drawn the same total of cane by ordinary ox-cart loads. The labour of loading the waggons is very much less fatiguing than that of loading the carts. The waggons, both platform and ordinary carrier, run easily on the well-laid fixed line, but the platform-waggons run more easily than the others.

Our illustration, Fig. 12, shows the portable railway in use on a sugar estate. Turntables are laid down at each crossing, and the empty waggons are pushed along by hand to the spot of loading, while the loaded waggons are drawn off the field by animal or by steam-power.

*Cost.*—The cost of the portable railway for animal-power lines varies from £307 to £342 per mile, or upwards, according to the gauge of lines and weight of rails. Shorter lengths can be had at from 3*s.* 6*d.* to 3*s.* 11*d.* per yard. The fittings and plant are extra.



Fig. 12.

For locomotive-power lines, the cost varies from £468 to £518 per mile and upwards, with plant and fittings extra, and shorter lengths at from 5*s.* 4*d.* to 5*s.* 11*d.* per yard.

*Portable Railways used in Steam Ploughing.*—Instead of forming headland roads for keeping the heavy ploughing-engines off the cultivated land, temporary rails may be laid down for the engines to travel upon, as illustrated in Fig. 13. Mr. Osborn applied this system as early as 1846 to steam-ploughing in Demerara, where there are no roads on which the engines could travel, but the open drains presented an insurmountable obstacle. There is no reason, however, why this system should not work well on English fields, and its adoption would greatly facilitate the employment of steam-power for tillage purposes, even on farms where there is a well-planned system of roads.



Fig. 13.

# CHAPTER VII.

## NAVIGABLE CANALS.

In flat countries canals afford great facilities, not merely as a medium of conveyance, but as a source of water for irrigation or the use of stock; so that, although the subject may not be accounted altogether agricultural, it would be improper in a work of this description to pass it over.

The great advantage of canals as a means of transport results from the weight which may be moved along with small power. "All canals," says Philips,* "may be considered as so many roads of a certain kind, on which one horse will draw as much as 30 horses on ordinary turnpike roads, or on which one man alone will transport as many goods as 3 men and 18 horses usually do on common roads." The velocity with which boats or punts can be drawn along a canal is, however, confined within very narrow limits, owing, as Edgworth has observed, "to the nature of the resistance to which they are exposed, this resistance increasing in a geometrical proportion as the squares of the velocity with which the moving body is impelled; whereas, on roads or railways, an increase of velocity requires only an arithmetical increase of power. Or, in other words, to draw a boat with ten times a given velocity would require a hundred times as much power as was required to draw it with that given velocity ; whereas, to draw a carriage on a road or railway with ten times a given velocity would require only ten times the given power. For this reason, however advantageous canals may have been found for transporting heavy loads, they will be found upon trial inferior to roads in promoting expedition."

---

* "General History of Inland Navigation.

It is only in countries peculiarly circumstanced, like Holland or Guiana, however, that navigation canals are substituted for roads in the field transport of agricultural produce. And even in those countries it is questionable whether a system of portable railways would not be more economical in clearing fields, when we consider the great amount of land which is lost to cultivation by a complete system of agricultural navi-



Fig. 14.

gation canals. On the Demerara sugar plantations, where the whole of the heavy field transport is carried on by means of the navigation canals which surround every field, as shown in Fig. 14, there is a loss of somelike one-tenth of the whole land enclosed by these canals alone, and a greater loss—equal to one-seventh of the entire field—by the open drains which intervene.

Great, then, as the facilities are which a system of canals may offer in some respects, it is obvious that there is a limit to their multiplication where land is of much value. In Demerara the open drains interfere greatly with the economical working of the field canals, and add immensely to the difficulty of bringing a sugar-cane crop off the field after it is cut.

The cost of cane-cutting is calculated at 4 dols. per hogshead of sugar, and as the average yield is about two hogsheads per acre, the cost of cutting, which includes carrying out the cane to the canal sides, may be taken at 8 dols.

At present, however, owing to these open drains, the reaper has not only to cut the canes, but carry them to the parapet, where they are thrown down, to be lifted a second time by other hands engaged in loading the punts. Now there are from six to nine hundred bundles or head-loads of cane to an acre, and as the average distance walked for and with each bundle is 70 yards, it amounts to 30 miles travel in clearing an acre. Not ordinary travel either, for half of the way the labourer has to carry a load of 75 lbs., and to cross as many as 1,275 drains.

To be sure, there is Greig's system of clearing cane-fields, in which two ordinary ploughing-engines are placed on the opposite roads, their ropes being connected by a shackle, to which a spare chain is fixed. The waggons are attached to this chain and hauled over the field from one engine to the other, being steered along the uncut edge of the sugar-cane and loaded at the same time. This system applies particularly to very large estates, and where constant employment is afforded for the machinery. Where the employment is not so regular, a cheaper system may be inaugurated. It is just possible that a wire-rope carrier might be employed with more advantage in cleaning the land and delivering the canes to the waggons on the central road.

On the present system, loading and transporting canes is reckoned to cost 1 dol. per hogshead, but the actual cost is a great deal more. In order to show this with some accuracy, we may here take into account the different items of expense in this consideration. To load and pick up the canes costs not less than 12 cents per punt, and as it takes 6 punts or so to the hogshead of sugar, this amounts to 1 dol. 44 cents per acre. The lowest possible number of punts in use on a large estate will be one for every 25 acres of crop. Now the first cost of a wooden punt is at least 80 dols., interest on which at 5 per cent. is 16 cents per acre; and as the wear and tear is equal to about 12½ per cent., the use of the punts may be said to cost 56 cents per acre. There are also the punt mules to be considered. The annual expense of a mule is as follows:—

| | |
|---|---|
| Feed and attendance . . . . | 40 dols. |
| Harness . . . . . . . . . | 3 ,, |
| Interest on capital . . . . . | 5 ,, |
| Risk . . . . . . . . . . | 10 ,, |
| | 58 |

If, then, there are two mules for every 100 acres in canes, the expense will be 1 dol. 16 cents per acre. A driver at 3 cents per punt is 36 cents per acre more. And, lastly, there are navigation trenches to be kept in repair. It is rather below the mark to say that there are 9 rods of trench per acre to be cleaned or weeded once a year and dug biannually—say weeding at 2 cents, and digging at 16 cents, per rod—in all amounting to 90 cents per acre. Transporting, therefore, must be taken at 4 dols. 42 cents per acre.

We make no doubt that this could be done at considerably less cost by a system of roads, and still more economically by means of the portable railway, if a system of covered drains prepared the way; but of course where canals are already constructed, it will in most cases be advisable to adhere to them, notwithstanding the loss of ground they occasion, until such time at least as land becomes so valuable that no part of it can be permanently left out of cultivation. In laying out new estates, however, there is no such consideration to prevent the immediate adoption of the transport system, which is the most economical both in its working and in its contingent effects.


Fig. 15.

*Ploughing with Engines in Punts.*—This plan of working was originated by McRae, on the Demerara fields, in 1839; but the machinery then available was cumbersome, and, instead of two engines being employed, there was one engine in one punt, and an anchor in the punt on the opposite canal. Fowler's direct double-engine system of steam cultivation is now practised on several estates in the colony, with both engines in punts, as shown in Fig. 15. The fields so cultivated have been previously tile-drained, and had the old open drains filled up. Cultivating from canal to canal entails working across the shortest length of the field, which is only from 165 to 178 yards, whereas the length from the middle walk to the side-line dam is never less than 550 yards. The former lengths are too short for economical working, from the number of turnings involved, and the only remedy would be to double the distance between the engines, by filling up every alternate canal; but this would necessitate the adoption of some other method of clearing the fields than that of the labourers carrying out the sugar-canes by back-loads, as is now done, for the distance between the punt-trenches is already too great for that.

# CHAPTER VIII.

## ENCLOSURES.

IN the pastoral state of society men wandered about in communities and fixed their abode only where they could obtain pasturage for their live-stock, their sole occupation that of tending their flocks and herds. Attached to a convenient spot they probably made an enclosure, suited to the number of their live-stock, near their own dwellings, to confine them during the night. This enclosure would serve the double purpose of relieving the night watches of the shepherds and of protecting the live-stock against the attacks of wild and ferocious animals.

A similar practice followed the first attempts at cultivation. The cultivated land was near the dwellings, and was surrounded by a single fence; and hence the origin of the ancient mode of subdividing land into *outfield* and *infield*, a practice which was continued till later times and more enlightened ideas swept the distinction away, and the ancient *ring-fence*, which only surrounded the cultivated land, was removed to the boundary of the farm. In flat countries subject to inundation, canals and ditches, for the purpose of extending the benefits of irrigation, were formed instead of fences.

There is no doubt that the only method of enclosing land practised by the Romans was that of the ring-fence around the cultivated ground; and it is probable that this was the only mode known to the ancient Greeks and other nations.

Before the extensive use of fences, landed property was marked out by *stones* or *posts*, set up so as to ascertain the division of family estates. Such *landmarks* constituted the customary method of distinguishing landed property among the Israelites, and to remove them was a crime similar to altering, destroying, or concealing the title-deeds of estates at this day. The law of Moses denounces curses on those who remove their neighbours' landmarks. Even among the heathen the landmark was sacred—so sacred that they made a deity of it. The owners of both fields brought each his garland and libation to the honour of this god. They sung its praises, put on its top a chaplet of flowers, poured out the libation before it, and the inhabitants of the country held a festival in its honour. It was, in short, celebrated as the preserver of the bounds and territorial rights of tribes, cities, and whole kingdoms, and without its testimony and evidence every field would have been a subject of litigation.

Some such ancient ceremonials, it is curious to observe, are practised amongst ourselves at the present day. At Hawick, the marches of the landed property of the town are distinctly pointed out every year, in the month of June, by the magistrates, cornet, and a large number of the inhabitants, all on horseback, which procession, concluded by a civic festival, is called the "Common-riding." An old song, annually sung by the inhabitants on the occasion, dwells with spirit on "Our marches rode, our landmarks planted"—a formal demonstration of their legal rights which was doubtless really necessary in ancient times, when written documents were in constant danger of being destroyed. At Selkirk, another royal burgh, as the burgesses in procession annually ride the marches, the town miller comes forth with cakes and other offerings, as, it appears from Juvenal, was done amongst the Romans of old, whose offerings of cakes, first-fruits, and flowers were, however, made to the sacred *termini*, or landmarks, and not to the citizens who were patrolling the bounds of their "known inheritance."

> "Those bounds, which with procession and with prayer
> And offered cakes, were made their annual care."

The ancient mode of enclosing land is still practised by many of the modern nations of Europe. In France property is so much sub-divided, by the extinction of the law of primogeniture, that no field enclosures are to be observed in that country—a few march-stones, a row of trees, or particular single trees here and there, marking the boundaries of estates. Nearly 6,000,000 transfers of property take place annually in France, and they are made with such uncertainty as to boundaries as to lead to numerous disputes, no less than 22,000 out of some 45,000 civil causes tried yearly relating to succession of property. Throughout Germany, Italy, Spain, and Switzerland, enclosures are only found near farmhouses and villages, the bulk of the corn being raised on extensive unenclosed grounds. In Holland and Belgium, on the other hand, the land is so much enclosed that the fields appear half choked with hedgerow-trees and hedges. In some parts of the South of England, also, much valuable ground is occupied by over-numerous and often sadly overgrown and neglected hedges ; while in Ireland land is much subdivided by turf dykes.

The size of enclosures must be regulated by the system of cultivation pursued, and by the extent of land undergoing the rotation; but these requirements should be made to harmonize as much as possible with the local considerations affecting the utility of fences, particularly the conditions of climate and shelter. Shelter is required both against heat and cold, and its attainment should be studied in the formation of enclosures. Trees form the best protection, and where they are obtainable no other shelter is required, and the advantages in such situations will always preponderate in favour of large enclosures and open fences. In elevated districts, exposed to the force of the wind and destitute of trees, a compact fence is all the means of shelter at command, and therefore, within a certain limit, their increase will prove beneficial. But in low-lying ground, well sheltered by trees or by the natural configuration of the surrounding country, there is practically no other object requiring the formation of a fence than its primary use of providing an efficient enclosure for grazing purposes. In such districts the utilisation of fences for shelter should be carefully guarded against, both because they are unnecessary for such a purpose and because their effects are hurtful alike to the climate and to the surrounding soil, and, consequently, injurious to the crops. This is especially the case when the enclosures are of small extent.

The broad hedgerows which are to be seen in many parts of England, composed of a belt of trees flanked on each side by a hedge, and having a dense growth of underwood, are positively injurious to the land. No doubt the object of cultivating these hedgerows (if there is any definite purpose in view at all) is the double one of providing for the growth of firewood and of securing shelter. But, if the intention is good, the results of making a plantation out of a fence are neither satisfactory nor profitable. They prevent the soil from drying quickly if it is naturally damp, and, by the stagnation of the air which they induce by obstructing the free flow of the atmospheric currents, they poison all the surrounding grass and crops. They are also complete nurseries for weeds, and afford shelter for insects, vermin, and such birds as are destructive to crops, from which cause the headlands of the fields are generally quite lost to the farmers; and there is the additional loss of the ground occupied by the superfluous width of the hedgerows themselves.

A fence should always be as narrow as possible, consistent with due fitness for its purpose. The space required will, of course, vary according to the different kinds of fences used; but in a hedge, for example, which occupies more space than any other system of fencing, there is seldom any reason or necessity why the width should exceed 3 feet. The economy of guarding against excess of width in fences is very apparent by a simple calculation. If we allow a hedge to occupy a width of 2 feet, and cultivate the ground on each side to the distance of 3 feet from the centre of the fence—which allowances are certainly very far short of the real practice throughout the country—we should find that on a farm of 250 acres, laid out in 25 fields of 10 acres each, there is an area of more than 4½ acres, or a 55th part of the whole, entirely lost to cultivation through the use of fences.

It is generally admitted that fields which are surrounded by hedges are more fertile than those which are unenclosed; but this is not universally true without limitations. In dry situations and on light sandy soils they are undoubtedly of great benefit from their effects in preventing the escape of moisture, and, therefore, in such places their value will, in some measure, increase in proportion with their number. But, on the other hand, these same effects must be injurious to a soil which is naturally damp and moist, if the hedges abound in number.

There are a great many different kinds of fences now in use, but all those of any importance will be noticed separately in the following chapters.

The great expense of erecting new fences and of repairing old ones is a good reason for having as few of them as possible.

A common light wire fence will cost at least 8*d.* per lineal yard, or £58 13*s.* 4*d.* per mile. To enclose a farm of 640 acres (1 square mile) in a ring-fence, will therefore entail 4 miles of fencing, at a total cost of £233 13*s.* 4*d.*; or, assuming that adjoining occupiers share half the cost, £116 16*s.* 8*d.* If this farm is subdivided into fields of 20 acres, there will be 32 fields, entailing 10 miles of interior fencing—making a total of 12 miles, and involving an outlay of £704, or £1 2*s.* per acre. The above estimate is certainly not overdrawn. The cost of almost every other description of fence would be greater, and there are few farms where the fields average 20 acres. It must also be remembered that over and above the first cost there is the expense of maintenance and repairs, not to mention the loss of land occupied by the fences. If we take 12 per cent. per annum on the capital sunk in fences to cover interest, maintenance, and repairs, it amounts to 2*s.* 8½*d.* per acre; and if the loss of land is 2 per cent. on 640 acres, there are 13⅓ acres, which, at an annual rent of 20*s.* per acre, adds another 4½*d.* per acre over the farm, making the total annual cost of fences 3*s*. 1*d*. per acre.

The cost of keeping a large farm well fenced into many fields is very considerable; but, when viewed collectively, the amount of capital employed in the construction and repair of fences in this and many other countries is simply fabulous.

There are 45,000,000 acres of enclosed land in the United Kingdom; so that, on the foregoing estimate, the capital sunk in fences must be nearly £50,000,000, and their annual maintenance and repair must cost at least £6,750,000.

The common fences which divide the fields from the highways and separate them from each other, are, it is seen, one of the greatest investments in this country, albeit an unproductive one.

Some systems of farming do not require that inside fences should be kept up; but there is always an advantage in having the farm laid out in fields, even when there is no necessity of erecting fences on the dividing lines. The crops themselves show the boundary of each lot. Moreover, the measurement of every field should be known, for convenience in estimating the quantities of seed and of manure to be used, of tillage and labour to be expended, and of produce to be reaped.

# CHAPTER IX.

## HEDGES.

*Quickset Hedges.*—There are a great variety of plants used in the cultivation of hedges, but the plant which is best adapted to the purpose is whitethorn or hawthorn (*Cratægus oxyacantha*), also called quickset. It is almost the only one which produces a good fence of compact growth, and of all others its use is attended with the fewest disadvantages. It can be managed so as to form a compact and equal fence, and yet occupy very little space. Its roots do not throw out new ramifications into the surrounding soil; it stands the severest winter without injury, and, on account of its thorns, it is avoided by all animals, and does not harbour birds and insects, unless it is allowed to spread out its branches to an unnecessary extent.

*Season of Planting.*—Thorns are planted in a hedge from autumn, when the leaves drop off, till spring, when the buds begin to swell, unless in frosts and heavy rains. When planted about October the plants are said to be more healthy than if put in at any other time, and there is undoubtedly this to be said in favour of planting then, that if the winter proves mild new roots are produced, which form a good preparation for a vigorous growth in spring. But this is a point on which all are not agreed, as some think that it is safer to defer the final transplantation till the spring, when there is no danger of the plant being injured by frost.

*Plants.*—The plants should be put in the ground immediately upon their removal from the nursery-bed. The roots should be left as entire as possible, but the ragged parts should be cut away with a knife, and the head lopped off to make the plant grow bushy. If the wounded parts of the roots be cut into small pieces, and sown in a bed prepared for them, they will produce quicks or thorns the same year, and such a method of propagation is more expeditious than that of growing them from the seed.

In planting hedges it is common to use plants of one, two, or three years old, seldom exceeding this last age. Such young plants, however, are long in growing into a fence, and would be totally destroyed in the interval if not well fenced and nursed. Much time might be saved in the rearing of hedges, and good fences obtained at less expense, if older plants were employed for that purpose. Three years old is certainly the youngest that should be planted, and if they are even six or seven years old so much the better. The prevailing idea that plants of that age will not thrive if transplanted is totally unfounded. In Holland the nurserymen have ready-grown hedges for sale; and these being frequently removed from one spot to another may, almost without hazard of failure, be transferred to a considerable distance and replanted.

*Methods of Planting.*—A hedge should be planted on the flat, as in Fig. 16, because the thorns, when planted erect, grow sooner into a useful fence, and much less ground is wasted when they are placed in their natural position than when laid sloping. There should be no ditches about a hedge, unless they are actually needed for drainage.

The old bank-and-ditch methods of planting were very expensive, and less successful. In these cases the hedge was planted either on the flat of a bank or on the face or slope of it. A ditch 2½ feet wide at top and 1 foot at bottom, and from 2 to 3 feet in depth, was thrown out and formed into a hedge-mound alongside. When the hedge was to be planted on the flat of a bank, the mound had to be levelled, as in Fig. 17; when to be planted on the face or slope of the bank, the mound was shaped as in Fig. 18. Sometimes a double hedge and ditch was formed, as in Fig. 19. Planting on the flat of a bank is, perhaps, the worst of all methods, because not only is the thrown-up soil apt to be poor, but the plants are sure to suffer from want of moisture in dry weather.



Fig. 16.



Fig. 17.



Fig. 18.



Fig. 19.

*Preparation of Soil, and Planting.*—Before planting on the flat, the soil in the line of the hedge must be carefully prepared by loosening it to a depth of at least a foot, and ridding it thoroughly of weeds. On poor soils it will be found of great benefit to apply a little garden-mould or well-prepared compost around the roots of the young plants.

The quicksets should be planted at distances of from 6 to 10 inches asunder, according to the quality of the soil, in single rows or in two rows, as . · . · . · . · In a good soil there is less difficulty in rearing them, and, consequently, fewer plants are necessary.

Weak plants should not be mixed with the strong ones in a hedge, but kept separate, so that special care can be devoted to them. When the two are mixed, the weaker are impoverished and choked up by the stronger.

It is a pernicious practice, that of planting trees in the line of a hedge. Most trees (such as the oak, beech, and elm) grow faster than quicksets, and when grown in the midst of a thorn hedge spread their roots in all directions, robbing the thorns of their proper nourishment, and soon overshadow them and deprive them of the benefits of sun and air.



Fig. 20.

*Fencing Young Hedges.*—The hedge while young must be properly fenced to protect it from injury by animals. This may be done by erecting a double row of posts and rails, four rails in height, after the manner shown in Fig. 20. In some cases a single protecting fence outside the hedge will be all that is necessary. Cheap wire fences are often employed for this purpose instead of posts and rails. Frequently, also, a double or single *dead-hedge* is formed to serve as a fence and guard until the quicksets are grown; in the latter case, the quickset may be wattled into the dead-hedge.

*Weeding and Cleaning.*—The roots of the young hedge should also be kept carefully clean, and the soil around them occasionally stirred. For digging around the roots of the plants a small spade is used, and for stirring and weeding the surface under the hedge the Dutch hoe is commonly employed.


Fig. 21.

*Pruning.*—During the first year or two, the top of the hedge should be moderately pruned, and the lateral branches suffered to grow untouched. It afterwards becomes necessary to cut them, but they should be left as bushy as possible at the lower part and gradually tapered towards the top. The triangular section, as illustrated in Fig. 21, is proved by experience to be the best form of a hedge, as it approaches most nearly to the natural form of the hawthorn tree, and may be grown to a height of 4 or 5 feet without ceasing to be thick and well-clothed to the very bottom; and such a hedge forms a pleasing, impenetrable, and durable fence.


Fig. 22.

When the converse method of training is adopted, and the hedge is allowed to grow bushy at the top, the plants are almost branchless near the ground, as seen in Fig. 22, and the older this fence becomes it gets more and more useless.

*Trimming a Hedge.*—With a hedge-bill or switcher, a man will trim a great quantity of hedge in a day. This instrument is light, and easily wielded. The hedger walks forward to his work, close alongside the hedge, with the switcher in his right hand, and uses it with a single upward stroke, from the lowermost to the highest twigs or branches. The left hand is used as a catch or rest for the bill as it descends.

*Brush Fork.*—For lifting and handling hedge cuttings, a common spreading-fork is sometimes fitted with a board 2 feet long and 6 inches wide upon the handle. This prevents the cuttings from sliding down the fork-handle, as they are otherwise apt to do when the fork is raised upon the shoulder.

*Ditching.*—When there is a ditch about a hedge, it should be cleaned out or re-dug, and the hedge-bank repaired, at the same time that the hedge is pruned.

*Repairing Old Hedges.*—On favourable soils quickset hedges, if carefully trained and occasionally cut over or dressed in the wedge shape, will last good for ages. If their original training has been neglected, however, they soon become full of gaps and weak places, in which condition they are an everlasting trouble.

In ordinary-sized gaps between the old stems of a thorn hedge young plants will not easily take root and thrive. This effect is produced partly by the old hedge over-topping and shadowing the young plants, and sometimes partly by the want of nourishment from the soil, the older roots having already extracted much of the elements of fertility.

*Plashing.*—Gaps in hedges may often be filled up by laying down a long branch or stem of thorn, half cut through near the ground, and fixing it firmly along the surface by notched stakes driven into the ground, and covering the extreme end with a shovelful of earth. This extreme end strikes root, and the horizontal stem or branch throws out upright shoots, which fill up the gap. This, after a short time, makes a good interim fence; but, in the long run, plashing is destructive to the plants, and accordingly there is scarce to be met with a complete good hedge where it has been long practised.

*Dead-Hedges.*—A better plan of cutting over an old hedge, when there are no gaps, is to cut it close to the ground, and make a dead fence for the temporary purpose of protecting the young shoots which will spring up from the old stumps till they have acquired a sufficient degree of strength to render them fencible without any other assistance. For this purpose the dead-hedge is well adapted, and lasts so long as to enable the live fence to grow up and complete the enclosure.

Dead hedges are of different sorts. Plain dead-hedges are made by cutting the thorns or brushwood of which they consist into certain lengths, and planting them with their but-ends in the ground. These are called plain dead-hedges, in opposition to other descriptions, where more art is used, such as the dead-hedge with upright stakes, wattled, Fig. 23, and the common plaited hedge, bound together at the top with willows.



Fig. 23.

*The Stake-and-Rice* fence is another form of dead-hedge, and is formed of stakes driven into the ground 5 or 6 feet apart, and interlaced with branches set on their but-ends in the direction of the heaviest winds, and each one wound alternately before and behind the stakes. A single rail is often nailed along the top of the stakes as a finish and to afford additional strength to the fence.

*Wiring an Old Hedge.*—The great drawback to old and badly grown hedges is their want of lateral branches near the ground, sufficient to make it close enough to turn small animals, such as sheep and pigs.

This defect may be remedied without cutting over the hedge by making a combination hedge-and-wire fence, as illustrated in Fig. 24. If the old hedge is very high and shelter is not needed, it may be topped down in the manner shown in Fig. 25.

This method of wiring an old hedge near to the ground, gives an efficient fence, and at considerably less cost than by cutting over and plashing and forming a dead-hedge or other temporary fence to last till the old hedge is re-grown. Wooden rails are sometimes used instead of wires, but the latter are preferable, being more portable, and at the same time cheaper and more durable.



Fig. 24.



Fig. 25.

*Other Hedge-Plants.*—Amongst other plants used for hedges are hornbeam, holly, willow, whin or furze, hazel-nut tree, common birch, narrow-leaved English elm, beech, prickly broom, and privet. Hedges are sometimes formed of one of these species only, but often of several mingled together, as of beechwood and privet. None of these plants, however, makes a good hedge for field purposes, as they are either very slow of growth and require a long time to attain a sufficient height for a fence, or else when grown it is not sufficiently defensive at all seasons and will not stand pruning.

*Whin Hedge.*—The common whin, furze, or gorse, an indigenous evergreen, armed with spines, was formerly much cultivated as a fence-plant, and is so still in some situations. It comes very quickly to perfection, and grows in a soil where few other plants would thrive. The whin-seeds are sown when the ground is fresh and moist, at the rate of about 1 lb. of seed to 200 yards. The best season for sowing is during the months of March and April.

The old method of growing a whin-fence was to sow the seed on the top of a bank. It is best cultivated on the flat, however, for the same reason as the quickset; and the ground should be prepared previous to sowing the whin-seed, the same as directed to be done before planting a quickset hedge.

The whin forms a complete fence the second year after planting. The hedge should be pruned once a year, in the month of June. On attention to this the permanence of the fence very much depends.

Being one of the cheapest fences, and the plant having such facility of growth and fitness for the purpose, it may be asked why the whin is so little grown as a hedge-plant? The chief reason is its want of durability; for although a native plant, and, under certain circumstances, hardy, it is very liable to be destroyed by frost. It cannot, therefore, be depended upon as a permanent fence. Its duration, indeed, can be greatly prolonged by regular pruning, but under the best management it makes a comparatively short-lived fence.

*Hornbeam Hedges.*—In Germany they plant hornbeam in such a manner as that every two plants may be brought to intersect each other in the form of a St. Andrew's cross. In that part where the two plants cross each other the hedger gently scrapes off the bark and binds them with straw thwart-wise; here the two plants consolidate in a sort of indissoluble knot, and push from thence horizontal shoots, which form a sort of living palisado or *chevaux-de-frise.*

*Willows*, when grown as a hedge, are also planted cross or lattice-wise, and bound along the top.

*Osage Orange Hedges.*—In some parts of the United States the osage orange is much grown as a hedge-plant, but though it is a rapid grower and shoots up erect, it is so open below that it is worthless as a fence against sheep and pigs, and even small cattle, unless it is wired or railed near the ground.

# CHAPTER X.

## DYKES OR WALL FENCES.

SINCE hedges are not available for use as fences until they are several years old, they must be left out of account where an immediate fence is wanted, unless the Dutch plan of planting ready-grown hedges be adopted. Moreover, in those districts where the greatest proportion of land has to be reclaimed, both soil and climate are unfavourable to the satisfactory rearing of hedges. In such places, however, stone is generally abundant, and can be used in the construction of dykes, which are better adapted to a high country than any other description of fencing.

Lime-built walls, owing to the great expense of them, can only be of limited application on the farm, but dry-stone dykes can be erected at a moderate cost. Where lime is abundant it is a good plan to set the cope-stones in mortar, for if the wall is well constructed the top stones, which are the most liable to be moved, are thus firmly secured.

A dry-stone dyke may be considered a permanent fence, because the materials never decay, and it has this advantage as compared with a hedge, that it is of immediate use. A well-built dyke will stand many years without requiring any repairs, and with a little expense in later years to keep it in order it will last a whole generation without requiring to be rebuilt.

When the stones are dug out of the ground, especially if they are of a gritty or brittle nature and show a tendency to split, they should be carted to the site of the dyke in the autumn and left unbuilt until the spring. They will thus be subjected during winter to the influence of frosts and of the atmosphere, the effects of which will be the disintegration, complete or partial, of the undurable stones, which can be thrown aside at the time of building, The neglect of this precaution often shows itself in the crumbling down of comparatively new-built dykes, and the builder is generally blamed for carelessness in neglecting to pack or pin his work sufficiently, when in reality the blame consists in providing him with bad and untried stones.

A dry-stone dyke on arable ground is generally built about 4 or 4½ feet in height. On hilly ground, where it is intended as a fence against sheep, and shelter is much needed, it should not be less than 5 or 6 feet high. The dimensions for a dyke 5 feet in height are about 27 inches broad at the base and 14 inches at the top. The foundation-stones should be large, and the inequalities of the ground should be smoothed with a spade, so as to provide a solid bed before they are laid. A selection of stones is not always possible, but where they are available those of a flat shape with a rough surface should be chosen, as they are laid on their natural beds and do not require pinning. Small stones are useful, and indeed necessary, where materials are undressed, but the builders should not be allowed to pack them all into the heart of the wall. Such a practice leaves the wall without bond, and unfit to stand for any length of time. The large and small stones should be uniformly mixed throughout the wall, so that in every part of it they may break bond as much as possible. There should also be one or more through bond-stones in the height of the wall, built in at every few feet of the length. The body of the wall is surmounted by a flat cover, on which the cope-stones are set on edge.

The quantity of stone required to build one lineal yard of a dyke 5 feet in height is 0·95 cubic yards, or 95 cubic yards of stone to every 100 lineal yards of dyke. The building alone, which is all the cost incurred when the stones have to be taken off the land, can be done for *7d.* to *8d.* per lineal yard; but the total cost, when the stones have to be specially provided (including quarrying, or digging them out of the ground when they cannot be obtained on the surface, carting them to the site, and building the wall), will be found to vary from about 1*s.* 3*d.* to 1*s.* 9*d.* per lineal yard. One man can build 6 yards of dyke in a day, working



Fig. 26.

by himself; but the work is best done by two builders working together on opposite sides of the wall, as by this method a better bond can be obtained than when the two sides are alternately raised. A wooden frame of the dimensions of the dyke is used as a guide by the builders. This description of fence, and the method of building it, is shown in Fig. 26, the illustration being a reproduction from Stephen's "Book of the Farm."

*Haulage of Stone.*—When the stones are quarried on the ground, or can be gathered off the field, they are easily conveyed to the site of the dyke upon a stone-boat or sledge. This is particularly the case when the loads have to be drawn down hill and on steep ground, where wheeled vehicles are employed with difficulty and inconvenience. Moreover, the stone-boat is easier loaded and unloaded with large stones than a high-sided cart.

*Galloway Dyke.*—The Galloway dyke owes its name to the circumstance of its having been originally introduced into use in Galloway. It is built without the use of lime or mortar, the same as the dyke already described. Two-thirds of its height, from the surface upwards, is regularly and evenly built on both sides, well filled-in, or packed in the heart, and tied or strengthened at short intervals by long stones reaching from side to side, called thorough-bands. When this first portion of the wall is finished and regularly levelled at the top, the upper third of its height is built of long rough stones, laid across the wall or dyke, having firm hold of each other laterally, but not packed in the heart, the largest stones used in the lowest course, and gradually diminishing to the top. A few inches of additional height in the open work of the Galloway dyke adds very little to the expense.

If well-built and of durable materials, the Galloway dyke will stand good for 20 years without need of repairs. It is peculiarly well adapted as a sheep fence for the Highlands, or all mountain pastures; but it is less suitable for low ground and as a fence against cattle.

*Turf Dykes.*—Where stones and timber are scarce and expensive, a turf dyke is sometimes of service. Fences of this class are not unfrequently erected as plantation fences in preference to others, chiefly on account of the material they are formed of being found ready to hand on the spot. Mr. C. Y. Michie, who, as forester to the Earl of Seafield, has had large experience in the erection of turf dykes around new plantations, informs us that his practice is as follows:—"On commencing to erect a turf dyke a line of poles is set along the centre of the line of fence, from which the basement is marked off on each side two feet, the whole base of the dyke being 4 feet. The height of the dyke above the ground surface is 4 feet, and its width on the top 20 inches. A ditch 4 feet wide at the top, 2 feet wide at the bottom, and 2½ feet deep, is usually formed on the front or outer side of the dyke. The turfs of which the dyke is built are cut 8 inches broad and as deep as the soil will admit, and are set on edge with the grassy side outwards, their position corresponding with the slope of the dyke. After the first row of turf is set up as much earth is excavated from the ditch and thrown to the back as will level the surface fully as high as the top of the turf. After the backing is firmly packed and levelled, another layer of turf is set up, and the same process of filling and levelling again repeated, observing always that in placing the turfs the joinings do not come opposite each other. The cost of building a turf dyke of the dimensions given is from 6*d.* to 7*d.* per lineal yard."

The turf dyke is often constructed in a hasty and careless manner, in which case it soon moulders down. When the sods are carefully cut and attentively laid, each course made to cover the seams or joinings of those immediately below, together with ties or thorough-bands at frequent intervals, and the whole properly packed in the heart, with a sufficient coping of long sods on the top to keep out rain, this fence is tolerably durable.

When the turfs are set on edge instead of laid flat, the dyke lasts considerably longer without requiring to be rebuilt. The best and most durable turf for dykes is that which contains most solid earth; and the least durable that which contains most vegetable matter. After laying it up in heaps for a time the latter becomes a decomposed, soft, and pulpy mass. This change is especially apt to take place with turf in a dyke if laid in a horizontal position, one layer above another.

Frequent repairs are necessary, but if these are carefully executed every spring, and when any breach occurs, the turf dyke will occasionally answer a good purpose in particular situations, more especially as the original expense is very low.

# CHAPTER XI.

## WOODEN FENCES.

OPEN wooden fences are less suitable to a high, open country than hedges or stone dykes, but in a low country they have many advantages to recommend their use. They occupy very little space, and are favourable to a free ventilation—two points which deserve special attention where land is valuable, and in thickly wooded districts. The chief objection to their use lies in their temporary character, which arises from the liability of the materials to decay, and often also from defective and unsubstantial construction. Yet as a protection to young hedges, in districts where timber is plentiful, a wooden fence is often more economical than any other.

*Wooden Paling.*—The common wooden paling consists of horizontal rails nailed to posts or stakes placed vertically and driven into the ground, as shown in Fig. 27. It may be made with either three or four horizontal rails. The latter number is preferable and necessary where sheep are feeding.

The rails are formed either of sawn or split wood. When the trees are small they may be split, but when they are of sufficient size they should be sawn.

Larch, spruce, or any other kind of fir or pine-wood, is commonly used, but larch is best, especially for posts, unless they are of hard wood. The posts are made about

6 feet long, and sharpened to a point. They are driven into the ground with a mall, to the depth of 8 inches, and set 6 feet apart. The horizontal rails are nailed to the posts.

A paling of larch-wood, having posts 6 feet apart, and four rails in height, can be erected at a cost of about 3*s.* 6*d.* per rod, or 7½*d.* per lineal yard.

*Preservation of Wooden Posts.*—It has long been a practice to burn or char that part of the posts or standards intended to be set or driven into the earth, as a means of rendering them more durable; but the best defence against the decay of the posts is to leave the bark on at that part which is to remain immediately above and below ground. Other remedies are also employed at times to prevent the decay of the posts—such as dipping the points that are to be driven into the earth into a solution of boiling tar, melted pitch, or gas-liquid. A friend of ours gives the following recipe: "Take boiled linseed oil, and stir in pulverized coal to the consistency of paint. Put a coat of this over the timber, and there is not a man alive that will live to see it rot." The posts should be completely dry before they are dipped in any of these preparations; for if they are either made of green wood, or have imbibed



Fig. 27.

much moisture, the expansion of the moisture will bring off the coating; whereas when they are made of well-seasoned wood, and are at the same time perfectly dry, and the pitch boiling hot, it readily enters the pores, and, by filling them completely, prevents the access of moisture, and consequently the injurious effects caused by it.

*Driving Fence Posts.*—All the posts should be driven into the ground deep enough to be beyond the risk of their being lifted by frost. This attention is especially needful on soils that are liable to heave.

The usual method of driving fence-posts and stakes is to strike them on the upper end with a heavy wooden mall; but in the operation many of them get split at the top and are soon destroyed. To drive the posts without injury, use a piece of hard wood scantling, 12 inches long by 6 inches broad, with a handle 3 or 4 feet long attached to it. A boy lays this scantling on the top of the post to be driven, and retains his hold on the handle until the driving is completed. He then moves the scantling to the next post. This device entails but little extra trouble or expense, and by its adoption the posts and stakes remain much longer durable and in good condition.

*Driving Long Stakes or Poles.*—For driving hop or other long poles, which are usually set by making a hole with an iron bar and forcing into it the lower end of the pole, another device is recommended. This is to take "a block of tough wood, 1 foot in length, 4 or 5 inches square at the top, made tapering, with the part next the pole slightly hollowed out. Then wind a trace-chain closely about the block and pole, and hook it in position. With a sledge-hammer, or beetle, strike heavy blows upon the block. Each blow serves only to tighten the grip of the chain upon the pole. In this way quite large poles or stakes may be quickly driven firmly in the ground. To keep the chain from falling to the ground when unfastened from the pole, it should pass through a hole bored through the block."

*Post-hole Borer.*—The earth-borer illustrated in Fig. 28 is a valuable labour-saving tool, and worthy the attention of all engaged in the erection of fencing. It is suitable for most kinds of soil, or for all purposes where a number of holes have to be bored in the shortest space of time.



Fig. 28.

It lifts the soil from the hole without the necessity of using spades. After five or six revolutions 6 to 10 inches of earth will be gathered in the wings of the borer, which must be raised and shaken off. In stony ground it is necessary to move the borer to and fro after two or three revolutions. Small-sized stones go through the wings of the borer, but the larger ones must be removed by hand or in other manner. The German, Austrian, and Russian Governments have adopted the borers for placing palisades; and the Royal Prussian Telegraph Company use nothing but the Patent Borers for boring the holes for their posts.

The borers vary from 3 to 18 inches in diameter, and cost from 11*s.* 6*d.* to 45*s.* each. They may be obtained from Messrs. F. Morton and Co.

*Post-hole Digger.*—A post-hole digger much used in America for this purpose, as well as for planting trees, is illustrated in Figs. 29 and 30. The principle on which it works makes it self-cleaning, and prevents adhesion in sticky soil; therefore it always works freely and easily. It works well in stony, sandy, or clay soils; and quicksand under water is as easily removed by it as if no water existed.

Fig. 29 shows the digger with the blades open, ready to be plunged into the ground. Fig. 30 shows the instrument as it is drawn out after grasping the sand or dirt.

One man with this digger can do much more work, in a given time, than with a bar-and-post spade; and anything that can be loosened and reduced to 5 inches or less in diameter can be easily removed by it. As constructed for ordinary use it will dig readily 4 feet deep.



Fig. 29.

The mode of using the digger is as follows:—Plunge it into the ground, as shown in Fig. 29, and when the soil is loosened, pull out the lever with one hand, as shown in Fig. 30, which will press the dirt between the blades; then draw the digger from the hole, keeping hold of the lever with one hand and the handle with the other. When the digger is clear of the hole, by simply pressing down the lever, which will open the blades, the dirt will fall from between them. The digger is then ready for another plunge. The steel blades are 9 inches long, and the whole tool 5 feet long. The price is 20*s.*; and the instrument may be obtained from Messrs. Bayliss, Jones, and Bayliss.



Fig. 30.

***Post - and - Rail Fence.***—In this kind of fence the posts are usually formed of cleft oak, 5 feet 6 inches in length, with four holes for rails, as shown in Fig. 31, and the bottom portion, which is fixed in the earth, is charred to prevent decay. The general sectional dimensions of the posts are 6½ inches by 3½ inches.

They are made more bulky at the lower end than the upper, and are fixed in the ground by digging holes, 2½ feet deep, placing them therein, shovelling the soil in, and ramming it around the posts till they be firmly fixed.



Fig. 31.

The rails are generally from 3½ to 4 inches broad, and about 2 inches thick. The distance between the posts is 9 or 10 feet.

Such a fence, having oak posts and rails, and four rails in height, will cost about 1*s.* per lineal yard.

Being very strong, these fences are suitable for enclosing cattle and horses. A good point in their construction is that each rail or bar is independent of the others, and can be taken out or replaced without much trouble, unless the rails are nailed or pegged to the posts, which is unusual.

It takes, however, a large amount of labour to mortice the post and fit the bars or rails, and the fence can only be erected with advantage in districts where timber is abundant and cheap.



Fig. 32.

*Upright Spar Fence.*—As a garden fence, or for confining poultry, an upright spar-wood fence, like that illustrated in Fig. 32, will be found both effectual and cheap, where something more ornamental is wanted than for ordinary field purposes. It is made by fixing perpendicular posts in the earth, nailing two rails of wood horizontally, one near the ground and another near the top of the posts, and covering these with spars nailed on upright, the spars not being above 2 or 3 inches broad.

*Loose Rail Fences.*—A primitive fence may be formed without nails or ties of any sort by inserting the stakes in the ground in different directions, and by using forked or hooked stakes. They are out of place in old settled countries, but may be found useful in pioneer farming. In America a still more simple fence is commonly met, even in districts that have been settled for a generation or more. It is known as the "Virginia crook," or worm-fence, and consists of nothing but cleft rails, similar to those employed in the cleft post-and-rail fence, and these are laid down in zigzag fashion, and one rail placed above another to the desired height, no posts or stakes and no nails being used. It forms a very strong fence, though a rough one, but it occupies a great deal of ground. It is, however, easily taken down and rebuilt again, while it will turn any and every description of stock.

# CHAPTER XII.

## WIRE FENCES.

The construction of wire fences has of late years greatly extended, the portability and durability of the wire rendering its employment more convenient and profitable than the use of wooden rails or any other description of fencing.



Fig. 33.

The wire fence most in use for farm purposes has all the straining and intermediate posts of wood, as in Fig. 33, and the wires are strained by a portable strainer. This system is far from satisfactory, because the wires are seldom well strained, and when the posts begin to decay the whole fence gets loose and worthless. Fig. 34 shows



Fig. 34.

an improved form of portable strainer, used in the erection of such fences as the one here described. The wires are fastened to the posts, both terminal and intermediate, by means of galvanized wire staples. A fence of this kind, with wooden posts 6 feet apart, and having 5 single wires in height, costs about 8*d.* per lineal yard.

A much more substantial wire fence with wooden posts is illustrated in Fig. 35. In this case there are 6 lines of wire, and each line consists of a 3-ply strand. Instead of the wires being fastened to the terminal by staples, holes are bored through the post in the lines of the wires, and straining eye-bolts with nuts and washers are attached for tightening up the fence. The same strand wires as the above are frequently erected on iron posts and pillars, for which the eye-bolts are equally adapted. Fences of this description are, however, too expensive for general farm purposes, and are


Fig. 35.

only erected as roadside fences, or in other situations where a fence of extraordinary strength is required.



Fig. 36.

A further improvement in the erection of wire fences has been reached by the introduction of the winding bracket, illustrated in Fig. 36. It is likely to entirely supersede the use of the screwed eye-bolts and of portable strainers, and is equally suited for applying to iron and wooden pillars or posts. The winders vary in price from 1*s.* 4*d.* to 3*s.* 6*d.* each.



Fig. 37.

Straining-pillars and posts fitted with these winding brackets are now extending in use. An iron straining-pillar of this kind is illustrated in Fig. 37.

*Corrimony Wire Fencing.*—The Corrimony fence was originally introduced to this country by the New Zealand colonists, and has now gained for itself a recognised position as the most economical fence for sheep. This is particularly the case in hilly districts, where the expenses of carriage and erecting tell heavily against ordinary fences.

The distinguishing feature of the Corrimony fence is that the fixed standards (of wood or iron) are placed at a considerable distance apart, varying from 12 to 22 yards, and that in the intervening space the wires are prevented from being pushed apart by being fixed to "droppers" placed at intervals of 6 feet. These droppers do not go into the ground, so that the fence possesses a certain degree of elasticity in a lateral direction between each pair of standards. The droppers can be either made of iron or of wood, but must be very light, so as not to overload the fence.



Fig. 38.

Fig. 38 shows a Corrimony fence, by Bayliss, Jones, and Bayliss. The standards are of angle-iron, and are punched on a patent principle which admits of the wires being fastened without threading. Fig. 39 is an enlarged view of this standard, showing the recesses for the wire. There are 6 lines of steel wire, and a light iron dropper every two yards. The cost of this fence, exclusive of straining-pillars, is 7*d.* per yard, or £42 5*s.* per mile. A straining-pillar will cost about 32*s.* 6*d.*, and one is required for every 250 yards.


Fig. 39.

The wires are fastened to the iron droppers in the above fence by means of self-acting tongues or clips, and when the lines are erected they are placed in the tongues, which are closed with a hammer as soon as the fence is drawn taut. Fig. 40 is an enlarged view of dropper showing tongue fastening wire.


Fig. 40.

Fig. 41 shows full-sized section and side view of A. and J. Main and Co.'s "vice-grip" dropper, with wedges and clips complete, and the wire fixed.

When wooden droppers are used the wires are fastened by small staples, or passed through holes bored for the purpose, and secured with wooden wedges.


Side View. Fig. 41. Section.

*Barb Wire Fencing.*—Steel barb fencing has of late years been extensively adopted in preference to plain wire fencing, in consequence of the deficiencies of the inferior in many respects. The single wire snaps in cold and sags in heat, and the fence soon falls out of repair. The plain single wire is not sufficiently visible to animals, so that they often run against it by accident, and it does not repel the roving and venturesome. To meet these objections the principle of arming the wire with sharp barbs or spikes originated in 1873, since which time barb fencing has been the object of many improvements.

Barb wire fencing should consist of at least two barbs, used in connection with two wires twisted together for the sake of strength, and the better to resist all changes of temperature. The barbs used in connection with two wires should not be twisted around both of them, but



Fig. 42.

pass between them, in order to prevent their becoming loosened, and the barbs should not be more than 5 or 6 inches apart (Fig. 42). The barb must be short enough not necessarily to tear the animal. A sharp, instantaneous prick is all that is needed. Experience has
shown that wire fences unprote [illegible]
what the size of the wire, ca [illegible]
of a full-sized ox or hors [illegible]
ance is in the sharp pri [illegible]
with the wire. And [illegible]
enough to prick [illegible]
invites furthe [illegible]
against it [illegible]

Barb [illegible]
effecti [illegible]

used two in a group, in combination with two wires, are caused by the twisting of the wires to project in every direction, so that it is impossible for any animal presenting one foot of surface to press against a wire thus armed without being effectually met by a point.

The number of barb lines or wires to be used must be decided in each case by the special object of the fence. One line 4 feet from the ground will turn cows, oxen, and horses. Two lines 21 inches from the ground and from each other will turn smaller cattle as well as the larger ones. Three lines, the lowest 12 inches from the ground, the next 24 inches, and the third 42 inches from the ground, will accomplish all named above, and make a thoroughly good and substantial farm fence. Four, five, and even six lines are frequently used when some special object is in view, such as excluding dogs, pigs, and other small animals, in which cases the lower lines are placed nearer to the ground and to each other than are the upper lines.

With cattle the great advantage of barbed wire is that it keeps them in; with sheep, it keeps their enemies out (Fig. 43). This is a very substantial fence, erected by Felten and Guilleaume. In some districts the havoc mad[illegible] t sheep by prowling dogs is immense, but, ste[illegible] g, properly erected, is dog-proof. [illegible] ns can be formed with barb fencing [illegible] fence. One line or wire on the top [illegible] makes a structure cattle will [illegible] barb wires put up with the [illegible] in the line of a hedge, [illegible] ficiency of the whole. [illegible] h wire, double strand [illegible] [illegible]

We have seen a fence of this kind in America, but with three lines of wire instead of four, and with the posts 50 feet apart, which was apparently effective against cattle, and cost on a large contract only £25 per mile, or about 3¼*d.* per yard.



Fig. 43.



Fig. 44.

Fig. 44 shows a barb wire fence with iron standards, as erected by A. and J. Main and Co. The terminal is a winding-pillar, and tongues are cut at the backs of the /‾\ wire standards, along which the wires are passed, and after being strained the tongues are clasped down by the stroke of a hammer, thereby securing the wires effectually in their places. The fence is usually made with four lines of galvanized steel barb wire, the standards 10 to 20 feet apart. The cost of such a fence varies from £64 to £50 a mile.

*Iron Bar Fencing.*—Fences of this description are too expensive for ordinary farm purposes. For surrounding parks and pleasure grounds, however, and as road-side fences, they are much in demand, as they present a good appearance combined with great strength of resistance to the pressure of the large animals which is frequently brought against them in such situations.



Fig. 45.

Iron bar fencing is of various kinds, as flat or round, solid or tubular bars. The usual mode of constructing bar fencing has been upon the principle of having the horizontal bars all jointed at one standard—an arrangement opposed to sound mechanical principles, and which is now improved upon by Messrs. A. and J. Main and Co. In this new "break-joint" construction, the top bar is jointed at a different standard from the lower bars, as seen in Fig. 45, thus distributing or breaking the pinnings, and securing to the fence its full lateral stiffness.

*Unclimbable Strained Wire Deer-Fence.*—Fig. 46 shows an elegant and effective fence for surrounding or subdividing deer-parks. Many miles of this description of fence have been used in surrounding the Royal parks at Windsor. It is 6 feet high above the ground, with standards 1½ inches by ⅜ths of an inch, 9 feet apart, having anchor-formed and double-pronged feet alternately, 18 inches below ground. The straining-pillars are of cast-iron, prepared to fix on stone, each fitted with a double stay, and placed 100 yards apart. The horizontal wires are ten in number, and upon these are placed vertical wires alternating in length, as shown in the engraving, and placed 1¼ inches apart in the lower part of the fence, thus rendering it perfectly game-proof and unclimbable. These wires are laced upon the horizontal wires, and are pointed at the top. A fence of this kind can be erected at a cost of about 8*s.* 6*d.* per lineal yard.



Fig. 46.

*Wire Netting.*—Galvanised wire netting is now largely used for enclosing paddocks and turnip fields, &c., or for fencing rabbit-warrens, poultry-yards, pheasantries, &c. Three-inch mesh netting, 3 feet wide or high, costs 4½*d.* per yard; 4 feet wide, 6*d.* per yard.

Fig. 47 represents the mode of erecting wire netting, devised by Lord Elcho, the present Earl of Wemyss, for preventing rabbits burrowing under it. A is a separate strip of galvanized wire netting, 6 inches wide, and 2-inch mesh, which is laid flat on the ground on the side of the fence from which rabbits come, and attached here and there to the upright netting. The grass, fallen leaves, &c., soon conceal the netting thus laid down, and the rabbit vainly scratches upon it, his intelligence failing to teach him to begin his tunnel farther back. The strips cost about 6*s.* 6*d.* per 100 yards, including a proportionate quantity of soft tying-wire.



Fig. 47.

The old modes of fixing wire netting around rabbit burrows, &c., are to dig a trench 6 inches deep and more, and drop the netting into it, or to fill the trench with broken stones or concrete; but these methods are both troublesome and expensive.

When extra strong netting is required, it is secured with one or more centre 3-ply strands. As a kangaroo fence in Australia, where galvanized wire netting is now extensively used for this purpose, the meshes are 6 inches wide, and at least two centre 3-ply strands are added for additional strength.

For poultry fencing, galvanized wire netting on strong iron frames, standing 6 or 7 feet high, is commonly used. Such a fence costs 3*s.* to 4*s.* per lineal yard, and answers well for enclosing the poultry yard, but in other quarters a cheaper fence against poultry will be equally efficient.

Where pheasants are reared, the fence is usually made about 7½ feet high, and the lower half is covered with galvanized corrugated sheets, to prevent foxes disturbing the birds, and the upper half with galvanized wire netting.

# CHAPTER XIII.

## MOVABLE FENCES.

UNDER this head are comprised all the different kinds of hurdles, and also sheep nets, which are in use for shifting folds in feeding off root and green crops or grass, and which are likewise extremely useful and convenient at times for temporarily dividing a field—as when one part of a field is left in pasture for grazing and the other part is brought under crop culture.



Fig. 48.

Hurdles may be divided into various classes, as wooden and iron, open and close, sheep and cattle hurdles, &c.; but it will be sufficient to notice briefly a few of the varieties most in use.

*Scotch Hurdle or Flake.*—This hurdle, as seen in Fig. 48, consists of two posts, each 2 × 3 inches and 4½ feet long, having the lower ends long and pointed for entering the ground, four rails, one brace, and two diagonals. They are made of larch or fir-wood, the usual dimensions of the hurdle being 9 feet long and 4 feet high. The cost is about 2*s.* each. The mode of setting them is to let the hurdle incline away from the sheep, a rance or stay being placed between every two hurdles to keep them in position, with a wooden peg or pin fastening one end of the rance to the hurdle, and another peg driven through the other end of the rance into the ground.

The flake is, withal, a clumsy and weighty hurdle. To move a number of them any distance in a field they must be put on carts, and a single-horse cart can only carry a dozen of them conveniently, while they are easily broken in the process of unloading. When set in position, too, they are very liable to be blown over by high winds, from the amount of surface exposed by their flat bars.


Fig. 49.

*English or Welsh Hurdle.*—The English wooden hurdle is a lighter, cheaper, and more convenient article than the Scotch flake. It is generally made of split oak, and is very tough and almost unbreakable. It consists of two upright end pieces, joined by four or five mortised bars 7 to 9 feet long, which are strengthened by an upright bar in the middle and two or more diagonals. The end pieces are long, and pointed for setting into the ground, which is done with an iron crowbar to avoid driving and splitting the top.

Sometimes they are made with the two sides to answer either as top or bottom, Fig. 49, by which means, if a leg is broken off, it is only necessary to turn the hurdle upside down to have still a perfect hurdle.

These hurdles are set erect, and no rance or stay is used, the ends of the two adjoining hurdles being simply connected by means of a withe band passed over them.

In exposed situations it is sometimes the practice to wattle either furze or straw between the bars of such hurdles as are set to windward.

*Wattle Hurdles.*—Wattle or close hurdles, made of hazel rods, afford a good shelter to sheep, and are very light to handle, and tolerably durable. They are made about 7½ feet long and 3 feet high, consisting of ten vertical stakes, the two end ones of which are stronger, and project both above and below the hurdle. The lower end is pointed for entering the ground a short way, and the upper end is for receiving the shackle which fastens the ends of two adjoining hurdles to the stake which is driven into the ground between them. The hurdles are closely wattled with rods. The price of these wattle hurdles is 10*s.* or 12*s.* a dozen in the copse districts, out of which they can seldom be obtained.

The stakes used with the wattles are cut 6 to 7 feet long, and sell at about 4*s.* per hundred. They are pointed, and let into the ground by an iron crowbar or stake-pitcher between two of the hurdles, and a shackle of twisted rods is put over it and the projecting heads of the adjoining hurdles to hold the whole together.

*Rack Hurdles.*—Hurdles of this class are used in feeding off vetches, clover, and other crops which it is not desirable that the sheep should run over while feeding upon. They are placed against the crop, and the sheep eat through the bars, the hurdles being shifted forward once or so every twenty-four hours. When fresh food is required the hurdles are drawn forward a yard or so, and are not fixed in the ground, but are placed in a leaning position, resting on stays, as shown in Fig. 50. The hurdles are connected by means of a shackle. The crop is fed off in the direction in which it is wished to plough the land, so that the plough may follow close upon the sheep.

*Lamb-Creep.*—The lamb-creep or hurdle is used in folding ewes and lambs on turnips, clover, grass, &c., in order that the latter may take their range at will of a field ahead of the ewes, and enjoy a nibble among the fresh grass or turnip-tops, &c., which contributes greatly to the health and future growth of the young animals; it also enables the lambs to be supplied with some box feeding out of the reach of the ewes.



Fig. 50.

The lamb hurdle is made of the usual length and height, and is very similar to the rack hurdle, but it is divided into two portions by a horizontal bar midway between the ground and the top rail, and the lower half is subdivided by rolling upright bars 10 inches apart, just wide enough to allow the lambs to get through. The upper half has one or more uprights to give the whole the requisite strength.

*Revolving Hurdles.*—Fig. 51 is a representation of Brown's patent Chevaux-de-Frise Hurdle, combined with his rain-shower irrigation system for pasture land grazing, showing a distance of 300 yards of these hurdles, with 200 sheep grazing through the spikes. It also shows the mode of turning them on to fresh grass, with the back hurdle following, removing the sheep from the land after the grass has been grazed. The land is watered by the rain-shower irrigation, the water being pumped from a tank in the field fed by a small spring stream which passes through the land at Stoke Park, near Windsor, where this system has been laid down.



Fig. 51.

These hurdles are manufactured by machinery from American pitch-pine for their spikes, and Baltic timber for beams and bars, and are estimated to last fifteen to twenty years. The price is 3*s*. per yard.

This system of grazing was brought into use in July, 1881, upon the farm of Bonaly, at Colinton, near Edinburgh, upon land properly laid down for the growth of grass without the irrigation system. Sheep at the rate of forty to the acre were grazed and fattened, from the 28th of July to the 26th of September of the same year, increasing in weight over 3½ lbs. per week for each sheep, as ascertained by Mr. John Penman, Bonaly, by weighing the sheep when put upon the grass and taken off, and as reported in the Edinburgh papers—*Scotsman* and *Courant*—of the 13th and 15th of October, 1881. This result shows that not less than fifty sheep may be taken as the number that may be fattened to the acre from April to October upon land properly laid down in grass for the system; and these gaining only 3 lbs. each in live weight, 1,200 lbs. may be estimated as the produce upon an acre, which, at the low price of 4½*d.* per pound, would give a value for the grass and feeding stuffs consumed of £22 10*s.*, showing a balance of profit to the credit of this system, after deducting cost for management of land, feeding-stuffs, attendance, and interest on capital invested in sheep, of over £6 an acre.

This hurdle has also been introduced as suitable for feeding off turnips, as it gives facilities for eating up one drill, and preventing further access by the sheep to the crop till each drill is wholly consumed, and also for one shepherd attending to a very large number of sheep —500 or more. One hundred yards of hurdles are sufficient for 100 to 150 sheep. The back hurdle is not required for turnips, nor for eating off foggage or ordinary pasture grass, upon which a very large saving will be effected. In wet seasons its use may be fairly estimated to double the value of a turnip crop when eaten off by sheep, or even during the most favourable weather the larger waste which always takes place from plot hurdling will be prevented.

Fig. 52 represents an easily made and portable revolving hurdle. "It consists of a pole or scantling 10 feet long, bored with holes alternately in opposite directions, and 12 inches apart. Stakes 5 feet long are put through these holes, making a hurdle with a cross-section like the letter X. These hurdles are merely placed upon the ground, resting upon the ends of the stakes, and may be rolled over and over from place to place."



Fig. 52.

*Hurdle on Wheels.*—For sheep-folding, a strong iron hurdle (Fig. 53), 12 feet long and 3 feet 6 inches high, and fixed upon four wheels, made by Hill and Smith, is often used. Hurdles of this kind are rather expensive, owing to the wheels. The advantage of using them is the readiness with which they can be shifted, as no driving of stakes is necessary.



Fig. 53.

*Iron Stand Hurdles.*—Messrs. Dougherty and Bradley, East Dereham, had on view at Reading, in 1882, a wrought-iron hurdle, with feet or stands of grooved iron to receive it. "*A* (Fig. 54) is the hurdle in position; *B* the sectional end of the upright, showing a groove for slipping in the hurdle *D*; *D* is the plain hurdle lifted out of position for moving; *C* is a small wooden foot for the upright. The hurdle is slipped into a groove riveted to the side of the upright *B*, and can be quickly removed by one man." The price of this hurdle, 3 feet or 3½ feet high, including stands, is 2*s.* or 3*s.* per lineal yard, with 2*s.* extra for each single stand.



Fig. 54.

*Iron Hurdles.*—There are now a great variety of iron hurdles in use, but the lightest of them are too heavy for ordinary sheep-folding when the hurdles have to be moved daily. As a temporary fence, however, in dividing a field or meadow—for instance, where one-half is to be mown and the other half fed—they are superior to wooden hurdles. For sheep-folding purposes they are best with plain pointed feet and one middle upright. They are made to various sizes, suitable either for sheep or for cattle.

The hurdle by J. J. Thomas and Co., represented in Fig. 55, is made with one middle upright, and the terminal uprights have fringed feet for fixing in the ground. Hurdles of this class are well adapted for a roadside fence, and are now commonly made without riveting, the horizontal bars being simply threaded through the end upright and clinched by a double thread.

*Net Hurdles.*—These are made of network of small cord, the size of the meshes 3 or 4 inches. The width or height of the net is about 3½ feet. They are usually made in lengths of 50 yards, and are supported by stakes 8 or 10 feet asunder. "Each net is furnished with a rope along both sides, passing through the outer meshes, which are called the 'top' and 'bottom rope,' as the position of either may be at the time."



Fig. 55.

The nets are fixed to the stakes on the side facing the ground the sheep are to occupy, and may be set up either towards the right or the left, as the starting-point happens to be situate. Having fastened the loose ends of the top and bottom ropes to the first stake, on coming to the second "the bottom rope gets a turn round the stake, and is fastened with the shepherd's knot 3 inches from the ground. The top rope is then fastened with a similar knot near the top of the stake, stretching the net even and upwards; and in this way the net is fastened to one stake after another, care being taken to make the top of the net run uniformly throughout its entire length." When more than one length of net is required, the ends of two nets are joined, as at *c*, Fig. 56.



Fig. 56.

"The shepherd's knot is made in this way. Let *a*, Fig. 57, be the continuation of the rope which is fastened to the first stake, then press the second stake with the hand towards *a*, or the fastened end, and at the same time tighten the turn round the stake with the other hand by taking a hold of the loose end of the rope *d*, and moving it so as to cause it to pass under *a* at *c*, and screwing it round the stake to *b*, where the elastic force of the stake will secure it tight under *a* at *b* when the stake is let go. The bottom rope is fastened first, to keep the net at the proper distance from the ground, and then the top rope, care being taken to pass the top and bottom ropes round the stakes, so as the leading coil of the rope is always uppermost towards the direction in which the net is to be set up. Thus in Fig. 57 the rope *d* was uppermost until it was passed under *a*, because the setting of the net in this case is from right to left, and it continues



Fig. 57.

to be uppermost until it reaches the next stake to the left."[*]

These cord nets, in 40-yard lengths, and 3 to 3½ feet wide, cost, in Scotland, about 12*s.* 6*d.* each, or 3*d.* per yard. Tarred sheep-netting, of the same material, in 50-yard lengths and 4 feet wide, costs in London £1 13*s.*, or nearly 8*d.* per lineal yard. Cocoa-fibre netting, tarred, in 100-yard lengths, 4 feet wide, costs in London £1 15*s.*, or nearly 4½*d.* per lineal yard. These prices do not include stakes for fixing the nets.



Fig. 58.

*Wire Sheep-Netting.*—Galvanized wire netting being more durable than the cord nets, is coming largely into use among flockmasters in lowland districts. It is made by A. and J. Main and Co. in 25-yard rolls, and with a 4-inch mesh, and standing 3 feet high (Fig. 58), costs about 5½*d.* per yard. Stakes for fixing the netting are extra.

---

[*] Stephen's "Book of the Farm."

# CHAPTER XIV.

## FIELD GATES.

GATES of one kind or another are necessary to afford communication between field and field, and also for opening on roadways. Their position cannot always be decided on without considering the roads and other communications with which they are connected, as well as the size and shape of the field; but it is mostly in the line of the headland at a corner of the enclosure, and in steep ground more commonly at the lower than at the upper part of the field.

No field gate should be less than 10 feet wide, to permit the free passage of loads of hay and straw, and of traction-engines, field-rollers, and other implements and machines.

Wood and iron are the materials of which gates are constructed, and farm gates in particular are most commonly of the former.

All farm gates should be supplied by the landlord, who should always have a stock of ready-made gates on hand, and give out a new one whenever a tenant sends in the remains of an old worn-out gate.

*Wooden Swing Gates.*—A good form of wooden gate, by Blenkarn, is shown in Fig. 59, with the iron-work and other portions drawn to a larger scale.

Hanging a gate on wooden posts is a matter of some difficulty and importance. The posts should be heavy, 8 inches square, planted 4 feet deep in the earth, firmly rammed around, and as little higher than the gate as possible. The gate should be hung so that it can only swing one way, and it should open inwards to the field, and not to the road.

To set the posts so that they will remain upright and prevent the sagging so common in field gates, dig the holes the usual depth, but open the whole length of ground between post and post. Place the posts in position, and then lay a stout slab or plank in the bottom of the open trench, with an end pressing firmly against each post. Over this plank fill in the soil to within a foot or so of the surface, beating and ramming it firmly all the while. Then lay another slab, fitting closely to both posts as before, and fill in the remaining soil above it. In soils liable to slip or heave, a stay should also be put in at the back of each post, 2 feet or so below the ground surface. Gates so hung will never sag.



Fig. 59.

*A* Clasp for spring-fasteners.
*B* Side view.
*C* Hinge strap.
*D* Hook and bolt through post.
*E* Shows rail-tenon and method of pinning into heel of gate.
*F* Hook or gate-fastener.

*Folding Gates*, made in two parts, are sometimes used for wide spaces, where one gate occupying the whole would be too large and heavy. The great objection to them is that, without a centre-post, which is always inconvenient in a gateway, they cannot be steadied, and soon sag, from the constant wobbling or from people climbing upon them.

*Wrought-Iron Gate and Posts.*—Fig. 60 represents a wrought-iron field gate, manufactured by Messrs. Hill and Smith, which has obtained the silver medals of the Royal Agricultural Society of England, and of the Royal Agricultural Society of Ireland. It is constructed principally of angle and T-iron, which impart great strength and rigidity to the gate without a corresponding increase in weight, and it is hung to the post by thimbles, as shown in the engraving, which slip over the top of the post. The posts are of solid wrought-iron, with basements of plate iron so disposed as to have great holding power in the soil, and quite sufficient, when well rammed in stiff soil, to carry the gate without either stone or wood blocks.



Fig. 60.

The price of this gate, with posts and hangings complete, is £3 7*s*. 6*d*.; without posts, £1 7*s*. 6*d*.

*Wrought-Iron Unclimbable Gate.*—This gate (Fig. 61) is intended for situations exposed to trespassers. It is constructed of flat iron uprights pointed at top, riveted to angle-iron frame-work, and placed 2½ inches apart in the clear. A capital gate of the same pattern is made out of wooden spars.



Fig. 61.

*Wire Gates.*—Although plain wire is an unsuitable material for the construction of field gates, being too light to bear the pressure of animals against it, this objection is entirely removed when barb wire is employed in the gate, if only for the top bars, as no animals will then push against it. Fig. 62 shows a useful gate of this kind, in the line of a barb wire fence



Fig. 62.

The gate is hung upon ordinary iron straining-posts, and the heel of the gate, which is of angle-iron, is fitted with winding-brackets for tightening the wire bars.

A much cheaper and simpler form of wire gate is



Fig. 63.

shown in figs. 63 and 64, in the former of which the gate is open and in the latter it is shut.

*A Sliding Gate.*—Gates of this class (Fig. 65) are sometimes used in the line of a paling or wire fence.



Fig. 64.

They have nothing to recommend them, however, but cheapness, there being no posts and hinges required, as in the hanging gate. The left half of the gate slides backwards between two common fence-posts, which are attached by as many horizontal spars as there are bars in the gate, and the other end of the gate slides two or more of its bars into iron holdfasts, or the ends of all the bars may slip between the horizontal spars



Fig. 65.

attaching two fence-posts, as at the left of the gate. These gates are not so readily opened and shut as a good swing-gate, and this is a great objection when there is much traffic at the gateway.



Fig. 66.

*Hand or Bridle Gates.*—For bridle-roads and pathways small hand-gates of wood or wrought-iron are a great economy in place of the large field gates, and much more convenient. The wicket is equally adapted as a side gate to field gate, or for standing alone, the posts forming terminals in a line of fence, as in Fig. 66. A wrought-iron wicket of this kind costs from 15*s.* to 17*s.* 6*d.* without the pillars.

In the American wooden hand-gate, which is illustrated in Fig. 67, no blacksmith work is necessary. The hinge-post is 9 or 10 inches and the latch-post 8 inches in diameter, both being sunk 3 or 4 feet in the ground. A strong wooden sill is inserted at the ground-level, tenoned into posts and primed. This sill serves to strengthen the posts and to keep them in position. The bars and braces are dovetailed into the uprights. The piece at top, acting as a hinge, should be 3 inches thick, with a hole in it for the end of the heel to pass through. A hole is made in the sill for the bottom of



Fig. 67.

the heel to work in. The long hinge-post would be objectionable in a line of paling or wire fencing, but it is easily shortened, and the mode of hanging this gate is extremely simple and effective.

In hunting districts a few of these bridle-gates, judiciously disposed in the lines of fencing, and out of the lines of pathways and bridle-roads, will often prevent much injury and damage to the fences. In situations where no pathway leads to them the gates should invariably be painted a different colour from the fence, a gate painted white being the most distinguishable at a distance.



Fig. 68.

*Gate for Hurdle Fences.*—These wickets are adapted to meet the demand for a cheap and simple hand-gate to hang between hurdles. They can be hung either to the sides of the hurdles or to standards specially provided for that purpose. A wrought-iron wicket similar to that shown in Fig. 68, and to match hurdles up to 4 feet high, costs 14*s.* or 15*s.*

When a footpath passes through a folded field, and no such gate as the above is available, an easy passage is formed by placing three hurdles in the form of a cage-gate or bow-wicket, Fig. 69; that is, a movable one *c* swings on the stake *b* between the fork of two others



Fig. 69.

set to the stakes *a a*, so as to form an acute angle. This prevents passengers breaking or displacing hurdles by climbing over them or leaving them open.

# CHAPTER XV.

## WICKETS AND STILES.

Many farms are intersected by public footpaths, which are often a great annoyance to the farmer on account of the fences being broken down or gates left open, and the livestock allowed to trespass amongst the growing crops.

Wickets and stiles are contrivances for such situations in order to allow men to pass over or through fences, while the passage excludes sheep, horses, or cattle. The wicket or turn-about is simply a zigzag or bow passage in the fence, and for temporary use may be formed of stakes and hurdles or posts and rails; but for a permanent passage, such as a public footpath, a well-constructed wrought-iron wicket will be cheapest in the end. There are many kinds of stiles adapted to different kinds of fences. In a dyke or stone wall three or four long stones placed in the height of the fence, and projecting at both sides of the dyke, serve the purpose of steps, by which the passenger ascends to the top and descends again on the other side. Sometimes a strong wooden ladder is fixed at either side of the wall. In a post-and-rail or wire fence, properly constructed fence-steps should be provided, either of the platform or step-ladder kind.

*Bow Wickets.*—The design of the bow wicket is to provide a gate that will be always shut and yet always open. For footpath gates these are superior to every other kind, as they are not apt to get out of repair from constant opening and shutting, having no latch, and are quite secure against livestock. Where there is much traffic they save the farmer from a great deal of annoyance, and even damage, by its being impossible to leave



Fig. 70.



Fig. 71.

them open. They may be fixed alongside large gates, or in lines of continuous fencing, and look well wherever placed.

A wrought-iron bow wicket is represented in Fig. 70, made with the bars vertical, and placed in the line of an iron fence. The person who wishes to pass this wicket steps into the bow, swings the gate to the front, and passes through to the rear, without the trouble of latching or unlatching, and no quadruped can follow.

Fig. 71 has the bars horizontal, and is hung on a cast-iron pillar. This wicket is also made to fold and open when required, to allow a wheelbarrow or animals to pass through. The prices vary from 35*s*. to 40*s*. and upwards.


Fig. 72.


Fig. 73.

In temporary or movable fences, the cage-gate or bow-wicket described at page 114 may be adopted.

*Fence-Steps or Stiles.*—Step-ladders or stiles, similar to those represented in Figs. 72 and 73, are very generally used in connection with iron or wire fencing. They allow persons to get over the fence easily without injuring the bars or wires. The prices vary from 15*s*. to 30*s*. for wrought-iron steps, according to height and construction.

In a dyke or wall fence, stone steps built into the wall on both sides are most convenient. In a hedge fence, however, the bow-wicket, or an opening stile, will be more suitable.

*Opening Stiles.*—Several ingenious contrivances are in use for avoiding the climbing necessary in the old-fashioned stiles. Fig. 74 represents an opening stile, of which there are several in the grounds at the Royal Agricultural College. It is the patented invention of Messrs Hill and Smith.



Fig. 74.

Fig. 75 shows another opening stile between two terminal posts in a line of iron bar fencing. This stile is by Messrs. F. Morton and Co.

The stile is made to open as follows. By raising the small knob *b*, the two central posts are readily pressed aside, as shown by the dotted lines, allowing a free open space for passing through. On releasing the pressure these posts fall to again by their own weight, and are self-locking, thus rendering the stile secure against stock.

The stile is constructed for fixing either independent of a line of fence, or for intersecting a line of fence, in which position the two outside posts take the place of terminal posts for attaching the lines of wire, whereby a substantial saving in cost is effected in comparison with the expense of separate gate or terminal posts which would otherwise be required to admit of a gate being inserted or other opening made in the line of fence.



Fig. 75.

The stile is also arranged when required for fixing at one of the extreme ends of a line of fence, the wires being attached to one of the outside posts, which is fitted with an additional stay.

There are many other kinds of wickets and stiles to be met with, but the foregoing include all those now commonly erected, and none of the others call for any special notice or description.

The lever-bar stile is an example of the latter class. It is, however, a very clumsy contrivance, and is well superseded.

Any kind of gate, wicket, or stile is, at the same time, preferable to a broken-down fence, or a gap-passage, which too frequently appears, even in the best of fences, at points where the necessary gate or stile has not been provided. And the sight of such gaps stopped by hurdles, or here and there, perchance, with an old harrow, is not calculated to encourage the idea of careful and tidy farming.

# INDEX.

AMERICAN wooden hand-gate, 112
Angle-iron standards, 16
Asphalte pavements, 35
,, walks, 38

BARB wire-fencing, 87
Borer, post-hole, 78
Bottoming roads, 13
Boundaries of estates, 54
Bridle-gates, 111
Brush-fork, 64

CANALS and ditches, 52
Construction of roads, 18
Cord nets, 105
Corrimony fences, 85
Cost of fencing, 57, 58
,, road-making, 27

DEAD-HEDGE, 65
Deer-fence, 91
Digger, post-hole, 79
Ditching, 64
Drainage of roads, 25
Driving fence-posts, 77
,, poles, 77
Droppers, 87
Dry stone walls, 69
Dutch hedges, 69
Dykes, or wall fences, 69

ENCLOSURES, 52
English or Welsh hurdle, 96

FARM roads, 1—6
Farm tramways, 40
Fences, roadside, 62
Fence-steps or ladders, 117
Fencing, cost of, 57, 58
,, young hedges, 62
Field-gates, 106
Folding-gates, 108
Footpaths, 37
Formation of roads, 19
Foundation of road, 18

GALLOWAY dyke, 72
Gates, field, 106
Gravel walks, 37

HAND-GATES, 111
Haulage of stones, 72
Hedge banks and ditches, 61
Hedge-plants, 60
Hedgerows, 55
Hedges, 59
Hornbeam hedges, 67
Hunting gates, 111-113
Hurdle gates, 113
Hurdle on wheels, 101

INFIELD, 52
Iron bar fencing, 91
Iron hurdle, 102
Iron stand hurdles, 101

KANGAROO-FENCE, 94

LAMB-CREEP, 98
Landmarks, 53
Lime-built walls, 69
Line of road, 11
Loose rail fences, 82

MARCH-STONES, 54
Materials, road, 20
Methods of hedge-planting, 60
Modern road-making, 23
Movable fences, 95

NAVIGABLE canals, 46
Need of farm roads, 1—6
Net hurdles, 103

OBJECTION to wooden fences, 75
Opening stiles, 117
Osage-orange hedges, 68
Osborn's system of steam-ploughing, 45
Outfield, 52

PALING, wooden, 75
Pastoral customs, 52
Pavements, 33
Pheasant-fence, 94
Plain wire-fence, 83
Planting hedges, 61
Plashing, 64
Ploughing-engines in punts, 50
Ploughing-engines on rails, 44
Portable railways, 40
Portable strainer, 83
Post-and-rail fence, 80
Post-hole borer, 78
Post-hole digger, 79
Poultry fence, 84
Preservation of fence-posts, 76
Principles of road-making, 7
Pruning hedges, 63

QUICKSET hedges, 59

RABBIT-FENCE, 94
Rack-hurdles, 97
Ready-grown hedges, 69
Repairing old hedges, 64
Repairing roads, 28
Resistance on roads, 7
Revolving hurdles, 98
Ring-fence, 52
Road, line of, 11
Road-making, principles of, 7
Road materials, 20
Road surface, 15
Roads, unmetalled, 31
Rules of the road, 17

SCOTCH hurdle or flake, 75
Season for planting hedges, 59
Sheep-nets, 103
Shelter, 55
Shepherd's-knot, 104
Size of enclosures, 55
Sliding-gate, 111
Stake-and-rice fence, 65
Standards, 87
Stiles, wickets and, 115
Stone pavements, 33
Straining eye-bolts, 84
Straining pillars, 85
Surface, road, 15

TERMINI, 54
Territorial rights, 53
Tramway waggon, 40
Tramways, 40

Transverse form of road, 16
Trimming a hedge, 63
Turf dykes, 73
Turntables, 44

UNCLIMBABLE gate, 109
Upright spar-fence, 81
Utility of fences, 55

VIRGINIA crook fence, 82

WATTLE hurdles, 97
Weeding hedges, 63
Whin hedge, 66
Wickets and stiles, 115
Width of fence, 56
Willow hedges, 68
Winding brackets, 85
Wire fences, 83
Wire gates, 109, 110
Wire netting, 92
Wire sheep-netting, 105
Wiring an old hedge, 65
Wooden fences, 75
Wooden paling, 75
Wooden pavements, 34
Wooden posts, preservation of, 76
Wooden swing-gate, 106
Worm fence, 82
Wrought-iron gate, 108

ZIGZAG rail-fence, 82

THE END.

---

PRINTED BY J. S. VIRTUE AND CO., LIMITED, CITY ROAD, LONDON.

*In the Press.*

# FARM BUILDINGS.

By PROFESSOR JOHN SCOTT.

⁂ *Being the Fourth Volume of the Farm Engineering Text-Books.*

## CONTENTS.

CHAP.
1. THE HOMESTEAD.
2. MATERIALS AND CONSTRUCTION.
3. EXAMPLE HOMESTEADS.
4. BARNS.
5. FOOD-PREPARING ROOMS.
6. HAY AND GRAIN SHEDS.
7. SILOS.
8. ACCOMMODATION FOR CATTLE.
9. STABLES.
10. PIGGERIES.
11. POULTRY HOUSES.
12. SHEEP-FOLDS AND SHEEP-SHEDS.
13. THE DAIRY.
14. FARM HOUSES.
15. COTTAGES.
16. SPECIFICATIONS AND ESTIMATES.

INDEX.

# Weale's Rudimentary Series.

PHILADELPHIA, 1876.
THE PRIZE MEDAL
Was awarded to the Publishers for
**Books: Rudimentary, Scientific,**
**"WEALE'S SERIES," ETC.**

A NEW LIST OF

# WEALE'S SERIES

## RUDIMENTARY SCIENTIFIC, EDUCATIONAL, AND CLASSICAL.

*Comprising nearly Three Hundred and Fifty distinct works in almost every department of Science, Art, and Education, recommended to the notice of Engineers, Architects, Builders, Artisans, and Students generally, as well as to those interested in Workmen's Libraries, Literary and Scientific Institutions, Colleges, Schools, Science Classes, &c., &c.*

☞ "WEALE'S SERIES includes Text-Books on almost every branch of Science and Industry, comprising such subjects as Agriculture, Architecture and Building, Civil Engineering, Fine Arts, Mechanics and Mechanical Engineering, Physical and Chemical Science, and many miscellaneous Treatises. The whole are constantly undergoing revision, and new editions, brought up to the latest discoveries in scientific research, are constantly issued. The prices at which they are sold are as low as their excellence is assured."—*American Literary Gazette.*

"Amongst the literature of technical education, WEALE'S SERIES has ever enjoyed a high reputation, and the additions being made by Messrs. CROSBY LOCKWOOD & CO. render the series even more complete, and bring the information upon the several subjects down to the present time."—*Mining Journal.*

"It is impossible to do otherwise than bear testimony to the value of WEALE'S SERIES."—*Engineer.*

"Everybody—even that outrageous nuisance 'Every Schoolboy'—knows the merits of 'WEALE'S RUDIMENTARY SERIES.' Any persons wishing to acquire knowledge cannot do better than look through Weale's Series and get all the books they require. The Series is indeed an inexhaustible mine of literary wealth."—*The Metropolitan.*

"WEALE'S SERIES has become a standard as well as an unrivalled collection of treatises in all branches of art and science."—*Public Opinion.*

LONDON, 1862.
THE PRIZE MEDAL
Was awarded to the Publishers of
**"WEALE'S SERIES."**

## CROSBY LOCKWOOD & CO.,

7, STATIONERS' HALL COURT, LUDGATE HILL, LONDON, E.C.

# WEALE'S RUDIMENTARY SCIENTIFIC SERIES.

Capio Lumen

*** The volumes of this Series are freely Illustrated wi Woodcuts, or otherwise, where requisite. Throughout the fol-lowing List it must be understood that the books are bound i limp cloth, unless otherwise stated; *but the volumes marked with a ‡ may also be had strongly bound in cloth boards for 6d extra.*

*N.B.—In ordering from this List it is recommended, as a means of facilitating business and obviating error, to quote the numbers affixed to the volumes, as well as the titles and prices.*

## ARCHITECTURE, BUILDING, ETC.

No.

16. *ARCHITECTURE—ORDERS*—The Orders and their Æsthetic Principles. By W. H. Leeds. Illustrated. 1s. 6d.

17. *ARCHITECTURE—STYLES*—The History and Description of the Styles of Architecture of Various Countries, from the Earliest to the Present Period. By T. Talbot Bury, F.R.I.B.A., &c. Illustrated. 2s.
*** Orders and Styles of Architecture, *in One Vol.*, 3s. 6d.

18. *ARCHITECTURE—DESIGN*—The Principles of Design in Architecture, as deducible from Nature and exemplified in the Works of the Greek and Gothic Architects. By E. L. Garbett, Architect. Illustrated. 2s.6d.

*** *The three preceding Works, in One handsome Vol., half bound, entitled* "Modern Architecture," *price* 6s.

22. *THE ART OF BUILDING*, Rudiments of. General Principles of Construction, Materials used in Building, Strength and Use of Materials, Working Drawings, Specifications, and Estimates. By E. Dobson, 2s.‡

23. *BRICKS AND TILES*, Rudimentary Treatise on the Manufacture of; containing an Outline of the Principles of Brickmaking. By Edw. Dobson, M.R.I.B.A. With Additions by C. Tomlinson, F.R.S. Illustrated, 3s.

25. *MASONRY AND STONECUTTING;* in which the Principles of Masonic Projection and their application to the Construction of Curved Wing-Walls, Domes, Oblique Bridges, and Roman and Gothic Vaulting, are explained. By Edward Dobson, M.R.I.B.A., &c. 2s. 6d.‡

44. *FOUNDATIONS AND CONCRETE WORKS*, a Rudimentary Treatise on; containing a Synopsis of the principal cases of Foundation Works, with the usual Modes of Treatment, and Practical Remarks on Footings, Planking, Sand, Concrete, Béton, Pile-driving, Caissons, and Cofferdams. By E. Dobson, M.R.I.B.A., &c. Fifth Edition, revised. 1s. 6d.

42. *COTTAGE BUILDING.* By C. Bruce Allen, Architect. Ninth Edition, revised and enlarged. Numerous Illustrations. 1s. 6d.

45. *LIMES, CEMENTS, MORTARS, CONCRETES, MASTICS*, PLASTERING, &c. By G. R. Burnell, C.E. Twelfth Edition. 1s. 6d.

57. *WARMING AND VENTILATION*, a Rudimentary Treatise on; being a concise Exposition of the General Principles of the Art of Warming and Ventilating Domestic and Public Buildings, Mines, Lighthouses, Ships, &c. By Charles Tomlinson, F.R.S., &c. Illustrated. 3s.

83**. *CONSTRUCTION OF DOOR LOCKS.* Compiled from the Papers of A. C. Hobbs, Esq., of New York, and Edited by Charles Tomlinson, F.R.S. To which is added, a Description of Fenby's Patent Locks, and a Note upon Iron Safes by Robert Mallet, M.I.C.E. Illus. 2s. 6d.

111. *ARCHES, PIERS, BUTTRESSES, &c.:* Experimental Essays on the Principles of Construction in; made with a view to their being useful to the Practical Builder. By William Bland. Illustrated. 1s. 6d.

116. *THE ACOUSTICS OF PUBLIC BUILDINGS;* or, The Principles of the Science of Sound applied to the purposes of the Architect and Builder. By T. Roger Smith, M.R.I.B.A., Architect. Illustrated. 1s. 6d.

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

**Architecture, Building, etc.,** *continued.*

127. *ARCHITECTURAL MODELLING IN PAPER,* the Art of. By T. A. RICHARDSON, Architect. Illustrated. 1s. 6d.

128. *VITRUVIUS—THE ARCHITECTURE OF MARCUS VITRUVIUS POLLO.* In Ten Books. Translated from the Latin by JOSEPH GWILT, F.S.A., F.R.A.S. With 23 Plates. 5s.

130. *GRECIAN ARCHITECTURE,* An Inquiry into the Principles of Beauty in; with an Historical View of the Rise and Progress of the Art in Greece. By the EARL OF ABERDEEN. 1s.

⁂ *The two preceding Works in One handsome Vol., half bound, entitled* "ANCIENT ARCHITECTURE," *price* 6*s.*

132. *DWELLING-HOUSES,* a Rudimentary Treatise on the Erection of. Illustrated by a Perspective View, Plans, Elevations, and Sections of a pair of Semi-detached Villas, with the Specification, Quantities, and Estimates, and every requisite detail, in sequence, for their Construction and Finishing. By S. H. BROOKS, Architect. New Edition, with Plates. 2s. 6d.‡

136. *QUANTITIES AND MEASUREMENTS,* How to Calculate and Take them in Bricklayers', Masons', Plasterers', Plumbers', Painters', Paper-hangers', Gilders', Smiths', Carpenters', and Joiners' Work. By A. C. BEATON, Architect and Surveyor. New and Enlarged Edition. Illus. 1s. 6d.

175. *LOCKWOOD & CO.'S BUILDER'S AND CONTRACTOR'S* PRICE BOOK, for 1883, containing the latest Prices of all kinds of Builders' Materials and Labour, and of all Trades connected with Building, &c., &c. Edited by F. T. W. MILLER, Architect. 3s. 6d.; half bound, 4s.

182. *CARPENTRY AND JOINERY*—THE ELEMENTARY PRINCIPLES OF CARPENTRY. Chiefly composed from the Standard Work of THOMAS TREDGOLD, C.E. With Additions from the Works of the most Recent Authorities, and a TREATISE ON JOINERY by E. WYNDHAM TARN, M.A. Numerous Illustrations. 3s. 6d.‡

182*. *CARPENTRY AND JOINERY. ATLAS* of 35 Plates to accompany the above. With Descriptive Letterpress. 4to. 6s.; cloth, 7s. 6d.

187. *HINTS TO YOUNG ARCHITECTS.* By GEORGE WIGHTWICK. New, Revised, and enlarged Edition. By G. HUSKISSON GUILLAUME, Architect. With numerous Woodcuts. 3s. 6d.‡

188. *HOUSE PAINTING, GRAINING, MARBLING, AND SIGN WRITING:* A Practical Manual of, containing full information on the Processes of House-Painting, the Formation of Letters and Practice of Sign-Writing, the Principles of Decorative Art, a Course of Elementary Drawing for House-Painters, Writers, &c., &c. With 9 Coloured Plates of Woods and Marbles, and nearly 150 Wood Engravings. By ELLIS A. DAVIDSON. Third Edition, revised. 5s. cloth limp; 6s. cloth boards.

189. *THE RUDIMENTS OF PRACTICAL BRICKLAYING.* In Six Sections: General Principles; Arch Drawing, Cutting, and Setting; Pointing; Paving, Tiling, Materials; Slating and Plastering; Practical Geometry, Mensuration, &c. By ADAM HAMMOND. Illustrated. 1s. 6d.

191. *PLUMBING.* A Text-Book to the Practice of the Art or Craft of the Plumber. With Chapters upon House Drainage, embodying the latest Improvements. Fourth Edition, revised and enlarged. With above 330 Illustrations. By W. P. BUCHAN, Sanitary Engineer. 3s. 6d.‡

192. *THE TIMBER IMPORTER'S, TIMBER MERCHANT'S,* and BUILDER'S STANDARD GUIDE. By RICHARD E. GRANDY. Second Edition, Revised. 3s.‡

205. *THE ART OF LETTER PAINTING MADE EASY.* By J. G. BADENOCH. Illustrated with 12 full-page Engravings of Examples. 1s.

206. *A BOOK ON BUILDING, Civil and Ecclesiastical,* including CHURCH RESTORATION. With the Theory of Domes and the Great Pyramid, &c. By Sir EDMUND BECKETT, Bart., LL.D., Q.C., F.R.A.S. 4s. 6d.‡

226. *THE JOINTS MADE AND USED BY BUILDERS* in the Construction of various kinds of Engineering and Architectural Works (A Practical Treatise on). With especial reference to those wrought by Artificers in Erecting and Finishing Habitable Structures. By WYVILL J. CHRISTY, Architect. With upwards of 160 Engravings on Wood. 3s.‡

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## Architecture, Building, etc., *continued.*

228. *THE CONSTRUCTION OF ROOFS OF WOOD AND IRON* (An Elementary Treatise on). Deduced chiefly from the Works of Robison, Tredgold, and Humber. By E. Wyndham Tarn, M.A., Architect. 1s. 6d.

229. *ELEMENTARY DECORATION:* A Guide to the Simpler Forms of Everyday Art, as applied to the Interior and Exterior Decoration of Dwelling-Houses, &c. By James W. Facey, Jun. Illustrated with Sixty-eight explanatory Engravings. 2s.

230. *HANDRAILING* (A Practical Treatise on). Showing New and Simple Methods for finding the Pitch of the Plank, Drawing the Moulds, Bevelling, Jointing-up, and Squaring the Wreath. By George Collings. Illustrated with Plates and Diagrams. 1s. 6d.

*BUILDING ESTATES:* a Treatise on the Development, Sale, Purchase, and General Management of Building Land. With Particulars of the Formation of Streets and Sewers, and the Requirements of Sanitary Authorities. By F. Maitland. [*In the press.*

## CIVIL ENGINEERING, ETC.

219. *CIVIL ENGINEERING.* By Henry Law, M.Inst. C.E. Including a Treatise on Hydraulic Engineering by Geo. R. Burnell, M.Inst.C.E. Sixth Edition, revised, with Large Additions on Recent Practice in Civil Engineering, by D. Kinnear Clark, M.Inst. C.E., Author of "Tramways: Their Construction," &c. 6s. 6d., Cloth boards, 7s. 6d.

31. *WELLS AND WELL-SINKING.* By John Geo. Swindell, A.R.I.B.A., and G. R. Burnell, C.E. Revised Edition. With a New Appendix on the Qualities of Water. Illustrated. 2s. [*Just published.*

35. *THE BLASTING AND QUARRYING OF STONE,* for Building and other Purposes. With Remarks on the Blowing up of Bridges. By Gen. Sir John Burgoyne, Bart., K.C.B. Illustrated. 1s. 6d.

62. *RAILWAY CONSTRUCTION,* Elementary and Practical Instructions on the Science of. By Sir M. Stephenson, C.E. New Edition, by Edward Nugent, C.E. With Statistics of the Capital, Dividends, and Working of Railways in the United Kingdom. By E. D. Chattaway. 4s.

80*. *EMBANKING LANDS FROM THE SEA,* the Practice of. Treated as a Means of Profitable Employment for Capital. With Examples and Particulars of actual Embankments, &c. By J. Wiggins, F.G.S. 2s.

81. *WATER WORKS,* for the Supply of Cities and Towns. With a Description of the Principal Geological Formations of England as influencing Supplies of Water; and Details of Engines and Pumping Machinery for raising Water. By Samuel Hughes, F.G.S., C.E. New Edition. 4s.‡

117. *SUBTERRANEOUS SURVEYING,* an Elementary and Practical Treatise on. By Thomas Fenwick. Also the Method of Conducting Subterraneous Surveys without the Use of the Magnetic Needle, and other Modern Improvements. By Thomas Baker, C.E. Illustrated. 2s. 6d.‡

118. *CIVIL ENGINEERING IN NORTH AMERICA,* a Sketch of. By David Stevenson, F.R.S.E., &c. Plates and Diagrams. 3s.

197. *ROADS AND STREETS (THE CONSTRUCTION OF),* in two Parts: I. The Art of Constructing Common Roads, by Henry Law, C.E., revised by D. K. Clark, C.E.; II. Recent Practice, including pavements of Stone, Wood, and Asphalte, by D. K. Clark. 4s. 6d.‡

203. *SANITARY WORK IN THE SMALLER TOWNS AND IN VILLAGES.* Comprising:—1. Some of the more Common Forms of Nuisance and their Remedies; 2. Drainage; 3. Water Supply. By Charles Slagg, A.I.C.E. Second Edition, revised and enlarged. [*In the press.*

212. *THE CONSTRUCTION OF GAS-WORKS,* and the Manufacture and Distribution of Coal Gas. Originally written by Samuel Hughes, C.E. Sixth Edition, re-written and much Enlarged by William Richards, C.E. With 72 Illustrations. 4s. 6d.‡

213. *PIONEER ENGINEERING.* A Treatise on the Engineering Operations connected with the Settlement of Waste Lands in New Countries. By Edward Dobson, Assoc. Inst. C.E. 4s. 6d.‡

---

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## MECHANICAL ENGINEERING, ETC.

33. *CRANES*, the Construction of, and other Machinery for Raising Heavy Bodies. By Joseph Glynn, F.R.S. Illustrated. 1s. 6d.

34. *THE STEAM ENGINE.* By Dr. Lardner. Illustrated. 1s. 6d.

59. *STEAM BOILERS:* their Construction and Management. By R. Armstrong, C.E. Illustrated. 1s. 6d.

67. *CLOCKS, WATCHES, AND BELLS*, a Rudimentary Treatise on. By Sir Edmund Beckett, LL.D., Q.C. Seventh Edition, revised and enlarged. 4s. 6d. limp; 5s. 6d. cloth boards. [*Just published.*

82. *THE POWER OF WATER*, as applied to drive Flour Mills, and to give motion to Turbines, &c. By Joseph Glynn, F.R.S. 2s.‡

98. *PRACTICAL MECHANISM*, the Elements of; and Machine Tools. By T. Baker, C.E. With Additions by J. Nasmyth, C.E. 2s. 6d.‡

139. *THE STEAM ENGINE*, a Treatise on the Mathematical Theory of, with Rules and Examples for Practical Men. By T. Baker, C.E. 1s. 6d.

162. *THE BRASS FOUNDER'S MANUAL;* Instructions for Modelling, Pattern-Making, Moulding, Turning, Filing, Burnishing, Bronzing, &c. With copious Receipts, &c. By Walter Graham. 2s.‡

164. *MODERN WORKSHOP PRACTICE*, as applied to Marine, Land, and Locomotive Engines, Floating Docks, Dredging Machines, Bridges, Cranes, Ship-building, &c., &c. By J. G. Winton. Illustrated. 3s.‡

165. *IRON AND HEAT*, exhibiting the Principles concerned in the Construction of Iron Beams, Pillars, and Bridge Girders, and the Action of Heat in the Smelting Furnace. By J. Armour, C.E. 2s. 6d.‡

166. *POWER IN MOTION:* Horse-Power, Toothed-Wheel Gearing, Long and Short Driving Bands, and Angular Forces. By J. Armour, 2s. 6d.‡

167. *IRON BRIDGES, GIRDERS, ROOFS, AND OTHER* WORKS. By Francis Campin, C.E. 2s. 6d.‡

171. *THE WORKMAN'S MANUAL OF ENGINEERING* DRAWING. By John Maxton, Engineer. Fourth Edition. Illustrated with 7 Plates and nearly 350 Woodcuts. 3s. 6d.‡

190. *STEAM AND THE STEAM ENGINE*, Stationary and Portable. By John Sewell and D. K. Clark, M.I.C.E. 3s. 6d.‡

200. *FUEL*, its Combustion and Economy. By C. W. Williams, With Recent Practice in the Combustion and Economy of Fuel—Coal, Coke, Wood, Peat, Petroleum, &c.—by D. K. Clark, M.I.C.E. 3s. 6d.‡

202. *LOCOMOTIVE ENGINES.* By G. D. Dempsey, C.E.; with large additions by D. Kinnear Clark, M.I.C.E. 3s.‡

211. *THE BOILERMAKER'S ASSISTANT* in Drawing, Templating, and Calculating Boiler and Tank Work. By John Courtney, Practical Boiler Maker. Edited by D. K. Clark, C.E. 100 Illustrations. 2s.

216. *MATERIALS AND CONSTRUCTION;* A Theoretical and Practical Treatise on the Strains, Designing, and Erection of Works of Construction. By Francis Campin, C.E. 3s.‡

217. *SEWING MACHINERY:* Its Construction, History, &c., with full Technical Directions for Adjusting, &c. By J. W. Urquhart, C.E. 2s.‡

223. *MECHANICAL ENGINEERING.* Comprising Metallurgy, Moulding, Casting, Forging, Tools, Workshop Machinery, Manufacture of the Steam Engine, &c. By Francis Campin, C.E. 2s. 6d.‡

224. *COACH BUILDING*, A Practical Treatise, Historical and Descriptive. By J. W. Burgess. 2s. 6d.‡

235. *PRACTICAL ORGAN BUILDING.* By W. E. Dickson, M.A., Precentor of Ely Cathedral. Illustrated. 2s. 6d.‡

236. *DETAILS OF MACHINERY.* Comprising Instructions for the Execution of various Works in Iron in the Fitting-Shop, Foundry, and Boiler-Yard. By Francis Campin, C.E. 3s.‡ [*Just published.*

237. *THE SMITHY AND FORGE;* including the Farrier's Art and Coach Smithing. By W. J. E. Crane. Illustrated. 2s. 6d.‡ [*Just published.*

238. *THE SHEET-METAL WORKER'S GUIDE;* a Practical Handbook for Tinsmiths, Coppersmiths, Zincworkers, &c. With 94 Diagrams and Working Patterns. By W. J. E. Crane. 1s. 6d. [*Just published.*

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## SHIPBUILDING, NAVIGATION, MARINE ENGINEERING, ETC.

51. *NAVAL ARCHITECTURE,* the Rudiments of; or an Expos tion of the Elementary Principles of the Science, and their Practical Appl cation to Naval Construction. Compiled for the Use of Beginners. I JAMES PEAKE, School of Naval Architecture, H.M. Dockyard, Portsmout Fourth Edition, corrected, with Plates and Diagrams. 3s. 6d.‡

53*. *SHIPS FOR OCEAN AND RIVER SERVICE,* Elementa and Practical Principles of the Construction of. By HAKON A. SOMM FELDT, Surveyor of the Royal Norwegian Navy. With an Appendix. 1s.6

53**. *AN ATLAS OF ENGRAVINGS* to Illustrate the above. Twel large folding plates. Royal 4to, cloth. 7s. 6d.

54. *MASTING, MAST-MAKING, AND RIGGING OF SHIP* Rudimentary Treatise on. Also Tables of Spars, Rigging, Blocks; Chai Wire, and Hemp Ropes, &c., relative to every class of vessels. With Appendix of Dimensions of Masts and Yards of the Royal Navy. By ROBE KIPPING, N.A. Fifteenth Edition. Illustrated. 2s.‡

54*. *IRON SHIP-BUILDING.* With Practical Examples and Detai for the Use of Ship Owners and Ship Builders. By JOHN GRANTHAM, Co sulting Engineer and Naval Architect. 5th Edition, with Additions. 4s.

54**. *AN ATLAS OF FORTY PLATES* to Illustrate the abov Fifth Edition. Including the latest Examples, such as H.M. Steam Frigat "Warrior," "Hercules," "Bellerophon;" H.M. Troop Ship "Serapi Iron Floating Dock, &c., &c. 4to, boards. 38s.

55. *THE SAILOR'S SEA BOOK:* a Rudimentary Treatise Navigation. Part I. How to Keep the Log and Work it off. Part II. Finding the Latitude and Longitude. By JAMES GREENWOOD, B.A. which are added, the Deviation and Error of the Compass; Great Circ Sailing; the International (Commercial) Code of Signals; the Rule of t Road at Sea; Rocket and Mortar Apparatus for Saving Life; the Law Storms; and a Brief Dictionary of Sea Terms. With numerous Woodc and Coloured Plates of Flags. New, thoroughly revised and much enlarg edition. By W. H. ROSSER. 2s. 6d.‡

80. *MARINE ENGINES, AND STEAM VESSELS,* a Treati on. Together with Practical Remarks on the Screw and Propelling Pow as used in the Royal and Merchant Navy. By ROBERT MURRAY, C. Eighth Edition, re-written by H. S. BARRON. [*In preparation.*

83*bis*. *THE FORMS OF SHIPS AND BOATS:* Hints, Experimen ally Derived, on some of the Principles regulating Ship-building. By BLAND. Seventh Edition, revised, with numerous Illustrations and Models. 1s.6

99. *NAVIGATION AND NAUTICAL ASTRONOMY,* in Theo and Practice. By Professor J. R. YOUNG. New Edition, including t requisite Elements from the Nautical Almanac for working the Problem Illustrated. 2s. 6d. [*Just published.*

106. *SHIPS' ANCHORS,* a Treatise on. By G. COTSELL, N.A. 1s. 6

149. *SAILS AND SAIL-MAKING,* an Elementary Treatise o With Draughting, and the Centre of Effort of the Sails. Also, Weig and Sizes of Ropes; Masting, Rigging, and Sails of Steam Vessels, &c., Eleventh Edition, enlarged, with an Appendix. By ROBERT KIPPING, N. Sailmaker, Quayside, Newcastle. Illustrated. 2s. 6d.‡

155. *THE ENGINEER'S GUIDE TO THE ROYAL AN* MERCANTILE NAVIES. By a PRACTICAL ENGINEER. Revised by F. M'CARTHY, late of the Ordnance Survey Office, Southampton. 3s.

55 & 204. *PRACTICAL NAVIGATION.* Consisting of The Sailo Sea-Book. By JAMES GREENWOOD and W. H. ROSSER. Together wi the requisite Mathematical and Nautical Tables for the Working of Problems. By HENRY LAW, C.E., and J. R. YOUNG, formerly Professor Mathematics in Belfast College. Illustrated with numerous Wood Engra ings and Coloured Plates. 7s. Strongly half-bound in leather.

---

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## PHYSICAL SCIENCE, NATURAL PHILOSOPHY, ETC.

1. *CHEMISTRY*, for the Use of Beginners. By Professor GEORGE FOWNES, F.R.S. With an Appendix on the Application of Chemistry to Agriculture. 1s.

2. *NATURAL PHILOSOPHY*, Introduction to the Study of; for the Use of Beginners. By C. TOMLINSON, Lecturer on Natural Science in King's College School, London. Woodcuts. 1s. 6d.

4. *MINERALOGY*, Rudiments of; a concise View of the Properties of Minerals. By A. RAMSAY, Jun. Woodcuts and Steel Plates. 3s.‡

6. *MECHANICS*, Rudimentary Treatise on; being a concise Exposition of the General Principles of Mechanical Science, and their Applications. By CHARLES TOMLINSON. Illustrated. 1s. 6d.

7. *ELECTRICITY;* showing the General Principles of Electrical Science, and the purposes to which it has been applied. By Sir W. SNOW HARRIS, F.R.S., &c. With Additions by R. SABINE, C.E., F.S.A. 1s. 6d.

7*. *GALVANISM*, Rudimentary Treatise on, and the General Principles of Animal and Voltaic Electricity. By Sir W. SNOW HARRIS. New Edition, with considerable Additions by ROBERT SABINE, C.E., F.S A. 1s. 6d.

8. *MAGNETISM;* being a concise Exposition of the General Principles of Magnetical Science, and the Purposes to which it has been applied. By Sir W. SNOW HARRIS. New Edition, revised and enlarged by H. M. NOAD, Ph.D., Vice-President of the Chemical Society, Author of "A Manual of Electricity," &c., &c. With 165 Woodcuts. 3s. 6d.‡

11. *THE ELECTRIC TELEGRAPH;* its History and Progress; with Descriptions of some of the Apparatus. By R. SABINE, C.E., F.S.A. 3s.

12. *PNEUMATICS*, for the Use of Beginners. By CHARLES TOMLINSON. Illustrated. 1s. 6d.

72. *MANUAL OF THE MOLLUSCA;* a Treatise on Recent and Fossil Shells. By Dr. S. P. WOODWARD, A.L.S. Fourth Edition. With Appendix by RALPH TATE, A.L.S., F.G.S. With numerous Plates and 300 Woodcuts. 6s. 6d. Cloth boards, 7s. 6d.

79**. *PHOTOGRAPHY*, Popular Treatise on; with a Description of the Stereoscope, &c. Translated from the French of D. VAN MONCKHOVEN, by W. H. THORNTHWAITE, Ph.D. Woodcuts. 1s. 6d.

96. *ASTRONOMY.* By the late Rev. ROBERT MAIN, M.A., F.R.S., formerly Radcliffe Observer at Oxford. Third Edition, revised to the Present Time. By WILLIAM THYNNE LYNN, B.A., F.R.A.S. 2s.

97. *STATICS AND DYNAMICS*, the Principles and Practice of; embracing also a clear development of Hydrostatics, Hydrodynamics, and Central Forces. By T. BAKER, C.E. 1s. 6d.

138. *TELEGRAPH*, Handbook of the; a Manual of Telegraphy, Telegraph Clerks' Remembrancer, and Guide to Candidates for Employment in the Telegraph Service. By R. BOND. Fourth Edition, revised and enlarged: to which is appended, QUESTIONS on MAGNETISM, ELECTRICITY, and PRACTICAL TELEGRAPHY, for the Use of Students, by W. MCGREGOR, First Assistant Supnt., Indian Gov. Telegraphs. 3s.‡

173. *PHYSICAL GEOLOGY*, partly based on Major-General PORTLOCK'S "Rudiments of Geology." By RALPH TATE, A.L.S., &c. Woodcuts. 2s.

174. *HISTORICAL GEOLOGY*, partly based on Major-General PORTLOCK'S "Rudiments." By RALPH TATE, A.L.S., &c. Woodcuts. 2s. 6d.

173 & 174. *RUDIMENTARY TREATISE ON GEOLOGY*, Physical and Historical. Partly based on Major-General PORTLOCK'S "Rudiments of Geology." By RALPH TATE, A.L.S., F.G.S., &c. In One Volume. 4s. 6d.‡

183 & 184. *ANIMAL PHYSICS*, Handbook of. By Dr. LARDNER, D.C.L., formerly Professor of Natural Philosophy and Astronomy in University College, Lond. With 520 Illustrations. In One Vol. 7s. 6d., cloth boards.

*** *Sold also in Two Parts, as follows:—*

183. ANIMAL PHYSICS. By Dr. LARDNER. Part I., Chapters I.—VII. 4s.

184. ANIMAL PHYSICS. By Dr. LARDNER. Part II., Chapters VIII.—XVIII. 3s.

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## MINING, METALLURGY, ETC.

117. *SUBTERRANEOUS SURVEYING*, Elementary and Practic Treatise on, with and without the Magnetic Needle. By Thomas Fenwi Surveyor of Mines, and Thomas Baker, C.E. Illustrated. 2s. 6d.‡

133. *METALLURGY OF COPPER;* an Introduction to the Method of Seeking, Mining, and Assaying Copper, and Manufacturing its Alloys By Robert H. Lamborn, Ph.D. Woodcuts. 2s. 6d.‡

134. *METALLURGY OF SILVER AND LEAD.* By Dr. R. H. Lamborn. Woodcuts. 2s. 6d.‡

135. *ELECTRO-METALLURGY;* Practically Treated. By Alexander Watt, F.R.S.S.A. 8th Edition, revised, with additional Matter and Illustrations, including the most recent Processes. 3s.‡ [*Just published.*

172. *MINING TOOLS*, Manual of. For the Use of Mine Managers, Agents, Students, &c. By William Morgans. 2s. 6d.‡

172*. *MINING TOOLS, ATLAS* of Engravings to Illustrate the above, containing 235 Illustrations, drawn to Scale. 4to. 4s. 6d.; cloth boards, 6

176. *METALLURGY OF IRON.* Containing History of Iron Manufacture. Methods of Assay, and Analyses of Iron Ores, Processes of Manufacture of Iron and Steel, &c. By H. Bauerman, F.G.S. 5th Edition, revised and enlarged. 5s.‡ [*Just published.*

180. *COAL AND COAL MINING*, A Rudimentary Treatise on. By Warington W. Smyth, M.A., F.R.S. Fifth Edition, revised and enlarged. With numerous Illustrations. 3s. 6d.‡

195. *THE MINERAL SURVEYOR AND VALUER'S COM-*PLETE GUIDE, with new Traverse Tables, and Descriptions of Improved Instruments; also the Correct Principles of Laying out and Valuing Mineral Properties. By William Lintern, Mining and Civil Engineer. 3s. 6d.‡

214. *SLATE AND SLATE QUARRYING*, Scientific, Practical, and Commercial. By D. C. Davies, F.G.S., Mining Engineer, &c. 3s.‡

215. *THE GOLDSMITH'S HANDBOOK*, containing full Instructions for the Alloying and Working of Gold. By George E. Gee, Goldsmith and Silversmith. Second Edition, considerably enlarged. 3s.‡

225. *THE SILVERSMITH'S HANDBOOK*, containing full Instructions for the Alloying and Working of Silver. By George E. Gee. 3s.‡

220. *MAGNETIC SURVEYING, AND ANGULAR SURVEY-*ING, with Records of the Peculiarities of Needle Disturbances. Compiled from the Results of carefully made Experiments. By W. Lintern. 2s.

## FINE ARTS.

20. *PERSPECTIVE FOR BEGINNERS.* Adapted to Young Students and Amateurs in Architecture, Painting, &c. By George Pyne. 2s.

40 & 41. *GLASS STAINING, AND THE ART OF PAINTING ON GLASS.* From the German of Dr. Gessert and Emanuel Otto Fromberg. With an Appendix on The Art of Enamelling. 2s. 6d.

69. *MUSIC*, A Rudimentary and Practical Treatise on. With numerous Examples. By Charles Child Spencer. 2s. 6d.

71. *PIANOFORTE*, The Art of Playing the. With numerous Exercises & Lessons from the Best Masters. By Charles Child Spencer. 1s. 6d.

69-71. *MUSIC & THE PIANOFORTE.* In one vol. Half bound, 5s.

181. *PAINTING POPULARLY EXPLAINED*, including Fresco, Oil, Mosaic, Water Colour, Water-Glass, Tempera, Encaustic, Miniature, Painting on Ivory, Vellum, Pottery, Enamel, Glass, &c. With Historical Sketches of the Progress of the Art by Thomas John Gullick, assisted by John Timbs, F.S.A. Fourth Edition, revised and enlarged. 5s.‡

186. *A GRAMMAR OF COLOURING*, applied to Decorative Painting and the Arts. By George Field. New Edition, enlarged and adapted to the Use of the Ornamental Painter and Designer. By Ellis A. Davidson. With two new Coloured Diagrams, &c. 3s.‡

246. *A DICTIONARY OF PAINTERS, AND HANDBOOK FOR* PICTURE AMATEURS; including Methods of Painting, Cleaning, Relining and Restoring, Schools of Painting, &c. With Notes on the Copyists and Imitators of each Master. By Philippe Daryl. 2s. 6d.‡

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## AGRICULTURE, GARDENING, ETC.

131. *MILLER'S, MERCHANT'S, AND FARMER'S READY* RECKONER. With approximate values of Millstones, Millwork, &c. 1s.

140. *SOILS, MANURES, AND CROPS.* (Vol. 1. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s.

141. *FARMING & FARMING ECONOMY,* Notes, Historical and Practical, on. (Vol. 2. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. 3s.

142. *STOCK; CATTLE, SHEEP, AND HORSES.* (Vol. 3. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s. 6d.

145. *DAIRY, PIGS, AND POULTRY,* Management of the. By R. SCOTT BURN. With Notes on the Diseases of Stock. (Vol. 4. OUTLINES OF MODERN FARMING.) Woodcuts. 2s.

146. *UTILIZATION OF SEWAGE, IRRIGATION, AND* RECLAMATION OF WASTE LAND. (Vol. 5. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s. 6d.

⁂ *Nos.* 140-1-2-5-6, *in One Vol., handsomely half-bound, entitled* "OUTLINES OF MODERN FARMING." By ROBERT SCOTT BURN. *Price* 12*s.*

177. *FRUIT TREES,* The Scientific and Profitable Culture of. From the French of DU BREUIL. Revised by GEO. GLENNY. 187 Woodcuts. 3s. 6d.‡

198. *SHEEP; THE HISTORY, STRUCTURE, ECONOMY, AND* DISEASES OF. By W. C. SPOONER, M.R.V.C., &c. Fourth Edition, enlarged, including Specimens of New and Improved Breeds. 3s. 6d.‡

201. *KITCHEN GARDENING MADE EASY.* Showing how to prepare and lay out the ground, the best means of cultivating every known Vegetable and Herb, &c. By GEORGE M. F. GLENNY. 1s. 6d.‡

207. *OUTLINES OF FARM MANAGEMENT, and the Organization of Farm Labour:* Treating of the General Work of the Farm; Field and Live Stock; Details of Contract Work; Specialities of Labour, &c., &c. By ROBERT SCOTT BURN. 2s. 6d.‡

208. *OUTLINES OF LANDED ESTATES MANAGEMENT:* Treating of the Varieties of Lands, Methods of Farming, Farm Buildings, Irrigation, Drainage, &c. By R. SCOTT BURN. 2s. 6d.‡

⁂ *Nos.* 207 *&* 208 *in One Vol., handsomely half-bound, entitled* "OUTLINES OF LANDED ESTATES AND FARM MANAGEMENT." By R. SCOTT BURN. *Price* 6*s.*

209. *THE TREE PLANTER AND PLANT PROPAGATOR.* A Practical Manual on the Propagation of Forest Trees, Fruit Trees, Flowering Shrubs, Flowering Plants, &c. By SAMUEL WOOD. 2s.‡

210. *THE TREE PRUNER.* A Practical Manual on the Pruning of Fruit Trees, including also their Training and Renovation; also the Pruning of Shrubs, Climbers, and Flowering Plants. By SAMUEL WOOD. 2s.‡

⁂ *Nos.* 209 *&* 210 *in One Vol., handsomely half-bound, entitled* "THE TREE PLANTER, PROPAGATOR, AND PRUNER." By SAMUEL WOOD. *Price* 5*s.*

218. *THE HAY AND STRAW MEASURER:* Being New Tables for the Use of Auctioneers, Valuers, Farmers, Hay and Straw Dealers, &c., forming a complete Calculator and Ready-Reckoner, especially adapted to persons connected with Agriculture. Fourth Edition. By JOHN STEELE. 2s.

222. *SUBURBAN FARMING.* The Laying-out and Cultivation of Farms, adapted to the Produce of Milk, Butter, and Cheese, Eggs, Poultry, and Pigs. By Prof. JOHN DONALDSON and R. SCOTT BURN. 3s. 6d.‡

231. *THE ART OF GRAFTING AND BUDDING.* By CHARLES BALTET. With Illustrations. 2s. 6d.‡ [*Just published.*

232. *COTTAGE GARDENING;* or, Flowers, Fruits, and Vegetables for Small Gardens. By E. HOBDAY. 1s. 6d. [*Just published.*

233. *GARDEN RECEIPTS.* Edited by CHARLES W. QUIN. 1s. 6d. [*Just published.*

234. *THE KITCHEN AND MARKET GARDEN.* By Contributors to "The Garden." Compiled by C. W. SHAW, Editor of "Gardening Illustrated." 430 pp. 3s.‡ [*Just published.*

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## Agriculture, Gardening, etc., *continued.*

239. *DRAINING AND EMBANKING.* A Practical Treatise, embodying the most recent experience in the Application of Improved Methods. By JOHN SCOTT, late Professor of Agriculture and Rural Economy at the Royal Agricultural College, Cirencester. With 68 Illustrations. 1s. 6d. [*Just published.*

240. *IRRIGATION AND WATER SUPPLY.* A Treatise on Water Meadows, Sewage Irrigation, Warping, &c.; on the Construction of Wells, Ponds, and Reservoirs; and on Raising Water by Machinery for Agricultural and Domestic Purposes. By Professor JOHN SCOTT. With 34 Illustrations. 1s. 6d. [*Just published.*

*** *Nos.* 239 *and* 240 *form part of* SCOTT'S "FARM ENGINEERING TEXT-BOOKS." *The following Volumes, completing the Series, are in active preparation:—*

FARM ROADS, FENCES, AND GATES.
AGRICULTURAL SURVEYING, LEVELLING, &c.
FARM BUILDINGS.
FIELD IMPLEMENTS AND MACHINES.
BARN IMPLEMENTS AND MACHINES.

## ARITHMETIC, GEOMETRY, MATHEMATICS, ETC.

32. *MATHEMATICAL INSTRUMENTS*, a Treatise on; in which their Construction and the Methods of Testing, Adjusting, and Using them are concisely Explained. By J. F. HEATHER, M.A., of the Royal Military Academy, Woolwich. Original Edition, in 1 vol., Illustrated. 1s. 6d.

*** *In ordering the above, be careful to say, "Original Edition" (No. 32), to distinguish it from the Enlarged Edition in 3 vols. (Nos. 168-9-70.)*

60. *LAND AND ENGINEERING SURVEYING*, a Treatise on; with all the Modern Improvements. Arranged for the Use of Schools and Private Students; also for Practical Land Surveyors and Engineers. By T. BAKER, C.E. New Edition, revised by EDWARD NUGENT, C.E. Illustrated with Plates and Diagrams. 2s.‡

61*. *READY RECKONER FOR THE ADMEASUREMENT OF* LAND. By ABRAHAM ARMAN. New Edition, revised by C. NORRIS. [*In preparation.*

76. *DESCRIPTIVE GEOMETRY*, an Elementary Treatise on; with a Theory of Shadows and of Perspective, extracted from the French of G. MONGE. To which is added, a description of the Principles and Practice of Isometrical Projection; the whole being intended as an introduction to the Application of Descriptive Geometry to various branches of the Arts. By J. F. HEATHER, M.A. Illustrated with 14 Plates. 2s.

178. *PRACTICAL PLANE GEOMETRY:* giving the Simplest Modes of Constructing Figures contained in one Plane and Geometrical Construction of the Ground. By J. F. HEATHER, M.A. With 215 Woodcuts. 2s.

179. *PROJECTION:* Orthographic, Topographic, and Perspective. By J. F. HEATHER, M.A. [*In preparation.*

*** *The above three volumes will form a* COMPLETE ELEMENTARY COURSE OF MATHEMATICAL DRAWING.

83. *COMMERCIAL BOOK-KEEPING.* With Commercial Phrases and Forms in English, French, Italian, and German. By JAMES HADDON, M.A., Arithmetical Master of King's College School, London. 1s. 6d.

84. *ARITHMETIC*, a Rudimentary Treatise on: with full Explanations of its Theoretical Principles, and numerous Examples for Practice. By Professor J. R. YOUNG. Tenth Edition, corrected. 1s. 6d.

84*. A KEY to the above, containing Solutions in full to the Exercises, together with Comments, Explanations, and Improved Processes, for the Use of Teachers and Unassisted Learners. By J. R. YOUNG. 1s. 6d.

85. *EQUATIONAL ARITHMETIC*, applied to Questions of Interest,
85*. Annuities, Life Assurance, and General Commerce; with various Tables by which all Calculations may be greatly facilitated. By W. HIPSLEY. 2s.

86. *ALGEBRA*, the Elements of. By JAMES HADDON, M.A. With Appendix, containing miscellaneous Investigations, and a Collection of Problems in various parts of Algebra. 2s.

86*. A KEY AND COMPANION to the above Book, forming an extensive repository of Solved Examples and Problems in Illustration of the various Expedients necessary in Algebraical Operations. By J. R. YOUNG. 1s. 6d.

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## Arithmetic, Geometry, Mathematics, etc., *continued.*

88. 89. *EUCLID*, THE ELEMENTS OF: with many additional Propositions and Explanatory Notes: to which is prefixed, an Introductory Essay on Logic. By HENRY LAW, C.E. 2s. 6d.‡

⁂ *Sold also separately, viz.:—*

88. EUCLID, The First Three Books. By HENRY LAW, C.E. 1s. 6d.

89. EUCLID, Books 4, 5, 6, 11, 12. By HENRY LAW, C.E. 1s. 6d.

90. *ANALYTICAL GEOMETRY AND CONIC SECTIONS,* By JAMES HANN. A New Edition, re-written and enlarged by Professor J. R. YOUNG. 2s.‡

91. *PLANE TRIGONOMETRY,* the Elements of. By JAMES HANN, formerly Mathematical Master of King's College, London. 1s. 6d.

92. *SPHERICAL TRIGONOMETRY,* the Elements of. By JAMES HANN. Revised by CHARLES H. DOWLING, C.E. 1s.

⁂ *Or with "The Elements of Plane Trigonometry," in One Volume,* 2s. 6d.

93. *MENSURATION AND MEASURING,* for Students and Practical Use. With the Mensuration and Levelling of Land for the Purposes of Modern Engineering. By T. BAKER, C.E. New Edition, with Corrections and Additions by E. NUGENT, C.E. Illustrated. 1s. 6d.

102. *INTEGRAL CALCULUS,* Rudimentary Treatise on the. By HOMERSHAM COX, B.A. Illustrated. 1s.

103. *INTEGRAL CALCULUS,* Examples on the. By JAMES HANN, late of King's College, London. Illustrated. 1s.

101. *DIFFERENTIAL CALCULUS,* Elements of the. By W. S. B. WOOLHOUSE, F.R.A.S., &c. 1s. 6d.

105. *MNEMONICAL LESSONS.*—GEOMETRY, ALGEBRA, AND TRIGONOMETRY, in Easy Mnemonical Lessons. By the Rev. THOMAS PENYNGTON KIRKMAN, M.A. 1s. 6d.

136. *ARITHMETIC,* Rudimentary, for the Use of Schools and Self-Instruction. By JAMES HADDON, M.A. Revised by A. ARMAN. 1s. 6d.

137. A KEY TO HADDON'S RUDIMENTARY ARITHMETIC. By A. ARMAN. 1s. 6d.

168. *DRAWING AND MEASURING INSTRUMENTS.* Including—I. Instruments employed in Geometrical and Mechanical Drawing, and in the Construction, Copying, and Measurement of Maps and Plans. II. Instruments used for the purposes of Accurate Measurement, and for Arithmetical Computations. By J. F. HEATHER, M.A., late of the Royal Military Academy Woolwich. Illustrated. 1s. 6d.

169. *OPTICAL INSTRUMENTS.* Including (more especially) Telescopes, Microscopes, and Apparatus for producing copies of Maps and Plans by Photography. By J. F. HEATHER, M.A. Illustrated. 1s. 6d.

170. *SURVEYING AND ASTRONOMICAL INSTRUMENTS.* Including—I. Instruments Used for Determining the Geometrical Features of a portion of Ground. II. Instruments Employed in Astronomical Observations. By J. F. HEATHER, M.A. Illustrated. 1s. 6d.

⁂ *The above three volumes form an enlargement of the Author's original work, "Mathematical Instruments: their Construction, Adjustment, Testing, and Use," the Thirteenth Edition of which is on sale, price 1s. 6d. (See No. 32 in the Series.)*

168. 169. 170. } *MATHEMATICAL INSTRUMENTS.* By J. F. HEATHER, M.A. Enlarged Edition, for the most part entirely re-written. The 3 Parts as above, in One thick Volume. With numerous Illustrations. 4s. 6d.‡

158. *THE SLIDE RULE, AND HOW TO USE IT;* containing full, easy, and simple Instructions to perform all Business Calculations with unexampled rapidity and accuracy. By CHARLES HOARE, C.E. With a Slide Rule in tuck of cover. 2s. 6d.‡

185. *THE COMPLETE MEASURER;* the Measurement of Boards, Glass, &c.; Unequal-sided, Square-sided, Octagonal-sided, Round Timber and Stone, and Standing Timber, &c. For the use of Timber-growers, Merchants, and Surveyors, Stonemasons, Architects, and others. By RICHARD HORTON. Fourth Edition. 4s.; strongly bound in leather, 5s.

196. *THEORY OF COMPOUND INTEREST AND ANNUITIES;* with Tables of Logarithms for the more Difficult Computations of Interest, Discount, Annuities, &c. By FÉDOR THOMAN. 4s.‡

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

## Arithmetic, Geometry, Mathematics, etc., *continued.*

199. *INTUITIVE CALCULATIONS;* or, Easy and Compendious Methods of Performing the various Arithmetical Operations required in Commercial and Business Transactions; together with Full Explanations of Decimals and Duodecimals, several Useful Tables, &c. By DANIEL O'GORMAN. Twenty-fifth Edition, corrected and enlarged by J. R. YOUNG, formerly Professor of Mathematics in Belfast College. 3s.‡

204. *MATHEMATICAL TABLES,* for Trigonometrical, Astronomical, and Nautical Calculations; to which is prefixed a Treatise on Logarithms. By HENRY LAW, C.E. Together with a Series of Tables for Navigation and Nautical Astronomy. By J. R. YOUNG, formerly Professor of Mathematics in Belfast College. New Edition. 3s. 6d.‡

221. *MEASURES, WEIGHTS, AND MONEYS OF ALL NATIONS,* and an Analysis of the Christian, Hebrew, and Mahometan Calendars. By W. S. B. WOOLHOUSE, F.R.A.S., F.S.S. Sixth Edition, carefully revised and enlarged. 2s.‡

227. *MATHEMATICS AS APPLIED TO THE CONSTRUCTIVE ARTS.* Illustrating the various processes of Mathematical Investigation, by means of Arithmetical and Simple Algebraical Equations and Practical Examples; also the Methods of Analysing Principles and Deducing Rules and Formulæ, applicable to the Requirements of Practice. By FRANCIS CAMPIN, C.E., Author of "Materials and Construction," &c. Second Edition, revised and enlarged by the Author. 3s.‡ [*Just published.*

## MISCELLANEOUS VOLUMES.

36. *A DICTIONARY OF TERMS used in ARCHITECTURE, BUILDING, ENGINEERING, MINING, METALLURGY, ARCHÆOLOGY, the FINE ARTS, &c.* By JOHN WEALE. Fifth Edition. Revised by ROBERT HUNT, F.R.S., Keeper of Mining Records. Numerous Illustrations. 5s. cloth limp; 6s. cloth boards.

50. *THE LAW OF CONTRACTS FOR WORKS AND SERVICES.* By DAVID GIBBONS. Third Edition, enlarged. 3s.‡

112. *MANUAL OF DOMESTIC MEDICINE.* By R. GOODING, B.A., M.D. Intended as a Family Guide in all Cases of Accident and Emergency. Third Edition. 2s.‡

112*. *MANAGEMENT OF HEALTH.* A Manual of Home and Personal Hygiene. By the Rev. JAMES BAIRD, B.A. 1s.

150. *LOGIC,* Pure and Applied. By S. H. EMMENS. 1s. 6d.

153. *SELECTIONS FROM LOCKE'S ESSAYS ON THE HUMAN UNDERSTANDING.* With Notes by S. H. EMMENS. 2s.

154. *GENERAL HINTS TO EMIGRANTS.* Containing Notices of the various Fields for Emigration. With Hints on Preparation for Emigrating, Outfits, &c., &c. With Directions and Recipes useful to the Emigrant. With a Map of the World. 2s.

157. *THE EMIGRANT'S GUIDE TO NATAL.* By ROBERT JAMES MANN, F.R.A.S., F.M.S. Second Edition, carefully corrected to the present Date. Map. 2s.

193. *HANDBOOK OF FIELD FORTIFICATION,* intended for the Guidance of Officers Preparing for Promotion, and especially adapted to the requirements of Beginners. By Major W. W. KNOLLYS, F.R.G.S., 93rd Sutherland Highlanders, &c. With 163 Woodcuts. 3s.‡

194. *THE HOUSE MANAGER:* Being a Guide to Housekeeping. Practical Cookery, Pickling and Preserving, Household Work, Dairy Management, the Table and Dessert, Cellarage of Wines, Home-brewing and Wine-making, the Boudoir and Dressing-room, Travelling, Stable Economy, Gardening Operations, &c. By AN OLD HOUSEKEEPER. 3s. 6d.‡

194, 112, & 112*. *HOUSE BOOK (The).* Comprising:—I. THE HOUSE MANAGER. By an OLD HOUSEKEEPER. II. DOMESTIC MEDICINE. By RALPH GOODING, M.D. III. MANAGEMENT OF HEALTH. By JAMES BAIRD. In One Vol., strongly half-bound. 6s.

☞ *The ‡ indicates that these vols. may be had strongly bound at 6d. extra.*

# EDUCATIONAL AND CLASSICAL SERIES.

## HISTORY.

1. **England, Outlines of the History of;** more especially with reference to the Origin and Progress of the English Constitution. By WILLIAM DOUGLAS HAMILTON, F.S.A., of Her Majesty's Public Record Office. 4th Edition, revised. 5s.; cloth boards, 6s.

5. **Greece, Outlines of the History of;** in connection with the Rise of the Arts and Civilization in Europe. By W. DOUGLAS HAMILTON, of University College, London, and EDWARD LEVIEN, M.A., of Balliol College, Oxford. 2s. 6d.; cloth boards, 3s. 6d.

7. **Rome, Outlines of the History of:** from the Earliest Period to the Christian Era and the Commencement of the Decline of the Empire. By EDWARD LEVIEN, of Balliol College, Oxford. Map, 2s. 6d.; cl. bds. 3s. 6d.

9. **Chronology of History, Art, Literature, and Progress,** from the Creation of the World to the Conclusion of the Franco-German War. The Continuation by W. D. HAMILTON, F.S.A. 3s.; cloth boards, 3s. 6d.

50. **Dates and Events in English History,** for the use of Candidates in Public and Private Examinations. By the Rev. E. RAND. 1s.

## ENGLISH LANGUAGE AND MISCELLANEOUS.

11. **Grammar of the English Tongue,** Spoken and Written. With an Introduction to the Study of Comparative Philology. By HYDE CLARKE, D.C.L. Fourth Edition. 1s. 6d.

11*. **Philology:** Handbook of the Comparative Philology of English, Anglo-Saxon, Frisian, Flemish or Dutch, Low or Platt Dutch, High Dutch or German, Danish, Swedish, Icelandic, Latin, Italian, French, Spanish, and Portuguese Tongues. By HYDE CLARKE, D.C.L. 1s.

12. **Dictionary of the English Language,** as Spoken and Written. Containing above 100,000 Words. By HYDE CLARKE, D.C.L. 3s. 6d.; cloth boards, 4s. 6d.; complete with the GRAMMAR, cloth bds., 5s. 6d.

48. **Composition and Punctuation,** familiarly Explained for those who have neglected the Study of Grammar. By JUSTIN BRENAN. 17th Edition. 1s. 6d.

49. **Derivative Spelling-Book:** Giving the Origin of Every Word from the Greek, Latin, Saxon, German, Teutonic, Dutch, French, Spanish, and other Languages; with their present Acceptation and Pronunciation. By J. ROWBOTHAM, F.R.A.S. Improved Edition. 1s. 6d.

51. **The Art of Extempore Speaking:** Hints for the Pulpit, the Senate, and the Bar. By M. BAUTAIN, Vicar-General and Professor at the Sorbonne. Translated from the French. 7th Edition, carefully corrected. 2s. 6d.

52. **Mining and Quarrying,** with the Sciences connected therewith. First Book of, for Schools. By J. H. COLLINS, F.G.S., Lecturer to the Miners' Association of Cornwall and Devon. 1s.

53. **Places and Facts in Political and Physical Geography,** for Candidates in Examinations. By the Rev. EDGAR RAND, B.A. 1s.

54. **Analytical Chemistry, Qualitative and Quantitative, a Course** of. To which is prefixed, a Brief Treatise upon Modern Chemical Nomenclature and Notation. By WM. W. PINK and GEORGE E. WEBSTER. 2s.

## THE SCHOOL MANAGERS' SERIES OF READING BOOKS,

Adapted to the Requirements of the New Code. Edited by the Rev. A. R. GRANT, Rector of Hitcham, and Honorary Canon of Ely; formerly H.M. Inspector of Schools.

INTRODUCTORY PRIMER, 3*d.*

| | *s.* | *d.* | | *s.* | *d.* |
|---|---|---|---|---|---|
| FIRST STANDARD | 0 | 6 | FOURTH STANDARD | 1 | 2 |
| SECOND " | 0 | 10 | FIFTH " | 1 | 6 |
| THIRD " | 1 | 0 | SIXTH " | 1 | 6 |

LESSONS FROM THE BIBLE. Part I. Old Testament. 1s.

LESSONS FROM THE BIBLE. Part II. New Testament, to which is added THE GEOGRAPHY OF THE BIBLE, for very young Children. By Rev. C. THORNTON FORSTER. 1s. 2d. *⁎* Or the Two Parts in One Volume. 2s.

## FRENCH.

24. **French Grammar.** With Complete and Concise Rules on the Genders of French Nouns. By G. L. STRAUSS, Ph.D. 1s. 6d.

25. **French-English Dictionary.** Comprising a large number of New Terms used in Engineering, Mining, &c. By ALFRED ELWES. 1s. 6d.

26. **English-French Dictionary.** By ALFRED ELWES. 2s.

25,26. **French Dictionary** (as above). Complete, in One Vol., 3s.; cloth boards, 3s. 6d. *** Or with the GRAMMAR, cloth boards, 4s. 6d.

47. **French and English Phrase Book:** containing Introductory Lessons, with Translations, several Vocabularies of Words, a Collection of suitable Phrases, and Easy Familiar Dialogues. 1s. 6d.

## GERMAN.

39. **German Grammar.** Adapted for English Students, from Heyse's Theoretical and Practical Grammar, by Dr. G. L. STRAUSS. 1s.

40. **German Reader:** A Series of Extracts, carefully culled from the most approved Authors of Germany; with Notes, Philological and Explanatory. By G. L. STRAUSS, Ph.D. 1s.

41-43. **German Triglot Dictionary.** By NICHOLAS ESTERHAZY S. A. HAMILTON. In Three Parts. Part I. German-French-English. Part II. English-German-French. Part III. French-German-English. 3s., or cloth boards, 4s.

41-43 & 39. **German Triglot Dictionary** (as above), together with German Grammar (No. 39), in One Volume, cloth boards, 5s.

## ITALIAN.

27. **Italian Grammar,** arranged in Twenty Lessons, with a Course of Exercises. By ALFRED ELWES. 1s. 6d.

28. **Italian Triglot Dictionary,** wherein the Genders of all the Italian and French Nouns are carefully noted down. By ALFRED ELWES. Vol. 1. Italian-English-French. 2s. 6d.

30. **Italian Triglot Dictionary.** By A. ELWES. Vol. 2. English-French-Italian. 2s. 6d.

32. **Italian Triglot Dictionary.** By ALFRED ELWES. Vol. 3. French-Italian-English. 2s. 6d.

28,30, 32. **Italian Triglot Dictionary** (as above). In One Vol., 7s. 6d. Cloth boards.

## SPANISH AND PORTUGUESE.

34. **Spanish Grammar,** in a Simple and Practical Form. With a Course of Exercises. By ALFRED ELWES. 1s. 6d.

35. **Spanish-English and English-Spanish Dictionary.** Including a large number of Technical Terms used in Mining, Engineering, &c., with the proper Accents and the Gender of every Noun. By ALFRED ELWES. 4s.; cloth boards, 5s. *** Or with the GRAMMAR, cloth boards, 6s.

55. **Portuguese Grammar,** in a Simple and Practical Form. With a Course of Exercises. By ALFRED ELWES. 1s. 6d.

56. **Portuguese-English and English-Portuguese Dictionary,** with the Genders of each Noun. By ALFRED ELWES. *[In the press.*

## HEBREW.

46*. **Hebrew Grammar.** By Dr. BRESSLAU. 1s. 6d.

44. **Hebrew and English Dictionary,** Biblical and Rabbinical; containing the Hebrew and Chaldee Roots of the Old Testament Post-Rabbinical Writings. By Dr. BRESSLAU. 6s.

46. **English and Hebrew Dictionary.** By Dr. BRESSLAU. 3s.

44,46. 46*. **Hebrew Dictionary** (as above), in Two Vols., complete, with the GRAMMAR, cloth boards, 12s.

## LATIN.

19. **Latin Grammar.** Containing the Inflections and Elementary Principles of Translation and Construction. By the Rev. THOMAS GOODWIN, M.A., Head Master of the Greenwich Proprietary School. 1s.

20. **Latin-English Dictionary.** By the Rev. THOMAS GOODWIN, M.A. 2s.

22. **English-Latin Dictionary;** together with an Appendix of French and Italian Words which have their origin from the Latin. By the Rev. THOMAS GOODWIN, M.A. 1s. 6d.

20,22. **Latin Dictionary** (as above). Complete in One Vol., 3s. 6d.; cloth boards, 4s. 6d. *⁎* Or with the GRAMMAR, cloth boards, 5s. 6d.

### LATIN CLASSICS. With Explanatory Notes in English.

1. **Latin Delectus.** Containing Extracts from Classical Authors, with Genealogical Vocabularies and Explanatory Notes, by H. YOUNG. 1s. 6d.

2. **Cæsaris** Commentarii de Bello Gallico. Notes, and a Geographical Register for the Use of Schools, by H. YOUNG. 2s.

3. **Cornelius Nepos.** With Notes. By H. YOUNG. 1s.

4. **Virgilii** Maronis Bucolica et Georgica. With Notes on the Bucolics by W. RUSHTON, M.A., and on the Georgics by H. YOUNG. 1s. 6d.

5. **Virgilii** Maronis Æneis. With Notes, Critical and Explanatory, by H. YOUNG. New Edition, revised and improved. With copious Additional Notes by Rev. T. H. L. LEARY, D.C.L., formerly Scholar of Brasenose College, Oxford. 3s.

5* ——— Part 1. Books i.—vi., 1s. 6d.

5** ——— Part 2. Books vii.—xii., 2s.

6. **Horace;** Odes, Epode, and Carmen Sæculare. Notes by H. YOUNG. 1s. 6d.

7. **Horace;** Satires, Epistles, and Ars Poetica. Notes by W. BROWNRIGG SMITH, M.A., F.R.G.S. 1s. 6d.

8. **Sallustii** Crispi Catalina et Bellum Jugurthinum. Notes, Critical and Explanatory, by W. M. DONNE, B.A., Trin. Coll., Cam. 1s. 6d.

9. **Terentii** Andria et Heautontimorumenos. With Notes, Critical and Explanatory, by the Rev. JAMES DAVIES, M.A. 1s. 6d.

10. **Terentii** Adelphi, Hecyra, Phormio. Edited, with Notes, Critical and Explanatory, by the Rev. JAMES DAVIES, M.A. 2s.

11. **Terentii** Eunuchus, Comœdia. Notes, by Rev. J. DAVIES, M.A. 1s. 6d.

12. **Ciceronis** Oratio pro Sexto Roscio Amerino. Edited, with an Introduction, Analysis, and Notes, Explanatory and Critical, by the Rev. JAMES DAVIES, M.A. 1s. 6d.

13. **Ciceronis** Orationes in Catilinam, Verrem, et pro Archia. With Introduction, Analysis, and Notes, Explanatory and Critical, by Rev. T. H. L. LEARY, D.C.L. formerly Scholar of Brasenose College, Oxford. 1s. 6d.

14. **Ciceronis** Cato Major, Lælius, Brutus, sive de Senectute, de Amicitia, de Claris Oratoribus Dialogi. With Notes by W. BROWNRIGG SMITH, M.A., F.R.G.S. 2s.

16. **Livy:** History of Rome. Notes by H. YOUNG and W. B. SMITH, M.A. Part 1. Books i., ii., 1s. 6d.

16*. ——— Part 2. Books iii., iv., v., 1s. 6d.

17. ——— Part 3. Books xxi., xxii., 1s. 6d.

19. **Latin Verse Selections,** from Catullus, Tibullus, Propertius, and Ovid. Notes by W. B. DONNE, M.A., Trinity College, Cambridge. 2s.

20. **Latin Prose Selections,** from Varro, Columella, Vitruvius, Seneca, Quintilian, Florus, Velleius Paterculus, Valerius Maximus Suetonius, Apuleius, &c. Notes by W. B. DONNE, M.A. 2s.

21. **Juvenalis** Satiræ. With Prolegomena and Notes by T. H. S. ESCOTT, B.A., Lecturer on Logic at King's College, London. 2s.

## GREEK.

14. **Greek Grammar,** in accordance with the Principles and Phil logical Researches of the most eminent Scholars of our own day. By Hon Claude Hamilton. 1s. 6d.

15,17. **Greek Lexicon.** Containing all the Words in General Use, with their Significations, Inflections, and Doubtful Quantities. By Henry R. Hamilton. Vol. 1. Greek-English, 2s. 6d.; Vol. 2. English-Greek, 2s. Or the Two Vols. in One, 4s. 6d.; cloth boards, 5s.

14,15, 17. **Greek Lexicon** (as above). Complete, with the Grammar, in One Vol., cloth boards, 6s.

## GREEK CLASSICS. With Explanatory Notes in English.

1. **Greek Delectus.** Containing Extracts from Classical Authors, with Genealogical Vocabularies and Explanatory Notes, by H. Young. New Edition, with an improved and enlarged Supplementary Vocabulary, by John Hutchison, M.A., of the High School, Glasgow. 1s. 6d.

2, 3. **Xenophon's Anabasis;** or, The Retreat of the Ten Thousand. Notes and a Geographical Register, by H. Young. Part 1. Books i. to iii., 1s. Part 2. Books iv. to vii., 1s.

4. **Lucian's Select Dialogues.** The Text carefully revised, with Grammatical and Explanatory Notes, by H. Young. 1s. 6d.

5-12. **Homer, The Works of.** According to the Text of Baeumlein. With Notes, Critical and Explanatory, drawn from the best and latest Authorities, with Preliminary Observations and Appendices, by T. H. L. Leary, M.A., D.C.L.

| | | |
|---|---|---|
| The Iliad: | Part 1. Books i. to vi., 1s. 6d. | Part 3. Books xiii. to xviii., 1s. 6d. |
| | Part 2. Books vii. to xii., 1s. 6d. | Part 4. Books xix. to xxiv., 1s. 6d. |
| The Odyssey: | Part 1. Books i. to vi., 1s. 6d | Part 3. Books xiii. to xviii., 1s. 6d. |
| | Part 2. Books vii. to xii., 1s. 6d. | Part 4. Books xix. to xxiv., and Hymns, 2s. |

13. **Plato's Dialogues:** The Apology of Socrates, the Crito, and the Phædo. From the Text of C. F. Hermann. Edited with Notes, Critical and Explanatory, by the Rev. James Davies, M.A. 2s.

14-17. **Herodotus, The History of,** chiefly after the Text of Gaisford. With Preliminary Observations and Appendices, and Notes, Critical and Explanatory, by T. H. L. Leary, M.A., D.C.L.
   Part 1. Books i., ii. (The Clio and Euterpe), 2s.
   Part 2. Books iii., iv. (The Thalia and Melpomene), 2s.
   Part 3. Books v.-vii. (The Terpsichore, Erato, and Polymnia), 2s.
   Part 4. Books viii., ix. (The Urania and Calliope) and Index, 1s. 6d.

18. **Sophocles:** Œdipus Tyrannus. Notes by H. Young. 1s.

20. **Sophocles:** Antigone. From the Text of Dindorf. Notes, Critical and Explanatory, by the Rev. John Milner, B.A. 2s.

23. **Euripides:** Hecuba and Medea. Chiefly from the Text of Dindorf. With Notes, Critical and Explanatory, by W. Brownrigg Smith, M.A., F.R.G.S. 1s. 6d.

26. **Euripides:** Alcestis. Chiefly from the Text of Dindorf. With Notes, Critical and Explanatory, by John Milner, B.A. 1s. 6d.

30. **Æschylus:** Prometheus Vinctus: The Prometheus Bound. From the Text of Dindorf. Edited, with English Notes, Critical and Explanatory, by the Rev. James Davies, M.A. 1s.

32. **Æschylus:** Septem Contra Thebes: The Seven against Thebes. From the Text of Dindorf. Edited, with English Notes, Critical and Explanatory, by the Rev. James Davies, M.A. 1s.

40. **Aristophanes:** Acharnians. Chiefly from the Text of C. H. Weise. With Notes, by C. S. T. Townshend, M.A. 1s. 6d.

41. **Thucydides:** History of the Peloponnesian War. Notes by H. Young. Book 1. 1s.

42. **Xenophon's Panegyric on Agesilaus.** Notes and Introduction by Ll. F. W. Jewitt. 1s. 6d.

43. **Demosthenes.** The Oration on the Crown and the Philippics. With English Notes. By Rev. T. H. L. Leary, D.C.L., formerly Scholar of Brasenose College, Oxford. 1s. 6d.

LONDON, *July*, 1883.

# A Catalogue of Books

INCLUDING MANY NEW AND STANDARD WORKS IN

## ENGINEERING, ARCHITECTURE, AGRICULTURE, MATHEMATICS, MECHANICS, SCIENCE, ETC.

PUBLISHED BY

**CROSBY LOCKWOOD & CO.,**

7, STATIONERS'-HALL COURT, LUDGATE HILL, E.C.

## ENGINEERING, SURVEYING, ETC.

### *Humber's Work on Water-Supply.*

A COMPREHENSIVE TREATISE on the WATER-SUPPLY of CITIES and TOWNS. By WILLIAM HUMBER, A.-M. Inst. C.E., and M. Inst. M.E. Illustrated with 50 Double Plates, 1 Single Plate, Coloured Frontispiece, and upwards of 250 Woodcuts, and containing 400 pages of Text. Imp. 4to, 6*l.* 6*s.* elegantly and substantially half-bound in morocco.

*List of Contents:—*

I. Historical Sketch of some of the means that have been adopted for the Supply of Water to Cities and Towns.—II. Water and the Foreign Matter usually associated with it.—III. Rainfall and Evaporation.—IV. Springs and the water-bearing formations of various districts.—V. Measurement and Estimation of the Flow of Water.—VI. On the Selection of the Source of Supply.—VII. Wells.—VIII. Reservoirs.—IX. The Purification of Water.—X. Pumps.—XI. Pumping Machinery.—XII. Conduits.—XIII. Distribution of Water.—XIV. Meters, Service Pipes, and House Fittings.—XV. The Law and Economy of Water Works.—XVI. Constant and Intermittent Supply.—XVII. Description of Plates.—Appendices, giving Tables of Rates of Supply, Velocities, &c. &c., together with Specifications of several Works illustrated, among which will be found:—Aberdeen, Bideford, Canterbury, Dundee, Halifax, Lambeth, Rotherham, Dublin, and others.

"The most systematic and valuable work upon water supply hitherto produced in English, or in any other language . . . . Mr. Humber's work is characterised almost throughout by an exhaustiveness much more distinctive of French and German than of English technical treatises."—*Engineer.*

### *Humber's Work on Bridge Construction.*

A COMPLETE and PRACTICAL TREATISE on CAST and WROUGHT-IRON BRIDGE CONSTRUCTION, including Iron Foundations. In Three Parts—Theoretical, Practical, and Descriptive. By WILLIAM HUMBER, A.-M. Inst. C.E., and M. Inst. M.E. Third Edition, with 115 Double Plates. In 2 vols. imp. 4to, 6*l.* 16*s.* 6*d.* half-bound in morocco.

"A book—and particularly a large and costly treatise like Mr. Humber's—which has reached its third edition may certainly be said to have established its own reputation."—*Engineering.*

## *Humber's Modern Engineering.*

A RECORD of the PROGRESS of MODERN ENGINEERING. First Series. Comprising Civil, Mechanical, Marine, Hydraulic, Railway, Bridge, and other Engineering Works, &c. By WILLIAM HUMBER, A.-M. Inst. C.E., &c. Imp. 4to, with 36 Double Plates, drawn to a large scale, and Portrait of John Hawkshaw, C.E., F.R.S., &c., and descriptive Letter-press, Specifications, &c. 3*l.* 3*s.* half morocco.

*List of the Plates and Diagrams.*

Victoria Station and Roof, L. B. & S. C. R. (8 plates); Southport Pier (2 plates); Victoria Station and Roof, L. C. & D. and G. W. R. (6 plates); Roof of Cremorne Music Hall; Bridge over G. N. Railway; Roof of Station, Dutch Rhenish Rail (2 plates); Bridge over the Thames, West London Extension Railway (5 plates); Armour Plates; Suspension Bridge, Thames (4 plates): The Allen Engine; Suspension Bridge, Avon (3 plates); Underground Railway (3 plates).

HUMBER'S RECORD OF MODERN ENGINEERING. Second Series. Imp. 4to, with 36 Double Plates, Portrait of Robert Stephenson, C.E., &c., and descriptive Letterpress, Specifications, &c. 3*l.* 3*s.* half morocco.

*List of the Plates and Diagrams.*

Birkenhead Docks, Low Water Basin (15 plates); Charing Cross Station Roof, C. C. Railway (3 plates); Digswell Viaduct, G. N. Railway; Robbery Wood Viaduct, G. N. Railway; Iron Permanent Way; Clydach Viaduct, Merthyr, Tredegar, and Abergavenny Railway; Ebbw Viaduct, Merthyr, Tredegar, and Abergavenny Railway; College Wood Viaduct, Cornwall Railway; Dublin Winter Palace Roof (3 plates); Bridge over the Thames, L. C. and D. Railway (6 plates); Albert Harbour, Greenock (4 plates).

HUMBER'S RECORD OF MODERN ENGINEERING. Third Series. Imp. 4to, with 40 Double Plates, Portrait of J. R. M'Clean, Esq., late Pres. Inst. C.E., and descriptive Letterpress, Specifications, &c. 3*l.* 3*s.* half morocco.

*List of the Plates and Diagrams.*

MAIN DRAINAGE, METROPOLIS.—*North Side.*—Map showing Interception of Sewers; Middle Level Sewer (2 plates); Outfall Sewer, Bridge over River Lea (3 plates); Outfall Sewer, Bridge over Marsh Lane, North Woolwich Railway, and Bow and Barking Railway Junction; Outfall Sewer, Bridge over Bow and Barking Railway (3 plates); Outfall Sewer, Bridge over East London Waterworks' Feeder (2 plates); Outfall Sewer, Reservoir (2 plates); Outfall Sewer, Tumbling Bay and Outlet; Outfall Sewer, Penstocks. *South Side.*—Outfall Sewer, Bermondsey Branch (2 plates); Outfall Sewer, Reservoir and Outlet (4 plates); Outfall Sewer, Filth Hoist; Sections of Sewers (North and South Sides).

THAMES EMBANKMENT.—Section of River Wall; Steamboat Pier, Westminster (2 plates); Landing Stairs between Charing Cross and Waterloo Bridges; York Gate (2 plates); Overflow and Outlet at Savoy Street Sewer (3 plates); Steamboat Pier, Waterloo Bridge (3 plates); Junction of Sewers, Plans and Sections; Gullies, Plans and Sections; Rolling Stock; Granite and Iron Forts.

HUMBER'S RECORD OF MODERN ENGINEERING. Fourth Series. Imp. 4to, with 36 Double Plates, Portrait of John Fowler, Esq., late Pres. Inst. C.E., and descriptive Letterpress, Specifications, &c. 3*l.* 3*s.* half morocco.

*List of the Plates and Diagrams.*

Abbey Mills Pumping Station, Main Drainage, Metropolis (4 plates); Barrow Docks (5 plates); Manquis Viaduct, Santiago and Valparaiso Railway (2 plates); Adam's Locomotive, St. Helen's Canal Railway (2 plates); Cannon Street Station Roof, Charing Cross Railway (3 plates); Road Bridge over the River Moka (2 plates) Telegraphic Apparatus for Mesopotamia; Viaduct over the River Wye, Midland Railway (3 plates); St. German's Viaduct, Cornwall Railway (2 plates); Wrought-Iron Cylinder for Diving Bell; Millwall Docks (6 plates); Milroy's Patent Excavator, Metropolitan District Railway (6 plates); Harbours, Ports, and Breakwaters (3 plates).

### *Strains in Iron Frameworks, &c.*

GRAPHIC AND ANALYTIC STATICS IN THEORY AND COMPARISON. Their Practical Application to the Treatment of Stresses in Roofs, Solid Girders, Lattice, Bowstring and Suspension Bridges, Braced Iron Arches and Piers, and other Frameworks. To which is added a Chapter on WIND PRESSURES. By R. HUDSON GRAHAM, C.E. Containing Diagrams and Plates to scale, with numerous Examples, many taken from existing Structures. Specially arranged for Class-work in Colleges and Universities. Demy 8vo. [*Nearly ready.*

### *Strength of Girders.*

GRAPHIC TABLE for FACILITATING the COMPUTATION of the WEIGHTS of WROUGHT-IRON and STEEL GIRDERS, &c., for Parliamentary and other Estimates. By J. H. WATSON BUCK, M. Inst. C. E., Assistant Engineer London and North-Western Railway. On a large Sheet, in Strong Cardboard Tube, 2*s.* 6*d.* [*Just published.*

### *Strains, Formulæ & Diagrams for Calculation of.*

A HANDY BOOK for the CALCULATION of STRAINS in GIRDERS and SIMILAR STRUCTURES, and their STRENGTH; consisting of Formulæ and Corresponding Diagrams, with numerous Details for Practical Application, &c. By WILLIAM HUMBER, A.-M. Inst. C.E., &c. Third Edition. Cr. 8vo, 7*s.* 6*d.* cl.

### *Strains.*

THE STRAINS ON STRUCTURES OF IRONWORK; with Practical Remarks on Iron Construction. By F. W. SHEILDS, M. Inst. C.E. Second Edition, with 5 Plates. Royal 8vo, 5*s.* cloth.

"The student cannot find a better book on this subject than Mr. Sheilds'."—*Engineer.*

### *Barlow on the Strength of Materials, enlarged.*

A TREATISE ON THE STRENGTH OF MATERIALS, with Rules for application in Architecture, the Construction of Suspension Bridges, Railways, &c. By PETER BARLOW, F.R.S. Revised by his Sons, P. W. and W. H. BARLOW. Edited by W. HUMBER, A-M. Inst. C.E. 8vo, 18*s.* cloth.

"The standard treatise upon this particular subject."—*Engineer.*

### *Strength of Cast Iron, &c.*

A PRACTICAL ESSAY on the STRENGTH of CAST IRON and OTHER METALS. By T. TREDGOLD, C.E. 5th Edition. To which are added, Experimental Researches on the Strength, &c., of Cast Iron. By E. HODGKINSON, F.R.S. 8vo, 12*s.* cloth.

⁂ HODGKINSON'S RESEARCHES, separate, price 6*s.*

### *Hydraulics.*

HYDRAULIC TABLES, CO-EFFICIENTS, and FORMULÆ for finding the Discharge of Water from Orifices, Notches, Weirs, Pipes, and Rivers. With New Formulæ, Tables, and General Information on Rain-fall, Catchment-Basins, Drainage, Sewerage, and Water Supply. By J. NEVILLE, C.E., M.R.I.A. Third Edition, Revised and Enlarged. Crown 8vo, 14*s.* cloth.

### *Hydraulics.*

HYDRAULIC MANUAL. Consisting of Working Tables and Explanatory Text. Intended as a Guide in Hydraulic Calculations and Field Operations. By LOWIS D'A. JACKSON. Fourth Edition. Rewritten and Enlarged. Large Crown 8vo., 16*s.* cloth.

### *River Engineering.*

RIVER BARS: The Causes of their Formation, and their Treatment by 'Induced Tidal Scour,' with a Description of the Successful Reduction by this Method of the Bar at Dublin. By I. J. MANN, Assis. Eng. to the Dublin Port and Docks Board. Rl. 8vo. 7*s.* 6*d.* cl.

### *Levelling.*

A TREATISE on the PRINCIPLES and PRACTICE of LEVELLING; showing its Application to Purposes of Railway and Civil Engineering, in the Construction of Roads; with Mr. TELFORD'S Rules for the same. By FREDERICK W. SIMMS, F.G.S., M. Inst. C.E. Sixth Edition, very carefully revised, with the addition of Mr. LAW'S Practical Examples for Setting out Railway Curves, and Mr. TRAUTWINE'S Field Practice of Laying out Circular Curves. With 7 Plates and numerous Woodcuts. 8vo, 8*s.* 6*d.* cloth. ⁂ TRAUTWINE on Curves, separate, 5*s.*

### *Practical Tunnelling.*

PRACTICAL TUNNELLING: Explaining in detail the Setting out of the Works, Shaft-sinking and Heading-Driving, Ranging the Lines and Levelling under Ground, Sub-Excavating, Timbering, and the Construction of the Brickwork of Tunnels with the amount of labour required for, and the Cost of, the various portions of the work. By F. W. SIMMS, M. Inst. C.E. Third Edition, Revised and Extended. By D. KINNEAR CLARK, M.I.C.E. Imp. 8vo, with 21 Folding Plates and numerous Wood Engravings, 30*s.* cloth.

### *Steam.*

STEAM AND THE STEAM ENGINE, Stationary and Portable. Being an Extension of Sewell's Treatise on Steam. By D. KINNEAR CLARK, M.I.C.E. Second Edition. 12mo, 4*s.* cloth.

### *Civil and Hydraulic Engineering.*

CIVIL ENGINEERING. By HENRY LAW, M. Inst. C.E. Including a Treatise on Hydraulic Engineering, by GEORGE R. BURNELL, M.I.C.E. Sixth Edition, Revised, with large additions, by D. KINNEAR CLARK, M. Inst. C.E. 7*s.* 6*d.*, cloth.

### *Gas-Lighting.*

COMMON SENSE FOR GAS-USERS: a Catechism of Gas-Lighting for Householders, Gasfitters, Millowners, Architects, Engineers, &c. By R. WILSON, C.E. 2nd Edition. Cr. 8vo, 2*s.* 6*d.*

### *Earthwork.*

EARTHWORK TABLES, showing the Contents in Cubic Yards of Embankments, Cuttings, &c., of Heights or Depths up to an average of 80 feet. By JOSEPH BROADBENT, C.E., and FRANCIS CAMPIN, C.E. Cr. 8vo, oblong, 5*s.* cloth.

### *Tramways and their Working.*

TRAMWAYS: THEIR CONSTRUCTION and WORKING. Embracing a Comprehensive History of the System, with an Exhaustive Analysis of the various modes of Traction, including Horse-power, Steam, Heated Water, and Compressed Air; a Description of the Varieties of Rolling Stock, and Ample Details of Cost and Working Expenses With 125 Wood Engravings and 13 Folding Plates. Also a Supplementary Volume: recording the Progress recently made in the Design and Construction of Tramways, and in the Means of Locomotion by Mechanical Power. By D. Kinnear Clark, M. Inst. C. E., Author of "Railway Machinery," "Railway Locomotives," &c. With 76 Wood Engravings. 2 vols. Large Crown 8vo, 30*s.* cloth.

"All interested in tramways must refer to it, as all railway engineers have turned to the author's work 'Railway Machinery.'"—*The Engineer.*

"The work is based on former tramway experience, and is specially valuable in these days of rapid change and progress."—*Engineering.*

### *Steam Engine.*

TEXT-BOOK ON THE STEAM ENGINE. By T. M. Goodeve, M.A., Barrister-at-Law, Author of "The Principles of Mechanics," "The Elements of Mechanism," &c. Fourth Edition. With numerous Illustrations. Crown 8vo, 6*s.* cloth.

"Mr. Goodeve's text-book is a work of which every young engineer should possess himself."—*Mining Journal.*

### *Steam.*

THE SAFE USE OF STEAM: containing Rules for Unprofessional Steam Users. By an Engineer. 4th Edition. Sewed, 6*d.*

"If steam-users would but learn this little book by heart, boiler explosions would become sensations by their rarity."—*English Mechanic.*

### *Smithing and Farriery.*

THE SMITHY AND FORGE. A Rudimentary Treatise, including Instructions in the Farrier's Art, and a Chapter on Coach-Smithing. By W. J. E. Crane. 3*s.* cloth.

### *Mechanical Engineering.*

DETAILS OF MACHINERY: Comprising Instructions for the Execution of various Works in Iron, in the Fitting-Shop, Foundry, and Boiler-Yard. By Francis Campin, C.E. 3*s.* 6*d.* cloth.

### *Mechanical Engineering.*

MECHANICAL ENGINEERING: Comprising Metallurgy, Moulding, Casting, Forging, Tools, Workshop Machinery, Manufacture of the Steam Engine, &c. By F. Campin, C.E. 3*s.* cloth.

### *Works of Construction.*

MATERIALS AND CONSTRUCTION: a Theoretical and Practical Treatise on the Strains, Designing, and Erection of Works of Construction. By F. Campin, C.E. 12mo, 3*s.* 6*d.* cl. brds.

### *Iron Bridges, Girders, Roofs, &c.*

A TREATISE ON THE APPLICATION OF IRON TO THE CONSTRUCTION OF BRIDGES, GIRDERS, ROOFS, AND OTHER WORKS. By F. Campin, C.E. 12mo, 3*s.*

### *Bridge Construction in Masonry, Timber, & Iron.*

EXAMPLES OF BRIDGE AND VIADUCT CONSTRUCTION IN MASONRY, TIMBER, AND IRON; consisting of 46 Plates from the Contract Drawings or Admeasurement of select Works. By W. DAVIS HASKOLL, C.E. Second Edition, with the addition of 554 Estimates, and the Practice of Setting out Works, with 6 pages of Diagrams. Imp. 4to, 2*l.* 12*s.* 6*d.* half-morocco.

"A work of the present nature by a man of Mr. Haskoll's experience, must prove invaluable. The tables of estimates considerably enhance its value."—*Engineering.*

### *Oblique Bridges.*

A PRACTICAL and THEORETICAL ESSAY on OBLIQUE BRIDGES, with 13 large Plates. By the late GEO. WATSON BUCK, M.I.C.E. Third Edition, revised by his Son, J. H. WATSON BUCK, M.I.C.E.; and with the addition of Description to Diagrams for Facilitating the Construction of Oblique Bridges, by W. H. BARLOW, M.I.C.E. Royal 8vo, 12*s.* cloth.

"The standard text book for all engineers regarding skew arches."—*Engineer.*

### *Oblique Arches.*

A PRACTICAL TREATISE ON THE CONSTRUCTION of OBLIQUE ARCHES. By JOHN HART. 3rd Ed. Imp. 8vo, 8*s.* cloth.

### *Boiler Construction.*

THE MECHANICAL ENGINEER'S OFFICE BOOK: Boiler Construction. By NELSON FOLEY, Cardiff, late Assistant Manager Palmer's Engine Works, Jarrow. With 29 full-page Lithographic Diagrams. Folio 21*s.* half-bound.

### *Locomotive-Engine Driving.*

LOCOMOTIVE-ENGINE DRIVING; a Practical Manual for Engineers in charge of Locomotive Engines. By MICHAEL REYNOLDS, M.S.E. Fifth Edition. Comprising A KEY TO THE LOCOMOTIVE ENGINE. With Illustrations. Cr. 8vo, 4*s.* 6*d.* cl.

"Mr. Reynolds has supplied a want, and has supplied it well."—*Engineer.*

### *The Engineer, Fireman, and Engine-Boy.*

THE MODEL LOCOMOTIVE ENGINEER, FIREMAN, AND ENGINE-BOY. By M. REYNOLDS. Crown 8vo, 4*s.* 6*d.*

### *Stationary Engine Driving.*

STATIONARY ENGINE DRIVING. A Practical Manual for Engineers in Charge of Stationary Engines. By MICHAEL REYNOLDS. Second Edition, Revised and Enlarged. With Plates and Woodcuts. Crown 8vo, 4*s.* 6*d.* cloth.

### *Engine-Driving Life.*

ENGINE-DRIVING LIFE; or Stirring Adventures and Incidents in the Lives of Locomotive Engine-Drivers. By MICHAEL REYNOLDS. Eighth Thousand. Crown 8vo, 2*s.* cloth.

### *Continuous Railway Brakes.*

CONTINUOUS RAILWAY BRAKES. A Practical Treatise on the several Systems in Use in the United Kingdom; their Construction and Performance. With copious Illustrations and numerous Tables. By MICHAEL REYNOLDS. Large Crown 8vo, 9*s.* cloth.

### *Construction of Iron Beams, Pillars, &c.*

IRON AND HEAT; exhibiting the Principles concerned in the construction of Iron Beams, Pillars, and Bridge Girders, and the Action of Heat in the Smelting Furnace. By J. ARMOUR, C.E. 3*s.*

### *Fire Engineering.*

FIRES, FIRE-ENGINES, AND FIRE BRIGADES. With a History of Fire-Engines, their Construction, Use, and Management; Remarks on Fire-Proof Buildings, and the Preservation of Life from Fire; Statistics of the Fire Appliances in English Towns; Foreign Fire Systems; Hints on Fire Brigades, &c., &c. By CHARLES F. T. YOUNG, C.E. Demy 8vo, 1*l.* 4*s.* cloth.

### *Trigonometrical Surveying.*

AN OUTLINE OF THE METHOD OF CONDUCTING A TRIGONOMETRICAL SURVEY, for the Formation of Geographical and Topographical Maps and Plans, Military Reconnaissance, Levelling, &c., with the most useful Problems in Geodesy and Practical Astronomy. By LIEUT.-GEN. FROME, R.E., late Inspector-General of Fortifications. Fourth Edition, Enlarged, and partly Re-written. By CAPTAIN CHARLES WARREN, R.E. With 19 Plates and 115 Woodcuts, royal 8vo, 16*s.* cloth.

### *Tables of Curves.*

TABLES OF TANGENTIAL ANGLES and MULTIPLES for setting out Curves from 5 to 200 Radius. By ALEXANDER BEAZELEY, M. Inst. C.E. Second Edition. Printed on 48 Cards, and sold in a cloth box, waistcoat-pocket size, 3*s.* 6*d.*

"Each table is printed on a small card, which, being placed on the theodolite, leaves the hands free to manipulate the instrument."—*Engineer.*

"Very handy; a man may know that all his day's work must fall on two of these cards, which he puts into his own card-case, and leaves the rest behind."—[*Athenæum.*

### *Pioneer Engineering.*

PIONEER ENGINEERING. A Treatise on the Engineering Operations connected with the Settlement of Waste Lands in New Countries. By EDWARD DOBSON, A.I.C.E. With Plates and Wood Engravings. Revised Edition. 12mo, 5*s.* cloth.

"A workmanlike production, and one without possession of which no man should start to encounter the duties of a pioneer engineer."—*Athenæum.*

### *Engineering Fieldwork.*

THE PRACTICE OF ENGINEERING FIELDWORK, applied to Land and Hydraulic, Hydrographic, and Submarine Surveying and Levelling. Second Edition, revised, with considerable additions, and a Supplement on WATERWORKS, SEWERS, SEWAGE, and IRRIGATION. By W. DAVIS HASKOLL, C.E. Numerous folding Plates. In 1 Vol., demy 8vo, 1*l.* 5*s.*, cl. boards.

### *Large Tunnel Shafts.*

THE CONSTRUCTION OF LARGE TUNNEL SHAFTS. By J. H. WATSON BUCK, M. Inst. C.E., &c. Illustrated with Folding Plates. Royal 8vo, 12*s.* cloth.

"Many of the methods given are of extreme practical value to the mason, and the observations on the form of arch, the rules for ordering the stone, and the construction of the templates, will be found of considerable use. We commend the book to the profession, and to all who have to build similar shafts."—*Building News.*

## *Survey Practice.*

AID TO SURVEY PRACTICE: for Reference in Surveying, Levelling, Setting-out and in Route Surveys of Travellers by Land and Sea. With Tables, Illustrations, and Records. By LOWIS D'A. JACKSON, A.-M.I.C.E. Author of "Hydraulic Manual and Statistics," &c. Large crown 8vo, 12*s.* 6*d.*, cloth.

"Mr. Jackson has had much and varied experience in field work and some knowledge of bookmaking, and he has utilised both these acquirements with a very useful result. The volume covers the ground it occupies very thoroughly."—*Engineering.*

"A general text book was wanted, and we are able to speak with confidence of Mr. Jackson's treatise. . . . We cannot recommend to the student who knows something of the mathematical principles of the subject a better course than to fortify his practice in the field under a competent surveyor with a study of Mr. Jackson's useful manual. The field records illustrate every kind of survey, and will be found an essential aid to the student."—*Building News.*

## *Sanitary Work.*

SANITARY WORK IN THE SMALLER TOWNS AND IN VILLAGES. Comprising:—1. Some of the more Common Forms of Nuisance and their Remedies; 2. Drainage; 3. Water Supply. By CHAS. SLAGG, Assoc. Inst. C.E. Second Edition, Revised and Enlarged. [*In the Press.*

"A very useful book, and may be safely recommended. The author has had practical experience in the works of which he treats."—*Builder.*

## *Gas and Gasworks.*

THE CONSTRUCTION OF GASWORKS AND THE MANUFACTURE AND DISTRIBUTION OF COAL-GAS. Originally written by S. HUGHES, C.E. Sixth Edition. Re-written and enlarged, by W. RICHARDS, C.E. 12mo, 5*s.* cloth.

## *Waterworks for Cities and Towns.*

WATERWORKS for the SUPPLY of CITIES and TOWNS, with a Description of the Principal Geological Formations of England as influencing Supplies of Water. By S. HUGHES. 4*s.* 6*d.* cloth.

## *Fuels and their Economy.*

FUEL, its Combustion and Economy; consisting of an Abridgment of "A Treatise on the Combustion of Coal and the Prevention of Smoke." By C. W. WILLIAMS, A.I.C.E. With extensive additions on Recent Practice in the Combustion and Economy of Fuel—Coal, Coke, Wood, Peat, Petroleum, &c.; by D. KINNEAR CLARK, M. Inst. C.E. Second Edition, revised. With Illustrations. 12mo. 4*s.* cloth boards.

"Students should buy the book and read it, as one of the most complete and satisfactory treatises on the combustion and economy of fuel to be had."—*Engineer.*

## *Roads and Streets.*

THE CONSTRUCTION OF ROADS AND STREETS. In Two Parts. I. The Art of Constructing Common Roads. By HENRY LAW, C.E. Revised and Condensed. II. Recent Practice in the Construction of Roads and Streets: including Pavements of Stone, Wood, and Asphalte. By D. KINNEAR CLARK, M. Inst. C.E. Second Edit., revised. 12mo, 5*s.* cloth.

"A book which every borough surveyor and engineer must possess, and of considerable service to architects, builders, and property owners."—*Building News.*

## *Locomotives.*

LOCOMOTIVE ENGINES, A Rudimentary Treatise on. Comprising an Historical Sketch and Description of the Locomotive Engine. By G. D. DEMPSEY, C.E. With large additions treating of the MODERN LOCOMOTIVE, by D. KINNEAR CLARK, M. Inst. C.E. With Illustrations. 12mo. 3*s.* 6*d.* cloth boards.

"The student cannot fail to profit largely by adopting this as his preliminary text-book."—*Iron and Coal Trades Review.*

## *Field-Book for Engineers.*

THE ENGINEER'S, MINING SURVEYOR'S, and CONTRACTOR'S FIELD-BOOK. By W. DAVIS HASKOLL, C.E. Consisting of a Series of Tables, with Rules, Explanations of Systems, and Use of Theodolite for Traverse Surveying and Plotting the Work with minute accuracy by means of Straight Edge and Set Square only; Levelling with the Theodolite, Casting out and Reducing Levels to Datum, and Plotting Sections in the ordinary manner; Setting out Curves with the Theodolite by Tangential Angles and Multiples with Right and Left-hand Readings of the Instrument; Setting out Curves without Theodolite on the System of Tangential Angles by Sets of Tangents and Offsets; and Earthwork Tables to 80 feet deep, calculated for every 6 inches in depth. With numerous Woodcuts. 4th Edition, enlarged. Cr. 8vo. 12*s.* cloth.

"The book is very handy, and the author might have added that the separate tables of sines and tangents to every minute will make it useful for many other purposes, the genuine traverse tables existing all the same."—*Athenæum.*

## *Earthwork, Measurement and Calculation of.*

A MANUAL on EARTHWORK. By ALEX. J. S. GRAHAM, C.E. With numerous Diagrams. 18mo, 2*s.* 6*d.* cloth.

"As a really handy book for reference, we know of no work equal to it; and the railway engineers and others employed in the measurement and calculation of earthwork will find a great amount of practical information very admirably arranged, and available for general or rough estimates, as well as for the more exact calculations required in the engineers' contractor's offices."—*Artizan.*

## *Drawing for Engineers, &c.*

THE WORKMAN'S MANUAL OF ENGINEERING DRAWING. By JOHN MAXTON, Instructor in Engineering Drawing, Royal Naval College, Greenwich, formerly of R. S. N. A., South Kensington. Fourth Edition, carefully revised. With upwards of 300 Plates and Diagrams. 12mo, cloth, strongly bound, 4*s.*

"A copy of it should be kept for reference in every drawing office."—*Engineering.*

"Indispensable for teachers of engineering drawing."—*Mechanics' Magazine.*

## *Weale's Dictionary of Terms.*

A DICTIONARY of TERMS used in ARCHITECTURE, BUILDING, ENGINEERING, MINING, METALLURGY, ARCHÆOLOGY, the FINE ARTS, &c. By JOHN WEALE. Fifth Edition, revised by ROBERT HUNT, F.R.S., Keeper of Mining Records, Editor of "Ure's Dictionary of Arts." 12mo, 6*s.* cl. bds.

"The best small technological dictionary in the language."—*Architect.*

"The absolute accuracy of a work of this character can only be judged of after extensive consultation, and from our examination it appears very correct and very complete."—*Mining Journal.*

# MINING, METALLURGY, ETC.

## *Metalliferous Mining.*

BRITISH MINING. A Practical Treatise on the Metalliferous Mines and Minerals of the United Kingdom, dealing comprehensively with the Theories of Mineral Deposits, the History of Mines, their Practical Working, and the Future Prospects of British Mining Industry. Fully Illustrated. By ROBERT HUNT, F.R.S., Keeper of Mining Records; Editor of "Ure's Dictionary of Arts, Manufactures, and Mines," &c. [*In preparation.*

## *Coal and Iron.*

THE COAL AND IRON INDUSTRIES OF THE UNITED KINGDOM: comprising a Description of the Coal Fields, and of the Principal Seams of Coal, with returns of their Produce and its Distribution, and Analyses of Special Varieties. Also, an Account of the occurrence of Iron Ores in Veins or Seams; Analyses of each Variety; and a History of the Rise and Progress of Pig Iron Manufacture since the year 1740, exhibiting the economies introduced in the Blast Furnaces for its Production and Improvement. By RICHARD MEADE, Assistant Keeper of Mining Records. With Maps of the Coal Fields and Ironstone Deposits of the United Kingdom. 8vo., £1 8*s.* cloth.

## *Metalliferous Minerals and Mining.*

A TREATISE ON METALLIFEROUS MINERALS AND MINING. By D. C. DAVIES, F.G.S. With Numerous Wood Engravings. Second Edition, revised. Cr. 8vo, 12*s.* 6*d.* cloth.

"Without question, the most exhaustive and the most practically useful work we have seen; the amount of information given is enormous, and it is given concisely and intelligibly."—*Mining Journal.*

## *Slate and Slate Quarrying.*

A TREATISE ON SLATE AND SLATE QUARRYING, Scientific, Practical, and Commercial. By D. C. DAVIES, F.G.S. Illustrated. Second Edition, revised. 3*s.* 6*d.* cloth.

## *Metallurgy of Iron.*

A TREATISE ON THE METALLURGY OF IRON: containing Outlines of the History of Iron Manufacture, Methods of Assay, and Analyses of Iron Ores, Processes of Manufacture of Iron and Steel, &c. By H. BAUERMAN, F.G.S. Fifth Edition, Revised and Enlarged. Illustrated. 5*s.* 6*d.*, cloth.

## *Mining, Surveying and Valuing.*

THE MINERAL SURVEYOR AND VALUER'S COMPLETE GUIDE, comprising a Treatise on Improved Mining Surveying, with new Traverse Tables; and Descriptions of Improved Instruments; also an Exposition of the Correct Principles of Laying out and Valuing Home and Foreign Iron and Coal Mineral Properties. By WILLIAM LINTERN, Mining and Civil Engineer. With four Plates of Diagrams, Plans, &c., 12mo, 4*s.* cloth.

⁂ Also, bound with THOMAN'S TABLES. 7*s.* 6*d.* (See page 20.)

### *Coal and Coal Mining.*

COAL AND COAL MINING. By WARINGTON W. SMYTH, M.A., F.R.S., &c., Chief Inspector of the Mines of the Crown. Fifth edition, revised. 4*s.* cloth.

"Every portion of the volume appears to have been prepared with much care, and as an outline is given of every known coal-field in this and other countries, as well as of the two principal methods of working, the book will doubtless interest a very large number of readers."—*Mining Journal.*

### *Underground Pumping Machinery.*

MINE DRAINAGE; being a Complete and Practical Treatise on Direct-Acting Underground Steam Pumping Machinery, with a Description of a large number of the best known Engines, their General Utility and the Special Sphere of their Action, the Mode of their Application, and their merits compared with other forms of Pumping Machinery. By STEPHEN MICHELL. 8vo, 15*s.* cloth.

### *Manual of Mining Tools.*

MINING TOOLS. For the use of Mine Managers, Agents, Mining Students, &c. By WILLIAM MORGANS. Volume of Text. 12mo, 3*s.* With an Atlas of Plates, containing 235 Illustrations. 4to, 6*s.* Together, 9*s.* cloth boards.

## NAVAL ARCHITECTURE, NAVIGATION, ETC.

### *Pocket Book for Naval Architects & Shipbuilders.*

THE NAVAL ARCHITECT'S AND SHIPBUILDER'S POCKET BOOK OF FORMULÆ, RULES, AND TABLES AND MARINE ENGINEER'S AND SURVEYOR'S HANDY BOOK OF REFERENCE. By CLEMENT MACKROW, M. Inst. N. A., Naval Draughtsman. Second Edition, revised. With numerous Diagrams. Fcap., 12*s.* 6*d.*, strongly bound in leather.

"Should be used by all who are engaged in the construction or design of vessels." —*Engineer.*

"Mr. Mackrow has compressed an extraordinary amount of information into this useful volume."—*Athenæum.*

### *Pocket-Book for Marine Engineers.*

A POCKET-BOOK OF USEFUL TABLES AND FORMULÆ FOR MARINE ENGINEERS. By FRANK PROCTOR, A.I.N.A. Third Edition. Royal 32mo, leather, gilt edges, 4*s.*

"A most useful companion to all marine engineers."—*United Service Gazette.*

"Scarcely anything required by a naval engineer appears to have been forgotten."—*Iron.*

### *Grantham's Iron Ship-Building.*

ON IRON SHIP-BUILDING; with Practical Examples and Details. By JOHN GRANTHAM, M. Inst. C.E., &c. Fifth Edition. Imp. 4to, boards, enlarged from 24 to 40 Plates, with separate Text, also enlarged, cloth limp. 2*l.* 2*s.* complete.

"Mr. Grantham's work is of great interest. It will, we are confident, command an extensive circulation among shipbuilders in general. By order of the Board of Admiralty, the work will form the text-book on which the examination in iron ship-building of candidates for promotion the in dockyards will be mainly based."—*Engineering.*

## *Light-Houses.*

EUROPEAN LIGHT-HOUSE SYSTEMS; being a Rep
a Tour of Inspection made in 1873. By Major Geor
Elliot, Corps of Engineers, U.S.A. Illustrated by 51
gravings and 31 Woodcuts in the Text. **8vo, 21s. cloth.**

## *Surveying (Land and Marine).*

LAND AND MARINE SURVEYING, in Reference to
Preparation of Plans for Roads and Railways, Canals, Ri
Towns' Water Supplies, Docks and Harbours; with Descri
and Use of Surveying Instruments. By W. Davis Haskoll,
With 14 folding Plates, and numerous Woodcuts. **8vo, 12s. 6d. c**

## *Storms.*

STORMS: their Nature, Classification, and Laws, wit
Means of Predicting them by their Embodiments, the Cl
By William Blasius. **Crown 8vo, 10s. 6d. cloth boards.**

## *Rudimentary Navigation.*

THE SAILOR'S SEA-BOOK: a Rudimentary Treatise on
gation. By James Greenwood, B.A. New and enlarged ed
By W. H. Rosser. **12mo, 3s. cloth boards.**

## *Mathematical and Nautical Tables.*

MATHEMATICAL TABLES, for Trigonometrical, Astrono
and Nautical Calculations; to which is prefixed a Treati
Logarithms. By Henry Law, C.E. Together with a Se
Tables for Navigation and Nautical Astronomy. By Pro
J. R. Young. New Edition. **12mo, 4s. cloth boards.**

## *Navigation (Practical), with Tables.*

PRACTICAL NAVIGATION: consisting of the Sailor's
Book, by James Greenwood and W. H. Rosser; to
with the requisite Mathematical and Nautical Tables for the
ing of the Problems. By Henry Law, C.E., and Pro
J. R. Young. Illustrated. **12mo, 7s. strongly half-bound in le**

---

## WEALE'S RUDIMENTARY SERIES.

*The following books in Naval Architecture, etc., are published in
above series.*

NAVIGATION AND NAUTICAL ASTRONOMY IN THE
AND PRACTICE. By Professor J. R. Young. New E
Including the Requisite Elements from the Nautical Almar
Working the Problems. 12mo, 2s. 6d. cloth.

MASTING, MAST-MAKING, AND RIGGING OF SHIPS
Robert Kipping, N.A. Fifteenth Edition. 12mo, 2s. 6d.

SAILS AND SAIL-MAKING. Tenth Edition, enlarged
Robert Kipping, N.A. Illustrated. 12mo, 3s. cloth boa

NAVAL ARCHITECTURE. By James Peake. Fourth E
with Plates and Diagrams. 12mo, 4s. cloth boards.

MARINE ENGINES, AND STEAM VESSELS. By R
Murray, C.E. Eighth Edition, Re-written by H. S. Ba
Assoc.-Memb. Inst. C.E. [*In prepar*

# ARCHITECTURE, BUILDING, ETC.

## *Construction.*

THE SCIENCE of BUILDING: An Elementary Treatise on the Principles of Construction. By E. Wyndham Tarn, M.A., Architect. With 58 Wood Engravings. Second Edition, revised and enlarged, including an entirely new chapter on the Nature of Lightning, and the Means of Protecting Buildings from its Violence. Crown 8vo, 7*s.* 6*d.* cloth.

"A very valuable book, which we strongly recommend to all students."—*Builder.*

"No architectural student should be without this hand-book."—*Architect.*

## *Civil and Ecclesiastical Building.*

A BOOK ON BUILDING, CIVIL AND ECCLESIASTICAL, Including Church Restoration. By Sir Edmund Beckett, Bart., LL.D., Q.C., F.R.A.S. Author of "Clocks and Watches and Bells," &c. 12mo, 5*s.* cloth boards.

"A book which is always amusing and nearly always instructive. We are able very cordially to recommend all persons to read it for themselves."—*Times.*

"We commend the book to the thoughtful consideration of all who are interested in the building art."—*Builder.*

## *Villa Architecture.*

A HANDY BOOK of VILLA ARCHITECTURE; being a Series of Designs for Villa Residences in various Styles. With Detailed Specifications and Estimates. By C. Wickes, Architect, Author of "The Spires and Towers of the Mediæval Churches of England," &c. 30 Plates, 4to, half morocco, gilt edges, 1*l.* 1*s.*

⁂ Also an Enlarged edition of the above. 61 Plates, with Detailed Specifications, Estimates, &c. 2*l.* 2*s.* half morocco.

## *Useful Text-Book for Architects.*

THE ARCHITECT'S GUIDE: Being a Text-book of Useful Information for Architects, Engineers, Surveyors, Contractors, Clerks of Works, &c. By F. Rogers. Cr. 8vo, 6*s.* cloth.

"As a text-book of useful information for architects, engineers, surveyors, &c., it would be hard to find a handier or more complete little volume."—*Standard.*

## *The Young Architect's Book.*

HINTS TO YOUNG ARCHITECTS. By G. Wightwick. New Edition. By G. H. Guillaume. 12mo, cloth, 4*s.*

"Will be found an acquisition to pupils, and a copy ought to be considered as necessary a purchase as a box of instruments."—*Architect.*

## *Drawing for Builders and Students.*

PRACTICAL RULES ON DRAWING for the OPERATIVE BUILDER and YOUNG STUDENT in ARCHITECTURE. By George Pyne. With 14 Plates, 4to, 7*s.* 6*d.* boards.

## *Boiler and Factory Chimneys.*

BOILER AND FACTORY CHIMNEYS; their Draught-power and Stability, with a chapter on Lightning Conductors. By Robert Wilson, C.E. Crown 8vo, 3*s.* 6*d.* cloth.

## *Taylor and Cresy's Rome.*

THE ARCHITECTURAL ANTIQUITIES OF ROME. By the late G. L. TAYLOR, Esq., F.S.A., and EDWARD CRESY, Esq. New Edition, Edited by the Rev. ALEXANDER TAYLOR, M.A. (son of the late G. L. Taylor. Esq.) This is the only book which gives on a large scale, and with the precision of architectural measurement, the principal Monuments of Ancient Rome in plan, elevation, and detail. Large folio, with 130 Plates, half-bound, 3*l.* 3*s.*

*** Originally published in two volumes, folio, at 18*l.* 18*s.*

## *Vitruvius' Architecture.*

THE ARCHITECTURE OF MARCUS VITRUVIUS POLLIO. Translated by JOSEPH GWILT, F.S.A., F.R.A.S. Numerous Plates. 12mo, cloth limp, 5*s.*

## *Ancient Architecture.*

RUDIMENTARY ARCHITECTURE (ANCIENT); comprising VITRUVIUS, translated by JOSEPH GWILT, F.S.A., &c., with 23 fine plates; and GRECIAN ARCHITECTURE. By the EARL of ABERDEEN; 12mo, 6*s.*, half-bound.

*** *The only edition of VITRUVIUS procurable at a moderate price.*

## *Modern Architecture.*

RUDIMENTARY ARCHITECTURE (MODERN); comprising THE ORDERS OF ARCHITECTURE. By W. H. LEEDS, Esq.; The STYLES of ARCHITECTURE of VARIOUS COUNTRIES. By T. TALBOT BURY; and The PRINCIPLES of DESIGN in ARCHITECTURE. By E. L. GARBETT. Numerous illustrations, 12mo, 6*s.* half-bound.

## *Civil Architecture.*

A TREATISE on THE DECORATIVE PART of CIVIL ARCHITECTURE. By Sir WILLIAM CHAMBERS, F.R.S. With Illustrations, Notes, and an Examination of Grecian Architecture. By JOSEPH GWILT, F.S.A. Revised and edited by W. H. LEEDS. 66 Plates, 4to, 21*s.* cloth.

## *House Painting.*

HOUSE PAINTING, GRAINING, MARBLING, AND SIGN WRITING: a Practical Manual of. With 9 Coloured Plates of Woods and Marbles, and nearly 150 Wood Engravings. By ELLIS A. DAVIDSON. Third Edition, Revised. 12mo, 6*s.* cloth.

## *Plumbing.*

PLUMBING; a Text-book to the Practice of the Art or Craft of the Plumber. With chapters upon House-drainage, embodying the latest Improvements. By W. P. BUCHAN, Sanitary Engineer. Fourth Edition, Revised and Enlarged, with above 330 illustrations. 12mo. 4*s.* cloth. [*Just published.*

## *Joints used in Building, Engineering, &c.*

THE JOINTS MADE AND USED BY BUILDERS in the construction of various kinds of Engineering and Architectural works, with especial reference to those wrought by artificers in erecting and finishing Habitable Structures. By W. J. CHRISTY, Architect. With 160 Illustrations. 12mo, 3*s.* 6*d.* cloth boards.

### *Handbook of Specifications.*

THE HANDBOOK OF SPECIFICATIONS; or, Practical Guide to the Architect, Engineer, Surveyor, and Builder, in drawing up Specifications and Contracts for Works and Constructions. Illustrated by Precedents of Buildings actually executed by eminent Architects and Engineers. By Professor THOMAS L. DONALDSON, M.I.B.A. New Edition, in One large volume, 8vo, with upwards of 1000 pages of text, and 33 Plates, cloth, 1*l.* 11*s.* 6*d.*

"In this work forty-four specifications of executed works are given. . . . Donaldson's Handbook of Specifications must be bought by all architects."—*Builder.*

### *Specifications for Practical Architecture.*

SPECIFICATIONS FOR PRACTICAL ARCHITECTURE: A Guide to the Architect, Engineer, Surveyor, and Builder; with an Essay on the Structure and Science of Modern Buildings. By FREDERICK ROGERS, Architect. 8vo, 15*s.* cloth.

⁂ A volume of specifications of a practical character being greatly required, and the old standard work of Alfred Bartholomew being out of print, the author, on the basis of that work, has produced the above.—*Extract from Preface.*

### *Designing, Measuring, and Valuing.*

THE STUDENT'S GUIDE to the PRACTICE of MEASURING and VALUING ARTIFICERS' WORKS; containing Directions for taking Dimensions, Abstracting the same, and bringing the Quantities into Bill, with Tables of Constants, and copious Memoranda for the Valuation of Labour and Materials in the respective Trades of Bricklayer and Slater, Carpenter and Joiner, Painter and Glazier, Paperhanger, &c. With 9 Plates and 47 Woodcuts. Originally edited by EDWARD DOBSON, Architect. New Edition, re-written, with Additions on Mensuration and Construction, and useful Tables for facilitating Calculations and Measurements. By E. WYNDHAM TARN, M.A., 8vo, 10*s.* 6*d.* cloth.

"Well fulfils the promise of its title-page. Mr. Tarn's additions and revisions have much increased the usefulness of the work."—*Engineering.*

### *Beaton's Pocket Estimator.*

THE POCKET ESTIMATOR FOR THE BUILDING TRADES, being an easy method of estimating the various parts of a Building collectively, more especially applied to Carpenters' and Joiners' work. By A. C. BEATON. Second Edition. Waistcoat-pocket size. 1*s.* 6*d.*

### *Beaton's Builders' and Surveyors' Technical Guide.*

THE POCKET TECHNICAL GUIDE AND MEASURER FOR BUILDERS AND SURVEYORS: containing a Complete Explanation of the Terms used in Building Construction, Memoranda for Reference, Technical Directions for Measuring Work in all the Building Trades, &c. By A. C. BEATON. 1*s.* 6*d.*

### *The House-Owner's Estimator.*

THE HOUSE-OWNER'S ESTIMATOR; or, What will it Cost to Build, Alter, or Repair? A Price-Book for Unprofessional People, Architectural Surveyors, Builders, &c. By the late JAMES D. SIMON. Edited by F. T. W. MILLER, A.R.I.B.A. Third Edition, Revised. Crown 8vo, 3*s.* 6*d.*, cloth.

"In two years it will repay its cost a hundred times over."—*Field.*

### *Cement.*

PORTLAND CEMENT FOR USERS. By **Henry Faija**, A.M. Inst. C.E., with Illustrations. Crown 8vo. 3*s.* 6*d.* cloth.

"A useful compendium of results for the builder and architect."—*Building News.*

### *Builder's and Contractor's Price Book.*

LOCKWOOD & CO.'S BUILDER'S AND CONTRACTOR'S PRICE BOOK, containing the latest prices of all kinds of Builders' Materials and Labour, &c. Revised by F. T. W. Miller, A.R.I.B.A. Half-bound, 4*s.*

## CARPENTRY, TIMBER, ETC.

### *Tredgold's Carpentry, new and cheaper Edition.*

THE ELEMENTARY PRINCIPLES OF CARPENTRY: a Treatise on the Pressure and Equilibrium of Timber Framing, the Resistance of Timber, and the Construction of Floors, Arches, Bridges, Roofs, Uniting Iron and Stone with Timber, &c. To which is added an Essay on the Nature and Properties of Timber, &c., with Descriptions of the Kinds of Wood used in Building; also numerous Tables of the Scantlings of Timber for different purposes, the Specific Gravities of Materials, &c. By Thomas Tredgold, C.E. Edited by Peter Barlow, F.R.S. Fifth Edition, corrected and enlarged. With 64 Plates, Portrait of the Author, and Woodcuts. 4to, published at 2*l.* 2*s.*, reduced to 1*l.* 5*s.* cloth.

"A work whose monumental excellence must commend it wherever skilful carpentry is concerned. The Author's principles are rather confirmed than impaired by time. The additional plates are of great intrinsic value."—*Building News.*

### *Grandy's Timber Tables.*

THE TIMBER IMPORTER'S, TIMBER MERCHANT'S, & BUILDER'S STANDARD GUIDE. By R. E. Grandy. 2nd Edition. Carefully revised and corrected. 12mo, 3*s.* 6*d.* cloth.

"Everything it pretends to be: built up gradually, it leads one from a forest to a treenail, and throws in, as a makeweight, a host of material concerning bricks, columns, cisterns, &c.—all that the class to whom it appeals requires."—*English Mechanic.*

### *Timber Freight Book.*

THE TIMBER IMPORTERS' AND SHIPOWNERS' FREIGHT BOOK: Being a Comprehensive Series of Tables for the Use of Timber Importers, Captains of Ships, Shipbrokers, Builders, and Others. By W. Richardson. Crown 8vo, 6*s.*

### *Tables for Packing-Case Makers.*

PACKING-CASE TABLES; showing the number of Superficial Feet in Boxes or Packing-Cases, from six inches square and upwards. By W. Richardson. Oblong 4to, 3*s.* 6*d.* cloth.

"Invaluable labour-saving tables."—*Ironmonger.*

### *Carriage Building, &c.*

COACH BUILDING: A Practical Treatise, Historical and Descriptive, containing full information of the various Trades and Processes involved, with Hints on the proper keeping of Carriages, &c. 57 Illustrations. By James W. Burgess. 12mo, 3*s.* cloth.

### *Horton's Measurer.*

THE COMPLETE MEASURER; setting forth the Measurement of Boards, Glass, &c.; Unequal-sided, Square-sided, Octagonal-sided, Round Timber and Stone, and Standing Timber. Also a Table showing the solidity of hewn or eight-sided timber, or of any octagonal-sided column. By RICHARD HORTON. Fourth Edit. With Additions, 12mo, strongly bound in leather, 5*s.*

### *Horton's Underwood and Woodland Tables.*

TABLES FOR PLANTING AND VALUING UNDERWOOD AND WOODLAND; also Lineal, Superficial, Cubical, and Decimal Tables, &c. By R. HORTON. 12mo, 2*s.* leather.

### *Nicholson's Carpenter's Guide.*

THE CARPENTER'S NEW GUIDE; or, BOOK of LINES for CARPENTERS: comprising all the Elementary Principles essential for acquiring a knowledge of Carpentry. Founded on the late PETER NICHOLSON'S standard work. A new Edition, revised by ARTHUR ASHPITEL, F.S.A., together with Practical Rules on Drawing, by GEORGE PYNE. With 74 Plates, 4to, 1*l.* 1*s.* cloth.

### *Dowsing's Timber Merchant's Companion.*

THE TIMBER MERCHANT'S AND BUILDER'S COMPANION; containing New and Copious Tables of the Reduced Weight and Measurement of Deals and Battens, of all sizes, from One to a Thousand Pieces, also the relative Price that each size bears per Lineal Foot to any given Price per Petersburgh Standard Hundred, &c., &c. Also a variety of other valuable information. By W. DOWSING. Third Edition. Crown 8vo, 3*s.*

### *Practical Timber Merchant.*

THE PRACTICAL TIMBER MERCHANT, being a Guide for the use of Building Contractors, Surveyors, Builders, &c., comprising useful Tables for all purposes connected with the Timber Trade, Essay on the Strength of Timber, Remarks on the Growth of Timber, &c. By W. RICHARDSON. Fcap. 8vo, 3*s.* 6*d.* cl.

### *Woodworking Machinery.*

WOODWORKING MACHINERY; its Rise, Progress, and Construction. With Hints on the Management of Saw Mills and the Economical Conversion of Timber. Illustrated with Examples of Recent Designs by leading English, French, and American Engineers. By M. POWIS BALE, M.I.M.E. Crown 8vo, 12*s.* 6*d.* cl.

"Mr. Bale is evidently an expert on the subject, and he has collected so much information that his book is all-sufficient for builders and others engaged in the conversion of timber."—*Architect.*

"The most comprehensive compendium of wood-working machinery we have seen. The author is a thorough master of his subject."—*Building News.*

### *Saw Mills.*

SAW MILLS, THEIR ARRANGEMENT AND MANAGEMENT, AND THE ECONOMICAL CONVERSION OF TIMBER. (Being a Companion Volume to "Woodworking Machinery.") By M. POWIS BALE, M.I.M.E. With numerous Illustrations. Crown 8vo, 10*s.* 6*d.*, cloth. Just published.

## MECHANICS, ETC.

### *Turning.*

LATHE-WORK: a Practical Treatise on the Tools, Appliances, and Processes employed in the Art of Turning. By Paul N. Hasluck. Second Edition, thoroughly Revised, with a New Chapter on the Screw-cutting Lathe. Crown 8vo, 5*s.* [*Just published.*

### *Turning.*

THE METAL TURNER'S HANDBOOK: A Practical Manual for Workers at the Foot-lathe. By Paul N. Hasluck. With over 100 Illustrations. Crown 8vo, 1*s.*, cloth.

⁂ *The above forms the first volume of* Hasluck's Handbooks on Handicrafts. *Other Volumes in preparation.*

### *Mechanic's Workshop Companion.*

THE OPERATIVE MECHANIC'S WORKSHOP COMPANION, and THE SCIENTIFIC GENTLEMAN'S PRACTICAL ASSISTANT. By W. Templeton. 13th Edit., with Mechanical Tables for Operative Smiths, Millwrights, Engineers, &c.; and an Extensive Table of Powers and Roots, 12mo, 5*s.* bound.

"Admirably adapted to the wants of a very large class. It has met with great success in the engineering workshop, as we can testify; and there are a great many men who, in a great measure, owe their rise in life to this little work."—*Building News.*

### *Engineer's and Machinist's Assistant.*

THE ENGINEER'S, MILLWRIGHT'S, and MACHINIST'S PRACTICAL ASSISTANT; comprising a Collection of Useful Tables, Rules, and Data. By Wm. Templeton. 18mo, 2*s.* 6*d.*

### *Smith's Tables for Mechanics, &c.*

TABLES, MEMORANDA, and CALCULATED RESULTS, FOR MECHANICS, ENGINEERS, ARCHITECTS, BUILDERS, &c. Selected and Arranged by Francis Smith. 240pp. Waistcoat-pocket size, 1*s.* 6*d.*, limp leather. [*Just published.*

### *Boiler Making.*

THE BOILER-MAKER'S READY RECKONER. With Examples of Practical Geometry and Templating, for the use of Platers, Smiths, and Riveters. By John Courtney, Edited by D. K. Clark, M. I. C.E. 12mo, 9*s.* half-bd.

### *Superficial Measurement.*

THE TRADESMAN'S GUIDE TO SUPERFICIAL MEASUREMENT. Tables calculated from 1 to 200 inches in length, by 1 to 108 inches in breadth. By J. Hawkings. Fcp. 3*s.* 6*d.* cl.

### *The High-Pressure Steam Engine.*

THE HIGH-PRESSURE STEAM ENGINE. By Dr. Ernst Alban. Translated from the German, with Notes, by Dr. Pole, F.R.S. Plates. 8vo, 16*s.* 6*d.*, cloth.

### *Steam Boilers.*

A TREATISE ON STEAM BOILERS: their Strength, Construction, and Economical Working. By R. Wilson, C.E. Fifth Edition. 12mo, 6*s.* cloth.

"The best treatise that has ever been published on steam boilers."—*Engineer.*

## MATHEMATICS, TABLES, ETC.

### *Metrical Units and Systems, &c.*

MODERN METROLOGY: A Manual of the Metrical Units and Systems of the present Century. With an Appendix containing a proposed English System. By LOWIS D'A. JACKSON, A.-M. Inst. C.E., Author of "Aid to Survey Practice," &c. Large Crown 8vo, 12*s.* 6*d.* cloth.

### *Gregory's Practical Mathematics.*

MATHEMATICS for PRACTICAL MEN; being a Commonplace Book of Pure and Mixed Mathematics. Designed chiefly for the Use of Civil Engineers, Architects, and Surveyors. Part I. PURE MATHEMATICS—comprising Arithmetic, Algebra, Geometry, Mensuration, Trigonometry, Conic Sections, Properties of Curves. Part II. MIXED MATHEMATICS—comprising Mechanics in general, Statics, Dynamics, Hydrostatics, Hydrodynamics, Pneumatics, Mechanical Agents, Strength of Materials, &c. By OLINTHUS GREGORY, LL.D., F.R.A.S. Enlarged by H. LAW, C.E. 4th Edition, revised by Prof. J. R. YOUNG. With 13 Plates. 8vo, 1*l.* 1*s.* cloth.

### *Mathematics as applied to the Constructive Arts.*

A TREATISE ON MATHEMATICS AS APPLIED TO THE CONSTRUCTIVE ARTS. Illustrating the various processes of Mathematical Investigation by means of Arithmetical and simple Algebraical Equations and Practical Examples, &c. By FRANCIS CAMPIN, C.E. 12mo, 3*s.* 6*d.* cloth.

### *Geometry for the Architect, Engineer, &c.*

PRACTICAL GEOMETRY, for the Architect, Engineer, and Mechanic. By E. W. TARN, M.A. With Appendices on Diagrams of Strains and Isometrical projection. Demy 8vo, 9*s.* cloth.

### *Practical Geometry.*

THE GEOMETRY OF COMPASSES, or Problems Resolved by the Mere Description of Circles, and the Use of Coloured Diagrams and Symbols. By OLIVER BYRNE. Coloured Plates. Crown 8vo, 3*s.* 6*d.*, cloth.

### *The Metric System.*

A SERIES OF METRIC TABLES, in which the British Standard Measures and Weights are compared with those of the Metric System at present in use on the Continent. By C. H. DOWLING, C.E. 2nd Edit., revised and enlarged. 8vo, 10*s.* 6*d.* cl.

### *Inwood's Tables, greatly enlarged and improved.*

TABLES FOR THE PURCHASING of ESTATES, Freehold, Copyhold, or Leasehold; Annuities, Advowsons, &c., and for the Renewing of Leases; also for Valuing Reversionary Estates, Deferred Annuities, &c. By WILLIAM INWOOD. 21st edition, with Tables of Logarithms for the more Difficult Computations of the Interest of Money, &c. By M. FÉDOR THOMAN. 12mo. 8*s.* cloth.

"Those interested in the purchase and sale of estates, and in the adjustment of ompensation cases, as well as in transactions in annuities, life insurances, &c., will nd the present edition of eminent service."—*Engineering.*

C 2

### *Weights, Measures, Moneys, &c.*

MEASURES, WEIGHTS, and MONEYS of all NATIONS. Entirely New Edition, Revised and Enlarged. By W. S. B. Woolhouse, F.R.A.S. 12mo, 2*s.* 6*d.* cloth boards.

### *Compound Interest and Annuities.*

THEORY of COMPOUND INTEREST and ANNUITIES; with Tables of Logarithms for the more Difficult Computations of Interest, Discount, Annuities, &c., in all their Applications and Uses for Mercantile and State Purposes. By Fédor Thoman, of the Société Crédit Mobilier, Paris. 3rd Edit., 12mo, 4*s.* 6*d.* cl.

### *Iron and Metal Trades' Calculator.*

THE IRON AND METAL TRADES' COMPANION: Being a Calculator containing a Series of Tables upon a new and comprehensive plan for expeditiously ascertaining the value of any goods bought or sold by weight, from 1*s.* per cwt. to 112*s.* per cwt., and from one farthing per lb. to 1*s.* per lb. Each Table extends from one lb. to 100 tons. By T. Downie. 396 pp., 9*s.*, leather.

### *Iron and Steel.*

IRON AND STEEL: a Work for the Forge, Foundry, Factory, and Office. Containing Information for Ironmasters; Civil, Mechanical, and Mining Engineers; Architects, Builders, &c. By Charles Hoare. Eighth Edit. Oblong 32mo, 6*s.*, leather.

### *Comprehensive Weight Calculator.*

THE WEIGHT CALCULATOR, being a Series of Tables upon a New and Comprehensive Plan, exhibiting at one Reference the exact Value of any Weight from 1 lb. to 15 tons, at 300 Progressive Rates, from 1 Penny to 168 Shillings per cwt., and containing 186,000 Direct Answers, which, with their Combinations, consisting of a single addition, will afford an aggregate of 10,266,000 Answers; the whole being calculated and designed to ensure Correctness and promote Despatch. By Henry Harben, Accountant. New Edition. Royal 8vo, 1*l.* 5*s.*; half-bound.

### *Comprehensive Discount Guide.*

THE DISCOUNT GUIDE: comprising Tables for the use of Merchants, Manufacturers, Ironmongers, and others, by which may be ascertained the exact profit arising from any mode of using Discounts, either in the Purchase or Sale of Goods, and the method of either Altering a Rate of Discount, or Advancing a Price, so as to produce, by one operation, a sum that will realise any required profit after allowing one or more Discounts: to which are added Tables of Profit or Advance from 1¼ to 90 per cent., Tables of Discount from 1¼ to 98¾ per cent., and Tables of Commission, &c., from ⅛ to 10 per cent. By H. Harben, 8vo, 1*l.* 5*s.*, half-bound.

### *Mathematical Instruments.*

MATHEMATICAL INSTRUMENTS: Their Construction, Adjustment, Testing, and Use; comprising Drawing, Measuring, Optical, Surveying, and Astronomical Instruments. By J. F. Heather, M.A. Enlarged Edition. 12mo, 5*s.* cloth.

# SCIENCE AND ART.

## *Gold and Gold-Working.*

THE GOLDSMITH'S HANDBOOK: containing full instructions for the Alloying and Working of Gold. Including the Art of Alloying, Melting, Reducing, Colouring, Collecting and Refining. Chemical and Physical Properties of Gold, with a new System of Mixing its Alloys; Solders, Enamels, &c. By GEORGE E. GEE. Second Edition, enlarged. 12mo, 3*s.* 6*d.* cloth.

"The best work yet printed on its subject for a reasonable price."—*Jeweller.*

"Essentially a practical manual, well adapted to the wants of amateurs and apprentices, containing trustworthy information that only a practical man can supply."—*English Mechanic.*

## *Silver and Silver Working.*

THE SILVERSMITH'S HANDBOOK, containing full Instructions for the Alloying and Working of Silver. Including the different Modes of Refining and Melting the Metal, its Solders, the Preparation of Imitation Alloys, &c. By G. E. GEE. 12mo, 3*s.* 6*d.*

"The chief merit of the work is its practical character. The workers in the trade will speedily discover its merits when they sit down to study it."—*English Mechanic.*

## *Hall-Marking of Jewellery.*

THE HALL-MARKING OF JEWELLERY PRACTICALLY CONSIDERED, comprising an account of all the different Assay Towns of the United Kingdom; with the Stamps at present employed; also the Laws relating to the Standards and Hall-Marks at the various Assay Offices; and a variety of Practical Suggestions concerning the Mixing of Standard Alloys, &c. By GEORGE E. GEE. Crown 8vo, 5*s.* cloth. [*Just published.*

## *Electro-Plating, &c.*

ELECTROPLATING: A Practical Handbook. By J. W. URQUHART, C.E. Crown 8vo, 5*s.* cloth.

"Any ordinarily intelligent person may become an adept in electro-deposition with a very little science indeed, and this is the book to show the way."—*Builder.*

## *Electrotyping, &c.*

ELECTROTYPING: A Practical Manual on the Reproduction and Multiplication of Printing Surfaces and Works of Art by the Electro-deposition of Metals. By J. W. URQUHART, C.E. Crown 8vo, 5*s.* cloth.

"A guide to beginners and those who practise the old and imperfect methods."—*Iron.*

## *Electro-Plating.*

ELECTRO-METALLURGY PRACTICALLY TREATED. By ALEXANDER WATT, F.R.S.S.A. Including the Electro-Deposition of Copper, Silver, Gold, Brass and Bronze, Platinum, Lead, Nickel, Tin, Zinc, Alloys of Metals, Practical Notes, &c., &c. Eighth Edition, Revised, with Additional matter and Illustrations, including the most recent Processes. 12mo, 3*s.* 6*d.*, cloth. [*Just published.*

"From this book both amateur and artisan may learn everything necessary for the successful prosecution of electroplating."—*Iron.*

"A practical treatise for the use of those who desire to work in the art of electrodeposition as a business."—*English Mechanic.*

## *Dentistry.*

MECHANICAL DENTISTRY. A Practical Treatise on the Construction of the various kinds of Artificial Dentures. Comprising also Useful Formulæ, Tables, and Receipts for Gold Plate, Clasps, Solders, etc., etc. By CHARLES HUNTER. Second Edition, Revised; including a new chapter on the use of Celluloid. With over 100 Engravings. Crown 8vo, 7*s.* 6*d.*, cloth.

"An authoritative treatise, which we can strongly recommend to all students."—*Dublin Journal of Medical Science.*

## *Electricity.*

A MANUAL of ELECTRICITY; including Galvanism, Magnetism, Diamagnetism, Electro-Dynamics, Magneto-Electricity, and the Electric Telegraph. By HENRY M. NOAD, Ph.D., F.C.S. Fourth Edition, with 500 Woodcuts. 8vo, 1*l.* 4*s.* cloth.

"The accounts given of electricity and galvanism are not only complete in a scientific sense, but, which is a rarer thing, are popular and interesting."—*Lancet.*

## *Text-Book of Electricity.*

THE STUDENT'S TEXT-BOOK OF ELECTRICITY. By HENRY M. NOAD, Ph.D., F.R.S., &c. New Edition, Revised. With an Introduction and Additional Chapters by W. H. PREECE, M.I.C.E., Vice-President of the Society of Telegraph Engineers, &c. With 470 Illustrations. Crown 8vo, 12*s.* 6*d.* cloth.

"A reflex of the existing state of Electrical Science adapted for students."—W. H. Preece, Esq., vide "Introduction."

"We can recommend Dr. Noad's book for clear style, great range of subject, a good index, and a plethora of woodcuts. Such collections as the present are indispensable."—*Athenæum.*

"An admirable text-book for every student—beginner or advanced—of electricity."—*Engineering.*

"Recommended to students as one of the best text-books on the subject that they can have. Mr. Preece appears to have introduced all the newest inventions in the shape of telegraphic, telephonic, and electric-lighting apparatus."—*English Mechanic.*

"Under the editorial hand of Mr. Preece the late Dr. Noad's text-book of electricity has grown into an admirable handbook."—*Westminster Review.*

## *Electric Lighting.*

ELECTRIC LIGHT: Its Production and Use, embodying plain Directions for the Treatment of Voltaic Batteries, Electric Lamps, and Dynamo-Electric Machines. By J. W. URQUHART, C.E., Author of "Electroplating." Edited by F. C. WEBB, M.I.C.E., M.S.T.E. 2nd Edition, Carefully Revised, with Large Additions and 128 Illustrations. Cr. 8vo, 7*s.* 6*d.* cloth. [*Just published.*

"The book is by far the best that we have yet met with on the subject."—*Athenæum.*

"An important addition to the literature of the electric light. Students of the subject should not fail to read it."—*Colliery Guardian.*

## *Lightning, &c.*

THE ACTION of LIGHTNING, and the MEANS of DEFENDING LIFE AND PROPERTY FROM ITS EFFECTS. By Major ARTHUR PARNELL, R.E. 12mo, 7*s.* 6*d.* cloth.

"Major Parnell has written an original work on a scientific subject of unusual interest; and he has prefaced his arguments by a patient and almost exhaustive citation of the best writers on the subject in the English language."—*Athenæum.*

"The work comprises all that is actually known on the subject."—*Land.*

"Major Parnell's measures are based on the results of experience. A valuable *repertoire* of facts and principles arranged in a scientific form."—*Building News.*

## *The Alkali Trade—Sulphuric Acid, &c.*

A MANUAL OF THE ALKALI TRADE, including the Manufacture of Sulphuric Acid, Sulphate of Soda, and Bleaching Powder. By JOHN LOMAS, Alkali Manufacturer. With 232 Illustrations and Working Drawings, and containing 386 pages of text. Super-royal 8vo, 2*l.* 12*s.* 6*d.* cloth.

*This work provides* (1) *a Complete Handbook for intending Alkali and Sulphuric Acid Manufacturers, and for those already in the field who desire to improve their plant, or to become practically acquainted with the latest processes and developments of the trade;* (2) *a Handy Volume which Manufacturers can put into the hands of their Managers and Foremen as a useful guide in their daily rounds of duty.*

SYNOPSIS OF CONTENTS.

Chap. I. Choice of Site and General Plan of Works—II. Sulphuric Acid—III. Recovery of the Nitrogen Compounds, and Treatment of Small Pyrites—IV. The Salt Cake Process—V. Legislation upon the Noxious Vapours Question—VI. The Hargreaves' and Jones' Processes—VII. The Balling Process—VIII. Lixiviation and Salting Down—IX. Carbonating or Finishing—X. Sod Crystals — XI. Refined Alkali — XII. Caustic Soda — XIII. Bi-carbonate of Soda — XIV. Bleaching Powder — XV. Utilisation of Tank Waste—XVI. General Remarks—Four Appendices, treating of Yields, Sulphuric Acid Calculations, Anemometers, and Foreign Legislation upon the Noxious Vapours Question.

"The author has given the fullest, most practical, and, to all concerned in the alkali trade, most valuable mass of information that, to our knowledge, has been published in any language."—*Engineer.*

"This book is written by a manufacturer for manufacturers. The working details of the most approved forms of apparatus are given, and these are accompanied by no less than 232 wood engravings, all of which may be used for the purposes of construction. Every step in the manufacture is very fully described in this manual, and each improvement explained. Everything which tends to introduce economy into the technical details of this trade receives the fullest attention."—*Athenæum.*

"The author is not one of those clever compilers who, on short notice, will 'read up' any conceivable subject, but a practical man in the best sense of the word. We find here not merely a sound and luminous explanation of the chemical principles of the trade, but a notice of numerous matters which have a most important bearing on the successful conduct of alkali works, but which are generally overlooked by even the most experienced technological authors."—*Chemical Review.*

## *Soapmaking.*

A HANDBOOK OF THE ART OF SOAPMAKING, including the Manufacture of Hard and Soft Soaps, Toilet Soaps, Medicated and Special Soaps, Bleaching and Purifying Oils and Fats, Recovery of Glycerine, &c. With a Series of Engravings. By ALEXANDER WATT, Author of "Electro-Metallurgy Practically Considered," &c. 8vo. [*In the Press.*

## *Chemical Analysis.*

THE COMMERCIAL HANDBOOK of CHEMICAL ANALYSIS; or Practical Instructions for the determination of the Intrinsic or Commercial Value of Substances used in Manufactures, in Trades, and in the Arts. By A. NORMANDY. *New Edition.* Enlarged, and to a great extent re-written, by HENRY M. NOAD, Ph.D., F.R.S. With numerous Illustrations. Cr. 8vo, 12*s.* 6*d.* cloth.

"We recommend this book to the careful perusal of every one; it may be truly affirmed to be of universal interest, and we strongly recommend it as a guide, alike indispensable to the housewife as to the pharmaceutical practitioner."—*Medical Times.*

"Essential to the analysts appointed under the new Act. The most recent results are given, and the work is well edited and carefully written."—*Nature.*

## *Dr. Lardner's Museum of Science and Art.*

THE MUSEUM OF SCIENCE AND ART. Edited by DIONYSIUS LARDNER, D.C.L., formerly Professor of Natural Philosophy and Astronomy in University College, London. With upwards of 1200 Engravings on Wood. In 6 Double Volumes. Price £1 1*s.*, in a new and elegant cloth binding, or handsomely bound in half morocco, 31*s.* 6*d.*

### OPINIONS OF THE PRESS.

"This series, besides affording popular but sound instruction on scientific subjects, with which the humblest man in the country ought to be acquainted, also undertakes that teaching of 'common things' which every well-wisher of his kind is anxious to promote. Many thousand copies of this serviceable publication have been printed, in the belief and hope that the desire for instruction and improvement widely prevails; and we have no fear that such enlightened faith will meet with disappointment."—*Times.*

"A cheap and interesting publication, alike informing and attractive. The papers combine subjects of importance and great scientific knowledge, considerable inductive powers, and a popular style of treatment."—*Spectator.*

"The 'Museum of Science and Art' is the most valuable contribution that has ever been made to the Scientific Instruction of every class of society."—*Sir David Brewster in the North British Review.*

"Whether we consider the liberality and beauty of the illustrations, the charm of the writing, or the durable interest of the matter, we must express our belief that there is hardly to be found among the new books, one that would be welcomed by people of so many ages and classes as a valuable present."—*Examiner.*

⁂ *Separate books formed from the above, suitable for Workmen's Libraries, Science Classes, &c.*

COMMON THINGS EXPLAINED. Containing Air, Earth, Fire, Water, Time, Man, the Eye, Locomotion, Colour, Clocks and Watches, &c. 233 Illustrations, cloth gilt, 5*s.*

THE MICROSCOPE. Containing Optical Images, Magnifying Glasses, Origin and Description of the Microscope, Microscopic Objects, the Solar Microscope, Microscopic Drawing and Engraving, &c. 147 Illustrations, cloth gilt, 2*s.*

POPULAR GEOLOGY. Containing Earthquakes and Volcanoes, the Crust of the Earth, etc. 201 Illustrations, cloth gilt, 2*s.* 6*d.*

POPULAR PHYSICS. Containing Magnitude and Minuteness, the Atmosphere, Meteoric Stones, Popular Fallacies, Weather Prognostics, the Thermometer, the Barometer, Sound, &c. 85 Illustrations, cloth gilt, 2*s.* 6*d.*

STEAM AND ITS USES. Including the Steam Engine, the Locomotive, and Steam Navigation. 89 Illustrations, cloth gilt, 2*s.*

POPULAR ASTRONOMY. Containing How to Observe the Heavens. The Earth, Sun, Moon, Planets. Light, Comets, Eclipses, Astronomical Influences, &c. 182 Illustrations, 4*s.* 6*d.*

THE BEE AND WHITE ANTS: Their Manners and Habits. With Illustrations of Animal Instinct and Intelligence. 135 Illustrations, cloth gilt, 2*s.*

THE ELECTRIC TELEGRAPH POPULARISED. To render intelligible to all who can Read, irrespective of any previous Scientific Acquirements, the various forms of Telegraphy in Actual Operation. 100 Illustrations, cloth gilt, 1*s.* 6*d.*

## *Dr. Lardner's Handbooks of Natural Philosophy.*

*⁂ The following five volumes, though each is Complete in itself, and to be purchased separately, form* A COMPLETE COURSE OF NATURAL PHILOSOPHY, *and are intended for the general reader who desires to attain accurate knowledge of the various departments of Physical Science, without pursuing them according to the more profound methods of mathematical investigation. The style is studiously popular. It has been the author's aim to supply Manuals such as are required by the Student, the Engineer, the Artisan, and the superior classes in Schools.*

THE HANDBOOK OF MECHANICS. Enlarged and almost rewritten by BENJAMIN LOEWY, F.R.A.S. With 378 Illustrations. Post 8vo, 6*s*. cloth.

"The perspicuity of the original has been retained, and chapters which had become obsolete, have been replaced by others of more modern character. The explanations throughout are studiously popular, and care has been taken to show the application of the various branches of physics to the industrial arts, and to the practical business of life."—*Mining Journal.*

THE HANDBOOK of HYDROSTATICS and PNEUMATICS. New Edition, Revised and Enlarged by BENJAMIN LOEWY, F.R.A.S. With 236 Illustrations. Post 8vo, 5*s*. cloth.

"For those 'who desire to attain an accurate knowledge of physical science without the profound methods of mathematical investigation,' this work is not merely intended, but well adapted."—*Chemical News.*

THE HANDBOOK OF HEAT. Edited and almost entirely Rewritten by BENJAMIN LOEWY, F.R.A.S., etc. 117 Illustrations. Post 8vo, 6*s*. cloth.

"The style is always clear and precise, and conveys instruction without leaving any cloudiness or lurking doubts behind."—*Engineering.*

THE HANDBOOK OF OPTICS. New Edition. Edited by T. OLVER HARDING, B.A. 298 Illustrations. Post 8vo, 5*s*. cloth.

"Written by one of the ablest English scientific writers, beautifully and elaborately illustrated."—*Mechanics' Magazine.*

THE HANDBOOK OF ELECTRICITY, MAGNETISM, and ACOUSTICS. New Edition. Edited by GEO. CAREY FOSTER, B.A., F.C.S. With 400 Illustrations. Post 8vo, 5*s*. cloth.

"The book could not have been entrusted to any one better calculated to preserve the terse and lucid style of Lardner, while correcting his errors and bringing up his work to the present state of scientific knowledge."—*Popular Science Review.*

## *Dr. Lardner's Handbook of Astronomy.*

THE HANDBOOK OF ASTRONOMY. Forming a Companion to the "Handbooks of Natural Philosophy." By DIONYSIUS LARDNER, D.C.L. Fourth Edition. Revised and Edited by EDWIN DUNKIN, F.R.S., Royal Observatory, Greenwich. With 38 Plates and upwards of 100 Woodcuts. In 1 vol., small 8vo, 550 pages, 9*s*. 6*d*., cloth.

"Probably no other book contains the same amount of information in so compendious and well-arranged a form—certainly none at the price at which this is offered to the public."—*Athenæum.*

"We can do no other than pronounce this work a most valuable manual of astronomy, and we strongly recommend it to all who wish to acquire a general—but at the same time correct—acquaintance with this sublime science."—*Quarterly Journal of Science.*

## *Dr. Lardner's Handbook of Animal Physics.*

THE HANDBOOK OF ANIMAL PHYSICS. By DR. LARDNER. With 520 Illustrations. New edition, small 8vo, cloth, 732 pages, 7*s*. 6*d*.

"We have no hesitation in cordially recommending it."—*Educational Times.*

## *Dr. Lardner's School Handbooks.*

NATURAL PHILOSOPHY FOR SCHOOLS. By Dr. Lardner. 328 Illustrations. Sixth Edition. 1 vol. 3*s.* 6*d.* cloth.

"Conveys, in clear and precise terms, general notions of all the principal divisions of Physical Science."—*British Quarterly Review.*

ANIMAL PHYSIOLOGY FOR SCHOOLS. By Dr. Lardner. With 190 Illustrations. Second Edition. 1 vol. 3*s.* 6*d.* cloth.

"Clearly written, well arranged, and excellently illustrated."—*Gardeners' Chronicle.*

## *Dr. Lardner's Electric Telegraph.*

THE ELECTRIC TELEGRAPH. By Dr. Lardner. New Edition. Revised and Re-written, by E. B. Bright, F.R.A.S. 140 Illustrations. Small 8vo, 2*s.* 6*d.* cloth.

"One of the most readable books extant on the Electric Telegraph."—*Eng. Mechanic.*

## *Mollusca.*

A MANUAL OF THE MOLLUSCA; being a Treatise on Recent and Fossil Shells. By Dr. S. P. Woodward, A.L.S. With Appendix by Ralph Tate, A.L.S., F.G.S. With numerous Plates and 300 Woodcuts. 3rd Edition. Cr. 8vo, 7*s.* 6*d.* cloth.

## *Geology and Genesis.*

THE TWIN RECORDS OF CREATION; or, Geology and Genesis, their Perfect Harmony and Wonderful Concord. By George W. Victor le Vaux. Fcap. 8vo, 5*s.* cloth.

"A valuable contribution to the evidences of revelation, and disposes very conclusively of the arguments of those who would set God's Works against God's Word. No real difficulty is shirked, and no sophistry is left unexposed."—*The Rock.*

## *Science and Scripture.*

SCIENCE ELUCIDATIVE OF SCRIPTURE, AND NOT ANTAGONISTIC TO IT. By Prof. J. R. Young. 5*s.* cloth.

## *Geology.*

A CLASS-BOOK OF GEOLOGY: Consisting of "Physical Geology," which sets forth the Leading Principles of the Science; and "Historical Geology," which treats of the Mineral and Organic Conditions of the Earth at each successive epoch, especial reference being made to the British Series of Rocks. By Ralph Tate. With more than 250 Illustrations. Fcap. 8vo, 5*s.* cloth.

## *Practical Philosophy.*

A SYNOPSIS OF PRACTICAL PHILOSOPHY. By Rev. John Carr, M.A., late Fellow of Trin. Coll., Camb. 18mo, 5*s.* cl.

## *Pictures and Painters.*

THE PICTURE AMATEUR'S HANDBOOK AND DICTIONARY OF PAINTERS: A Guide for Visitors to Picture Galleries, and for Art-Students, including methods of Painting, Cleaning, Re-Lining, and Restoring, the Principal Schools of Painting. With Notes on Copyists and Imitators of each Master. By Philippe Daryl, B.A. Cr. 8vo, 3*s.* cloth.

"A really admirable dictionary of painters, which we cordially recommend."—*Builder.*

"A guide to the authorship, quality, and value of a picture, and furnishes the fundamental knowledge necessary to amateurs."—*Saturday Review.*

## *Clocks, Watches, and Bells.*

RUDIMENTARY TREATISE on CLOCKS, and WATCHES, and BELLS. By Sir EDMUND BECKETT, Bart., LL.D., Q.C., F.R.A.S. Seventh Edition, revised and enlarged. Limp cloth (No. 67, Weale's Series), 4*s.* 6*d.*; cl. bds. 5*s.* 6*d.* [*Just published.*

"The best work on the subject extant. The treatise on bells is undoubtedly the best in the language."—*Engineering.*

"The only modern treatise on clock-making."—*Horological Journal.*

## *The Construction of the Organ.*

PRACTICAL ORGAN-BUILDING. By W. E. DICKSON, M.A., Precentor of Ely Cathedral. Second Edition, revised, with Additions. 12mo, 3*s.* cloth boards.

"In many respects the book is the best that has yet appeared on the subject. We cordially recommend it."—*English Mechanic.*

"The amateur builder will find in this book all that is necessary to enable him personally to construct a perfect organ with his own hands."—*Academy.*

## *Brewing.*

A HANDBOOK FOR YOUNG BREWERS. By HERBERT EDWARDS WRIGHT, B.A. Crown 8vo, 3*s.* 6*d.* cloth.

"A thoroughly scientific treatise in popular language."—*Morning Advertiser.*

"We would particularly recommend teachers of the art to place it in every pupil's hands, and we feel sure its perusal will be attended with advantage."—*Brewer.*

## *Dye-Wares and Colours.*

THE MANUAL of COLOURS and DYE-WARES: their Properties, Applications, Valuation, Impurities, and Sophistications. For the Use of Dyers, Printers, Drysalters, Brokers, &c. By J. W. SLATER. Second Edition. Re-written and Enlarged. Crown 8vo, 7*s.* 6*d.* cloth.

## *Grammar of Colouring.*

A GRAMMAR OF COLOURING, applied to Decorative Painting and the Arts. By GEORGE FIELD. New edition. By ELLIS A. DAVIDSON. 12mo, 3*s.* 6*d.* cloth.

## *Woods and Marbles (Imitation of).*

SCHOOL OF PAINTING FOR THE IMITATION OF WOODS AND MARBLES, as Taught and Practised by A. R. and P. VAN DER BURG. With 24 full-size Coloured Plates; also 12 Plain Plates, comprising 154 Figures. Folio, 2*l.* 12*s.* 6*d.* bound.

## *The Military Sciences.*

AIDE-MÉMOIRE to the MILITARY SCIENCES. Framed from Contributions of Officers and others connected with the different Services. Originally edited by a Committee of the Corps of Royal Engineers. 2nd Edition, revised; nearly 350 Engravings and many hundred Woodcuts. 3 vols. royal 8vo, cloth, 4*l.* 10*s.*

## *Field Fortification.*

A TREATISE on FIELD FORTIFICATION, the ATTACK of FORTRESSES, MILITARY MINING, and RECONNOITRING. By Colonel I. S. MACAULAY, late Professor of Fortification in the R. M. A., Woolwich. Sixth Edition, crown 8vo, cloth, with separate Atlas of 12 Plates, 12*s.* complete.

## *Delamotte's Works on Illumination & Alphabets.*

A PRIMER OF THE ART OF ILLUMINATION; for the use of Beginners: with a Rudimentary Treatise on the Art, Practical Directions for its Exercise, and numerous Examples taken from Illuminated MSS., printed in Gold and Colours. By F. DELAMOTTE. Small 4to, 9*s*. Elegantly bound, cloth antique.

"The examples of ancient MSS. recommended to the student, which, with much good sense, the author chooses from collections accessible to all, are selected with judgment and knowledge, as well as taste."—*Athenæum.*

ORNAMENTAL ALPHABETS, ANCIENT and MEDIÆVAL; from the Eighth Century, with Numerals; including Gothic, Church-Text, German, Italian, Arabesque, Initials, Monograms, Crosses, &c. Collected and engraved by F. DELAMOTTE, and printed in Colours. Tenth and Cheaper Edition. Royal 8vo, oblong, 2*s*. 6*d*. ornamental boards.

"For those who insert enamelled sentences round gilded chalices, who blazon shop legends over shop-doors, who letter church walls with pithy sentences from the Decalogue, this book will be useful."—*Athenæum.*

EXAMPLES OF MODERN ALPHABETS, PLAIN and ORNAMENTAL; including German, Old English, Saxon, Italic, Perspective, Greek, Hebrew, Court Hand, Engrossing, Tuscan, Riband, Gothic, Rustic, and Arabesque, &c., &c. Collected and engraved by F. DELAMOTTE, and printed in Colours. Eighth and Cheaper Edition. Royal 8vo, oblong, 2*s*. 6*d*. ornamental boards.

"There is comprised in it every possible shape into which the letters of the alphabet and numerals can be formed."—*Standard.*

MEDIÆVAL ALPHABETS AND INITIALS FOR ILLUMINATORS. By F. DELAMOTTE. Containing 21 Plates, and Illuminated Title, printed in Gold and Colours. With an Introduction by J. WILLIS BROOKS. Small 4to, 6*s*. cloth gilt.

THE EMBROIDERER'S BOOK OF DESIGN; containing Initials, Emblems, Cyphers, Monograms, Ornamental Borders, Ecclesiastical Devices, Mediæval and Modern Alphabets, and National Emblems. Collected and engraved by F. DELAMOTTE, and printed in Colours. Oblong royal 8vo, 1*s*. 6*d*. ornamental wrapper.

## *Wood-Carving.*

INSTRUCTIONS in WOOD-CARVING, for Amateurs; with Hints on Design. By A LADY. In emblematic wrapper, handsomely printed, with Ten large Plates, 2*s*. 6*d*.

"The handicraft of the wood-carver, so well as a book can impart it, may be learnt from 'A Lady's' publication."—*Athenæum.*

## *Popular Work on Painting.*

PAINTING POPULARLY EXPLAINED; with Historical Sketches of the Progress of the Art. By THOMAS JOHN GULLICK, Painter, and JOHN TIMBS, F.S.A. Fourth Edition, revised and enlarged. With Frontispiece and Vignette. In small 8vo, 5*s*. 6*d*. cloth.

⁂ *This Work has been adopted as a Prize-book in the Schools of Art at South Kensington.*

"Contains a large amount of original matter, agreeably conveyed."—*Builder.*

"Much may be learned, even by those who fancy they do not require to be taught, from the careful perusal of this unpretending but comprehensive treatise."—*Art Journal.*

# AGRICULTURE, GARDENING, ETC.

◆

## *Youatt and Burn's Complete Grazier.*

THE COMPLETE GRAZIER, and FARMER'S and CATTLE-BREEDER'S ASSISTANT. A Compendium of Husbandry. By WILLIAM YOUATT, ESQ., V.S. 12th Edition, very considerably enlarged, and brought up to the present requirements of agricultural practice. By ROBERT SCOTT BURN. One large 8vo. volume, 860 pp. with 244 Illustrations. 1*l.* 1*s.* half-bound.

"The standard and text-book, with the farmer and grazier."—*Farmer's Magazine.*

"A treatise which will remain a standard work on the subject as long as British agriculture endures."—*Mark Lane Express.*

## *History, Structure, and Diseases of Sheep.*

SHEEP; THE HISTORY, STRUCTURE, ECONOMY, AND DISEASES OF. By W. C. SPOONER, M.R.V.C., &c. Fourth Edition, with fine engravings, including specimens of New and Improved Breeds. 366 pp., 4*s.* cloth.

## *Production of Meat.*

MEAT PRODUCTION. A Manual for Producers, Distributors, and Consumers of Butchers' Meat. Being a treatise on means of increasing its Home Production. Also treating of the Breeding, Rearing, Fattening, and Slaughtering of Meat-yielding Live Stock; Indications of the Quality, etc. By JOHN EWART. Cr. 8vo, 5*s.* cloth.

"A compact and handy volume on the meat question, which deserves serious and thoughtful consideration at the present time."—*Meat and Provision Trades' Review.*

## *Donaldson and Burn's Suburban Farming.*

SUBURBAN FARMING. A Treatise on the Laying Out and Cultivation of Farms adapted to the produce of Milk, Butter and Cheese, Eggs, Poultry, and Pigs. By the late Professor JOHN DONALDSON. With Additions, Illustrating the more Modern Practice, by R. SCOTT BURN. 12mo, 4*s.* cloth boards.

## *English Agriculture.*

A TEXT-BOOK OF AGRICULTURE (THE FIELDS OF GREAT BRITAIN), adapted to the Syllabus of the Science and Art Department. For Elementary and Advanced Students. By HUGH CLEMENTS (Board of Trade). With an Introduction by H. KAINS-JACKSON. 18mo, 2*s.* 6*d.* cloth.

"A clearly written description of the ordinary routine of English farm-life."—*Land.*
"A carefully written text-book of Agriculture."—*Athenæum.* [*Economist.*
"A most comprehensive volume, giving a mass of information."—*Agricultural*

## *Modern Farming.*

OUTLINES OF MODERN FARMING. By R. SCOTT BURN. Soils, Manures, and Crops—Farming and Farming Economy—Cattle, Sheep, and Horses—Management of the Dairy, Pigs, and Poultry—Utilisation of Town Sewage, Irrigation, &c. Fifth Edition. In 1 vol. 1250 pp., half-bound, profusely illustrated, 12*s.*

"There is sufficient stated within the limits of this treatise to prevent a farmer from going far wrong in any of his operations."—*Observer.*

## *The Management of Estates.*

LANDED ESTATES MANAGEMENT: **Treating of the** Varieties of Lands, Methods of Farming, Farm Building, Irrigation, Drainage, &c. By R. SCOTT BURN. 12mo, 3*s.* cloth.

"A complete and comprehensive outline of the duties appertaining to the management of landed estates."—*Journal of Forestry.*

## *The Management of Farms.*

OUTLINES OF FARM MANAGEMENT, **and the Organization** of Farm Labour. Treating of the **General Work of the Farm,** Field, and Live Stock, Details of Contract Work, Specialties of Labour, Economical Management of the Farmhouse and Cottage, Domestic Animals, &c. By ROBERT SCOTT BURN. 12mo, 3*s.*

## *Management of Estates and Farms.*

LANDED ESTATES AND FARM MANAGEMENT. By R. SCOTT BURN. (The above Two Works in One Vol.) 6*s.*

## *Hudson's Tables for Land Valuers.*

THE LAND VALUER'S BEST ASSISTANT: being Tables, on a very much improved Plan, for Calculating the Value of Estates. With Tables for reducing Scotch, Irish, and Provincial Customary Acres to Statute Measure, &c. By R. HUDSON, C.E. New Edition, royal 32mo, leather, gilt edges, elastic band, 4*s.*

## *Ewart's Land Improver's Pocket-Book.*

THE LAND IMPROVER'S POCKET-BOOK OF FORMULÆ, TABLES, and MEMORANDA, required in any Computation relating to the Permanent Improvement of Landed Property. By JOHN EWART, Land Surveyor. 32mo, leather, 4*s.*

## *Complete Agricultural Surveyor's Pocket-Book.*

THE LAND VALUER'S AND LAND IMPROVER'S COMPLETE POCKET-BOOK; consisting of the above two works bound together, leather, gilt edges, with strap, 7*s.* 6*d.*

"We consider Hudson's book to be the best ready-reckoner on matters relating to the valuation of land and crops we have ever seen, and its combination with Mr. Ewart's work greatly enhances the value and usefulness of the latter-mentioned.—It is most useful as a manual for reference."—*North of England Farmer.*

## *Grafting and Budding.*

THE ART OF GRAFTING AND BUDDING. By CHARLES BALTET. Translated from the French. With upwards of 180 Illustrations. 12mo, 3*s.* cloth boards.

## *Culture of Fruit Trees.*

FRUIT TREES, the Scientific and Profitable Culture of. Including Choice of Trees, Planting, Grafting, Training, Restoration of Unfruitful Trees, &c. From the French of DU BREUIL. Fourth Edition, revised. With an Introduction by GEORGE GLENNY. 4*s.* cl.

"The book teaches how to prune and train fruit-trees to perfection."—*Field.*

## *Potato Culture.*

POTATOES, HOW TO GROW AND SHOW THEM: A Practical Guide to the Cultivation and General Treatment of the Potato. By JAMES PINK. With Illustrations. Cr. 8vo, 2*s.* cl.

## *Good Gardening.*

A PLAIN GUIDE TO GOOD GARDENING; or, How to Grow Vegetables, Fruits, and Flowers. With Practical Notes on Soils, Manures, Seeds, Planting, Laying-out of Gardens and Grounds, &c. By S. WOOD. Third Edition. Cr. 8vo, 5*s.* cloth.

**"A very good book, and one to be highly recommended as a practical guide. The practical directions are excellent."—*Athenæum.***

## *Gainful Gardening.*

MULTUM-IN-PARVO GARDENING; or, How to make One Acre of Land produce £620 a year, by the Cultivation of Fruits and Vegetables; also, How to Grow Flowers in Three Glass Houses, so as to realise £176 per annum clear Profit. By SAMUEL WOOD. 3rd Edition, revised. Cr. 8vo, 2*s.* cloth.

**"We are bound to recommend it as not only suited to the case of the amateur and gentleman's gardener, but to the market grower."—*Gardener's Magazine.***

## *Gardening for Ladies.*

THE LADIES' MULTUM-IN-PARVO FLOWER GARDEN, and Amateur's Complete Guide. By S. WOOD. Cr. 8vo, 3*s.* 6*d.*

## *Bulb Culture.*

THE BULB GARDEN, or, How to Cultivate Bulbous and Tuberous-rooted Flowering Plants to Perfection. By SAMUEL WOOD. Coloured Plates. Crown 8vo, 3*s.* 6*d.* cloth.

## *Tree Planting.*

THE TREE PLANTER AND PLANT PROPAGATOR: A Practical Manual on the Propagation of Forest Trees, Fruit Trees, Flowering Shrubs, Flowering Plants, Pot Herbs, &c. Numerous Illustrations. By SAMUEL WOOD. 12mo, 2*s.* 6*d.* cloth.

## *Tree Pruning.*

THE TREE PRUNER: A Practical Manual on the Pruning of Fruit Trees, their Training and Renovation; also the Pruning of Shrubs, Climbers, &c. By S. WOOD. 12mo, 2*s.* 6*d.* cloth.

## *Tree Planting, Pruning, & Plant Propagation.*

THE TREE PLANTER, PROPAGATOR, AND PRUNER. By SAMUEL WOOD, Author of "Good Gardening," &c. Consisting of the above Two Works in One Vol., 5*s.* half-bound.

## *Early Fruits, Flowers and Vegetables.*

THE FORCING GARDEN: or, How to Grow Early Fruits, Flowers, and Vegetables. With Plans and Estimates for Building Glasshouses, Pits, Frames, &c. By S. WOOD. Crown 8vo, 3*s.* 6*d.*

## *Market Gardening, Etc.*

THE KITCHEN AND MARKET GARDEN. By Contributors to "The Garden." Compiled by C. W. SHAW, Editor of "Gardening Illustrated." 12mo, 3*s.* 6*d.* cl. bds. [*Just published.*

## *Kitchen Gardening.*

KITCHEN GARDENING MADE EASY. Showing how to prepare and lay out the ground, the best means of cultivating every known Vegetable and Herb, etc. By G. M. F. GLENNY. 12mo, 2*s.*

## *'A Complete Epitome of the Laws of this Country.'*

EVERY MAN'S OWN LAWYER; a Handy-Book of the Principles of Law and Equity. By A BARRISTER. New Edition. Corrected to the end of last Session. Embracing upwards of 3,500 Statements on Points of Law, Verified by the addition of Notes and References to the Authorities. Crown 8vo, cloth, price 6*s.* 8*d.* (saved at every consultation).

COMPRISING THE RIGHTS AND WRONGS OF INDIVIDUALS, MERCANTILE AND COMMERCIAL LAW, CRIMINAL LAW, PARISH LAW, COUNTY COURT LAW, GAME AND FISHERY LAWS, POOR MEN'S LAW, THE LAWS OF

BANKRUPTCY—BILLS OF EXCHANGE—CONTRACTS AND AGREEMENTS—COPYRIGHT—DOWER AND DIVORCE—ELECTIONS AND REGISTRATION—INSURANCE—LIBEL AND SLANDER—MORTGAGES—SETTLEMENTS—STOCK EXCHANGE PRACTICE—TRADE MARKS AND PATENTS—TRESPASS, NUISANCES, ETC.—TRANSFER OF LAND, ETC.—WARRANTY—WILLS AND AGREEMENTS, ETC.

Also Law for Landlord and Tenant—Master and Servant—Workmen and Apprentices—Heirs, Devisees, and Legatees — Husband and Wife — Executors and Trustees — Guardian and Ward — Married Women and Infants—Partners and Agents — Lender and Borrower — Debtor and Creditor — Purchaser and Vendor — Companies and Associations—Friendly Societies—Clergymen, Churchwardens—Medical Practitioners, &c. — Bankers — Farmers — Contractors—Stock and Share Brokers—Sportsmen and Gamekeepers—Farriers and Horse-Dealers—Auctioneers, House-Agents—Innkeepers, &c.— Pawnbrokers — Surveyors — Railways and Carriers, &c., &c.

"No Englishman ought to be without this book."—*Engineer.*

"What it professes to be—a complete epitome of the laws of this country, thoroughly intelligible to non-professional readers. The book is a handy one to have in readiness when some knotty point requires ready solution."—*Bell's Life.*

"A useful and concise epitome of the law."—*Law Magazine.*

### *Auctioneer's Assistant.*

THE APPRAISER, AUCTIONEER, BROKER, HOUSE AND ESTATE AGENT, AND VALUER'S POCKET ASSISTANT, for the Valuation for Purchase, Sale, or Renewal of Leases, Annuities, and Reversions, and of property generally; with Prices for Inventories, &c. By JOHN WHEELER, Valuer, &c. Fourth Edition, enlarged, by C. NORRIS. Royal 32mo, cloth, 5*s.*

"A concise book of reference, containing a clearly-arranged list of prices for inventories, a practical guide to determine the value of furniture, &c."—*Standard.*

### *Auctioneering.*

AUCTIONEERS: THEIR DUTIES AND LIABILITIES. By ROBERT SQUIBBS, Auctioneer. Demy 8vo, 10*s.* 6*d.* cloth.

"Every auctioneer and valuer ought to possess a copy of this valuable work."—[*Ironmonger*

### *House Property.*

HANDBOOK OF HOUSE PROPERTY: a Popular and Practical Guide to the Purchase, Mortgage, Tenancy, and Compulsory Sale of Houses and Land; including the Law of Dilapidations and Fixtures, &c. By E. L. TARBUCK. 3rd Edit. 12mo, 3*s.* 6*d.* cloth.

'We are glad to be able to recommend it."—*Builder.* [*Just published.*

"The advice is thoroughly practical."—*Law Journal.*

### *Metropolitan Rating.*

METROPOLITAN RATING: a Summary of the Appeals heard before the Court of General Assessment Sessions at Westminster, in the years 1871-80 inclusive. Containing a large mass of very valuable information with respect to the Rating of Railways, Gas and Waterworks, Tramways, Wharves, Public Houses, &c. By EDWARD and A. L. RYDE. 8vo, 12*s.* 6*d.*

---

*Bradbury, Agnew, & Co., Printers, Whitefriars, London.*

Water by Machinery for Agricultural and Domestic Purposes. By Professor John Scott. With 34 Illustrations. 1s. 6d.

*** *The above form part of* Scott's Farm Engineering Tex Books. *The following volumes, completing the series, are i active preparation:*

Farm Roads, Fences, and Gates.
Agricultural Surveying, Levelling, &c.
Farm Buildings.
Field Implements and Machines.
Barn Implements and Machines.

*SOILS, MANURES, AND CROPS.* By R. Scot Burn. Woodcuts. 2s.

*FARMING AND FARMING ECONOMY;* Note Historical and Practical, on. By R. Scott Burn. Woodcuts. 3

*STOCK; CATTLE, SHEEP, AND HORSES.* B R. Scott Burn. 2s. 6d.

*DAIRY, PIGS, AND POULTRY.* By R. Scot Burn. With Notes on the Diseases of Stock. Woodcuts. 2s.

*UTILIZATION OF SEWAGE, IRRIGATION, AN RECLAMATION OF WASTE LAND.* By R. Scott Bur Woodcuts. 2s. 6d.

*The above five works in one volume, handsomely half-bound, entitl*
"Outlines of Modern Farming." *Price* 12s.

*LANDED ESTATES MANAGEMENT.* By R. Scot Burn. 2s. 6d.; cloth boards, 3s.

*FARM MANAGEMENT AND THE ORGANIZATION OF FARM LABOUR.* By R. Scott Burn. 2s. 6d.

*The above two volumes, bound together,* 6s.

*SHEEP: THE HISTORY, STRUCTURE, ECO*

*THE TREE PLANTER AND PLANT PROPAGATOR:* a Practical Manual on the Propagation of Forest and Fruit Trees, Shrubs, &c. By S. Wood. 2s.; cloth boards, 2s. 6d.

*THE TREE PRUNER:* a Practical Manual on the Pruning of Fruit Trees, Shrubs, &c. By Samuel Wood. 2s.; cloth boards, 2s. 6d.

*The above two volumes, bound together, 5s.*

*FRUIT TREES:* The Scientific and Profitable Culture of. From the French of Du Breuil, revised by Geo. Glenny. 187 Woodcuts. 3s. 6d.; cloth boards, 4s.

*THE ART OF GRAFTING AND BUDDING.* By Charles Baltet. With Illustrations. 2s. 6d.; cloth boards, 3s.

*THE KITCHEN AND MARKET GARDEN.* By Contributors to "The Garden." Compiled by C.W. Shaw, Editor of "Gardening Illustrated." 3s.; cloth boards, 3s. 6d.

*KITCHEN GARDENING MADE EASY.* By George M. F. Glenny. 1s. 6d.; cloth boards, 2s.

*COTTAGE GARDENING;* or, Flowers, Fruits, and Vegetables for Small Gardens. By E. Hobday. 1s. 6d.

*GARDEN RECEIPTS.* Edited by C. W. Quin. 1s. 6d.

## FINE ARTS.

*ELEMENTARY DECORATION:* A Guide to the Simpler Forms of Everyday Art, as applied to the Interior and Exterior Decoration of Dwelling Houses, &c. By J. W. Facey, Jun. Illustrated with 68 Explanatory Engravings, principally from Designs by the Author. 2s.

*A GRAMMAR OF COLOURING,* applied to Decorative Painting and the Arts. By George Field. New Edition, enlarged, and adapted to the Use of the Ornamental Painter and Designer. By Ellis A. Davidson. 3s.; cloth boards, 3s. 6d.

*PAINTING POPULARLY EXPLAINED,* including Fresco, Oil, Mosaic, Water Colour, Water-Glass, Tempera, Encaustic, Miniature, Painting on Ivory, Vellum, Pottery, Enamel, Glass, &c. By T. J. Gullick, assisted by J. Timbs, F.S.A. Fourth Edition, enlarged. 5s.; cloth boards, 5s. 6d.

*PERSPECTIVE FOR BEGINNERS:* adapted to Young Students and Amateurs in Architecture, Painting, &c. By G. Pyne. Woodcuts. 2s.

*GLASS STAINING, AND THE ART OF PAINTING ON GLASS.* From the German of Dr. Gessert and Emanuel Otto Fromberg. With an Appendix on Enamelling. 2s. 6d.

*MUSIC,* A Rudimentary and Practical Treatise on. By C. C. Spencer. 2s. 6d.

*PIANOFORTE,* The Art of Playing the; with numerous ises and Lessons. By C. C. Spencer. 1s. 6d.

*THE PIANOFORTE.* In one vol. 5s.